


Date: 24.JUL.2017 15:31:20



Date: 24.JUL.2017 15:32:17

Report No.: BTL-FCCP-2-1707C145 Page 189 of 341






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48

Channel	Frequency	26dB Bandwidth	99% Occupied Bandwidth
	(MHz)	(MHz)	(MHz)
CH36	5180	21.49	17.80
CH40	5200	22.41	17.80
CH48	5240	26.10	18.00

TX CH36




Date: 24.JUL.2017 11:56:51

Report No.: BTL-FCCP-2-1707C145 Page 190 of 341








Span 50 MHz

Date: 24.JUL.2017 11:58:06

Center 5.2 GHz



Date: 24.JUL.2017 11:59:09





Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channal	Frequency	26dB Bandwidth	99% Occupied Bandwidth
Channel	(MHz)	(MHz)	(MHz)
CH38	5190	44.39	37.00
CH46	5230	44.21	37.20

Report No.: BTL-FCCP-2-1707C145 Page 192 of 341










Date: 24.JUL.2017 15:45:12

TX CH46



Date: 24.JUL.2017 15:46:10






Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency	26dB Bandwidth	99% Occupied Bandwidth
	(MHz)	(MHz)	(MHz)
CH42	5210	82.81	76.00

TX CH42



Date: 24.JUL.2017 16:02:30

Report No.: BTL-FCCP-2-1707C145 Page 194 of 341






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channal	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH149	5745	17.69	17.60	>=500
CH157	5785	17.71	17.70	>=500
CH165	5825	17.80	17.80	>=500

TX CH 149




Date: 24.JUL.2017 12:00:45


Report No.: BTL-FCCP-2-1707C145 Page 195 of 341







Date: 24.JUL.2017 12:02:03



Date: 24.JUL.2017 12:02:55






Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159

Channel Frequency (MHz)	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
	(MHz)	(MHz)	(MHz)	(kHz)
CH151	5755	36.80	36.40	>=500
CH159	5795	36.80	36.40	>=500


Report No.: BTL-FCCP-2-1707C145 Page 197 of 341







Date: 24.JUL.2017 15:47:14



Date: 24.JUL.2017 15:48:12

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
	(MHz)	(MHz)	(MHz)	(kHz)
CH155	5775	77.00	76.00	>=500

TX CH 155



Date: 24.JUL.2017 16:03:21

Report No.: BTL-FCCP-2-1707C145 Page 199 of 341






With Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48

Channel	Frequency	26dB Bandwidth	99% Occupied Bandwidth
	(MHz)	(MHz)	(MHz)
CH36	5180	20.89	16.80
CH40	5200	20.75	16.80
CH48	5240	20.75	16.80

TX CH36




Date: 27.JUL.2017 13:56:55

Report No.: BTL-FCCP-2-1707C145 Page 200 of 341








Span 50 MHz

Date: 27.JUL.2017 14:01:26

Center 5.2 GHz



Date: 27.JUL.2017 14:07:14

Report No.: BTL-FCCP-2-1707C145 Page 201 of 341






Test Mode: UNII-1/TX N40 Mode_CH38/CH46

Channal	Frequency	26dB Bandwidth	99% Occupied Bandwidth
Channel	(MHz)	(MHz)	(MHz)
CH38	5190	44.60	37.00
CH46	5230	44.50	37.20


Report No.: BTL-FCCP-2-1707C145 Page 202 of 341











Date: 27.JUL.2017 14:47:41






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.29	17.80
CH40	5200	21.30	17.80
CH48	5240	21.35	17.80

TX CH36



Date: 27.JUL.2017 14:21:07


Report No.: BTL-FCCP-2-1707C145 Page 204 of 341






Page 205 of 341





Date: 27.JUL.2017 14:23:01

TX CH48



Date: 27.JUL.2017 14:24:18

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-1/TX AC40 Mode_CH38/CH46

Channal	Frequency	26dB Bandwidth	99% Occupied Bandwidth
Channel	(MHz)	(MHz)	(MHz)
CH38	5190	43.50	36.80
CH46	5230	43.59	36.80

Report No.: BTL-FCCP-2-1707C145 Page 206 of 341








10 MHz/

Span 100 MHz

Date: 27.JUL.2017 15:05:10

Center 5.19 GHz



Date: 27.JUL.2017 15:07:50

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency	26dB Bandwidth	99% Occupied Bandwidth
	(MHz)	(MHz)	(MHz)
CH42	5210	82.61	76.00

TX CH42



Date: 27.JUL.2017 15:36:39

Report No.: BTL-FCCP-2-1707C145 Page 208 of 341






Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.55	16.70	>=500
CH157	5785	16.59	16.70	>=500
CH165	5825	16.55	17.40	>=500

TX CH 149




Date: 27.JUL.2017 14:04:00


Report No.: BTL-FCCP-2-1707C145 Page 209 of 341







Date: 27.JUL.2017 14:05:07



Date: 27.JUL.2017 14:06:05

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-3/ TX N40 Mode_CH151/CH159

Channal	Frequency 6dB Bandwidth		99% Occupied Bandwidth	Limit
Channel (MHz)		(MHz)	(MHz)	(kHz)
CH151	5755	36.60	36.40	>=500
CH159	5795	36.80	36.40	>=500


Report No.: BTL-FCCP-2-1707C145 Page 211 of 341







Date: 27.JUL.2017 14:49:02



Date: 27.JUL.2017 14:50:08

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel Frequency (MHz)		6dB Bandwidth	99% Occupied Bandwidth	Limit
		(MHz)	(MHz)	(kHz)
CH149	5745	17.85	17.70	>=500
CH157	5785	17.80	17.70	>=500
CH165	5825	17.80	17.70	>=500

TX CH 149




Date: 27.JUL.2017 14:26:07


Report No.: BTL-FCCP-2-1707C145 Page 213 of 341







Date: 27.JUL.2017 14:27:04



Date: 27.JUL.2017 14:29:20

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159

Channel		6dB Bandwidth	99% Occupied Bandwidth	Limit
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

Report No.: BTL-FCCP-2-1707C145 Page 215 of 341








Span 100 MHz

Date: 27.JUL.2017 15:13:12

Center 5.755 GHz



Date: 27.JUL.2017 15:14:26

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency 6dB Bandwidth		99% Occupied Bandwidth	Limit
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH155	5775	77.00	76.00	>=500

TX CH 155



Date: 27.JUL.2017 15:37:54

Report No.: BTL-FCCP-2-1707C145 Page 217 of 341





ATTACHMENTF - MAXIMUM OUTPUT POWER

Report No.: BTL-FCCP-2-1707C145 Page 218 of 341





Non-Beamforming

Test Mode: UNII-1/TX A Mode

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH36	5180	23.74	0.0	23.74	30.00	1.00
CH40	5200	26.71	0.00	26.71	30.00	1.00
CH48	5240	27.34	0.00	27.34	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH36	5180	21.05	0.00	21.05	30.00	1.00
CH40	5200	20.03	0.00	20.03	30.00	1.00
CH48	5240	21.06	0.00	21.06	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

				Output		
Channel	Frequency	ency Output Power	Power+Duty	Limit	Limit	
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH36	5180	20.46	0.00	20.46	30.00	1.00
CH40	5200	20.89	0.00	20.89	30.00	1.00
CH48	5240	20.93	0.00	20.93	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Report No.: BTL-FCCP-2-1707C145 Page 219 of 341





Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH36	5180	23.78	30.00	1.00
CH40	5200	23.49	30.00	1.00
CH48	5240	24.01	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 220 of 341





Test Mode: UNII-1/TX N40 Mode_ANT 1

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH38	5190	19.25	0.00	19.25	30.00	1.00
CH46	5230	26.98	0.00	26.98	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH38	5190	20.01	0.00	20.01	30.00	1.00
CH46	5230	25.67	0.00	25.67	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency	Output Power	Limit	Limit
Chamilei	(MHz)	(dBm)	(dBm)	(Watt)
CH38	5190	22.66	30.00	1.00
CH46	5230	29.38	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 221 of 341





Test Mode: UNII-1/TX AC20 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Footor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH36	5180	21.16	0.00	21.16	30.00	1.00
CH40	5200	21.67	0.00	21.67	30.00	1.00
CH48	5240	22.58	0.00	22.58	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

		Output Power		Output		
Channal	Frequency		Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)		Factor	(dBm)	(Watt)
				(dBm)		
CH36	5180	21.78	0.00	21.78	30.00	1.00
CH40	5200	21.89	0.00	21.89	30.00	1.00
CH48	5240	22.25	0.00	22.25	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH36	5180	24.49	30.00	1.00
CH40	5200	24.79	30.00	1.00
CH48	5240	25.43	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 222 of 341





Test Mode: UNII-1/TX AC40 Mode_ANT 1

		equency Output Power		Output		
Channel	Frequency		Duty Factor	Power+Duty	Limit	Limit
Charmer	(MHz) (dBm)	Duty Factor	Factor	(dBm)	(Watt)	
				(dBm)		
CH38	5190	18.87	0.00	18.87	30.00	1.00
CH46	5230	25.12	0.00	25.12	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

		Output Power		Output		
Channel	Channel Frequency Output Power (MHz) (dBm)		Duty Factor	Power+Duty	Limit	Limit
Chamilei		(dBm)		Factor	(dBm)	(Watt)
				(dBm)		
CH38	5190	20.03	0.00	20.03	30.00	1.00
CH46	5230	25.08	0.00	25.08	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency	Output Power	Limit	Limit
Chamilei	(MHz)	(dBm)	(dBm)	(Watt)
CH38	5190	22.50	30.00	1.00
CH46	5230	28.11	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 223 of 341





Test Mode: UNII-1/TX AC80 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Footon	Power+Duty	Limit	Limit
Channel	Channel (MHz) (dBm) Dut	Duty Factor	Factor	(dBm)	(Watt)	
				(dBm)		
CH42	5210	17.06	0.00	17.06	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

		Output Power (dBm)		Output		
Channel Frequency (MHz)	Frequency		Duty Factor	Power+Duty	Limit	Limit
	(MHz)			Factor	(dBm)	(Watt)
				(dBm)		
CH42	5210	18.15	0.00	18.15	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH42	5210	20.65	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 224 of 341





Test Mode: UNII-3/ TX A Mode

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH149	5745	29.45	0.00	29.45	30.00	1.00
CH157	5785	29.42	0.00	29.42	30.00	1.00
CH165	5825	29.32	0.00	29.32	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH149	5745	26.48	0.00	26.48	30.00	1.00
CH157	5785	26.39	0.00	26.39	30.00	1.00
CH165	5825	26.33	0.00	26.33	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH149	5745	26.15	0.00	26.15	30.00	1.00
CH157	5785	26.12	0.00	26.12	30.00	1.00
CH165	5825	26.09	0.00	26.09	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Report No.: BTL-FCCP-2-1707C145 Page 225 of 341





Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	29.33	30.00	1.00
CH157	5785	29.27	30.00	1.00
CH165	5825	29.22	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH151	5755	26.77	0.00	26.77	30.00	1.00
CH159	5795	25.96	0.00	25.96	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Charmer	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH151	5755	25.87	0.00	25.87	30.00	1.00
CH159	5795	25.81	0.00	25.81	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH151	5755	29.35	30.00	1.00
CH159	5795	28.90	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 226 of 341





Test Mode: UNII-3/TX AC20 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH149	5745	26.61	0.00	26.61	30.00	1.00
CH157	5785	26.63	0.00	26.63	30.00	1.00
CH165	5825	26.43	0.00	26.43	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH149	5745	26.21	0.00	26.21	30.00	1.00
CH157	5785	26.13	0.00	26.13	30.00	1.00
CH165	5825	25.86	0.00	25.86	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	29.42	30.00	1.00
CH157	5785	29.40	30.00	1.00
CH165	5825	29.16	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 227 of 341





Test Mode: UNII-3/TX AC40 Mode_ANT 1

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH151	5755	25.94	0.00	25.94	30.00	1.00
CH159	5795	25.83	0.00	25.83	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH151	5755	25.02	0.00	25.02	30.00	1.00
CH159	5795	25.24	0.00	25.24	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH151	5755	28.51	30.00	1.00
CH159	5795	28.56	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 228 of 341





Test Mode: UNII-3/TX AC80 Mode_ANT 1

				Output		
Channel	Frequency	Output Power	Duty Footor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH155	5775	20.21	0.00	20.21	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH155	5775	19.41	0.00	19.41	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH155	5775	22.84	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 229 of 341





With Beamforming

Test Mode: UNII-1/TX N20 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Footor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH36	5180	21.28	0.00	21.28	30.00	1.00
CH40	5200	20.47	0.00	20.47	30.00	1.00
CH48	5240	21.33	0.00	21.33	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH36	5180	20.51	0.00	20.51	30.00	1.00
CH40	5200	20.52	0.00	20.52	30.00	1.00
CH48	5240	20.57	0.00	20.57	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH36	5180	23.92	30.00	1.00
CH40	5200	23.51	30.00	1.00
CH48	5240	23.98	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 230 of 341





Test Mode: UNII-1/TX N40 Mode_ANT 1

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH38	5190	19.03	0.00	19.03	30.00	1.00
CH46	5230	26.64	0.00	26.64	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH38	5190	20.28	0.00	20.28	30.00	1.00
CH46	5230	25.28	0.00	25.28	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH38	5190	22.71	30.00	1.00
CH46	5230	29.02	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 231 of 341





Test Mode: UNII-1/TX AC20 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH36	5180	21.03	0.00	21.03	30.00	1.00
CH40	5200	21.22	0.00	21.22	30.00	1.00
CH48	5240	22.21	0.00	22.21	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH36	5180	21.42	0.00	21.42	30.00	1.00
CH40	5200	21.29	0.00	21.29	30.00	1.00
CH48	5240	22.11	0.00	22.11	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode _Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH36	5180	24.24	30.00	1.00
CH40	5200	24.27	30.00	1.00
CH48	5240	25.17	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 232 of 341





Test Mode: UNII-1/TX AC40 Mode_ANT 1

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH38	5190	18.54	0.00	18.54	30.00	1.00
CH46	5230	25.31	0.00	25.31	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH38	5190	20.28	0.00	20.28	30.00	1.00
CH46	5230	25.47	0.00	25.47	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency	Output Power	Limit	Limit
Chamilei	(MHz)	(dBm)	(dBm)	(Watt)
CH38	5190	22.51	30.00	1.00
CH46	5230	28.40	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 233 of 341





Test Mode: UNII-1/TX AC80 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Footon	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH42	5210	17.21	0.00	17.21	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH42	5210	18.34	0.00	18.34	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency	Output Power	Limit	Limit
Charmer	(MHz)	(dBm)	(dBm)	(Watt)
CH42	5210	20.82	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 234 of 341





Test Mode: UNII-3/TX N20 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH149	5745	26.29	0.00	26.29	30.00	1.00
CH157	5785	26.17	0.00	26.17	30.00	1.00
CH165	5825	26.07	0.00	26.07	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH149	5745	26.28	0.00	26.28	30.00	1.00
CH157	5785	26.01	0.00	26.01	30.00	1.00
CH165	5825	26.29	0.00	26.29	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH149	5745	29.30	30.00	1.00
CH157	5785	29.10	30.00	1.00
CH165	5825	29.19	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 235 of 341





Test Mode: UNII-3/ TX N40 Mode_ANT 1

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Charmer	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH151	5755	26.33	0.00	26.33	30.00	1.00
CH159	5795	25.52	0.00	25.52	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	(MHz)	(dBm)	Duly Facion	Factor	(dBm)	(Watt)
				(dBm)		
CH151	5755	25.47	0.00	25.47	30.00	1.00
CH159	5795	25.38	0.00	25.38	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH151	5755	28.93	30.00	1.00
CH159	5795	28.46	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 236 of 341





Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor	Limit (dBm)	Limit (Watt)
	()	(*)		(dBm)	(4)	(
CH149	5745	26.39	0.00	26.39	30.00	1.00
CH157	5785	26.27	0.00	26.27	30.00	1.00
CH165	5825	26.17	0.00	26.17	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH149	5745	26.64	0.00	26.64	30.00	1.00
CH157	5785	26.51	0.00	26.51	30.00	1.00
CH165	5825	25.30	0.00	25.30	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency	Output Power	Limit	Limit
Chamilei	(MHz)	(dBm)	(dBm)	(Watt)
CH149	5745	29.53	30.00	1.00
CH157	5785	29.40	30.00	1.00
CH165	5825	28.77	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 237 of 341





Test Mode: UNII-3/TX AC40 Mode_ANT 1

				Output		
Channel	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Charmer	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH151	5755	25.61	0.00	25.61	30.00	1.00
CH159	5795	25.42	0.00	25.42	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

				Output		
Channal	Frequency	Output Power	Duty Factor	Power+Duty	Limit	Limit
Chamilei	Channel (MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH151	5755	25.59	0.00	25.59	30.00	1.00
CH159	5795	25.41	0.00	25.41	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH151	5755	28.61	30.00	1.00
CH159	5795	28.43	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 238 of 341





Test Mode: UNII-3/TX AC80 Mode_ANT 1

				Output		
Channal	Frequency	Output Power	Duty Footor	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)	Duty Factor	Factor	(dBm)	(Watt)
				(dBm)		
CH155	5775	20.27	0.00	20.27	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

				Output		
Channal	Frequency	Output Power	tput Power (dBm)	Power+Duty	Limit	Limit
Channel	(MHz)	(dBm)		Factor	(dBm)	(Watt)
				(dBm)		
CH155	5775	19.19	0.00	19.19	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH155	5775	22.77	30.00	1.00

Report No.: BTL-FCCP-2-1707C145 Page 239 of 341





Į.	ATTACHMENTH - POWER SPECTRAL DENSITY

Report No.: BTL-FCCP-2-1707C145 Page 240 of 341





Non-Beamforming

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.99	0.00	13.99	17.00
CH40	5200	16.00	0.00	16.00	17.00
CH48	5240	15.97	0.00	15.97	17.00

CH36




Date: 24.JUL.2017 10:59:08

Report No.: BTL-FCCP-2-1707C145 Page 241 of 341







Date: 24.JUL.2017 16:11:34



Date: 24.JUL.2017 16:13:45





Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.05	0.00	13.05	17.00
CH40	5200	13.56	0.00	13.56	17.00
CH48	5240	13.66	0.00	13.66	17.00

CH36




Date: 24.JUL.2017 16:20:05

Report No.: BTL-FCCP-2-1707C145 Page 243 of 341







Date: 24.JUL.2017 16:26:29



Date: 24.JUL.2017 16:29:04





Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.58	0.00	13.58	17.00
CH40	5200	13.46	0.00	13.46	17.00
CH48	5240	13.10	0.00	13.10	17.00

CH36




Date: 24.JUL.2017 16:24:48

Report No.: BTL-FCCP-2-1707C145 Page 245 of 341







Date: 24.JUL.2017 16:28:26



Date: 24.JUL.2017 16:29:41





Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	16.33	17.00
CH40	5200	16.52	17.00
CH48	5240	16.40	17.00

Report No.: BTL-FCCP-2-1707C145 Page 247 of 341






Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.10	0.00	7.10	17.00
CH46	5230	13.82	0.00	13.82	17.00

Report No.: BTL-FCCP-2-1707C145 Page 248 of 341







Date: 24.JUL.2017 15:27:54



Date: 24.JUL.2017 15:30:35






Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.94	0.00	6.94	17.00
CH46	5230	11.28	0.00	11.28	17.00

Report No.: BTL-FCCP-2-1707C145 Page 250 of 341







Date: 24.JUL.2017 15:39:26



Date: 24.JUL.2017 15:40:15





Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	10.03	17.00
CH46	5230	15.74	17.00

Report No.: BTL-FCCP-2-1707C145 Page 252 of 341






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.87	0.00	12.87	17.00
CH40	5200	13.77	0.00	13.77	17.00
CH48	5240	13.40	0.00	13.40	17.00

CH36




Date: 24.JUL.2017 16:30:43

Report No.: BTL-FCCP-2-1707C145 Page 253 of 341







Date: 24.JUL.2017 16:32:11



Date: 24.JUL.2017 16:34:54






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.50	0.00	13.50	17.00
CH40	5200	13.30	0.00	13.30	17.00
CH48	5240	12.98	0.00	12.98	17.00

CH36




Date: 24.JUL.2017 16:31:20


Report No.: BTL-FCCP-2-1707C145 Page 255 of 341







Date: 24.JUL.2017 16:33:06



Date: 24.JUL.2017 16:33:40





Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	16.21	17.00
CH40	5200	16.55	17.00
CH48	5240	16.21	17.00

Report No.: BTL-FCCP-2-1707C145 Page 257 of 341






Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	5.42	0.00	5.42	17.00
CH46	5230	11.75	0.00	11.75	17.00


Report No.: BTL-FCCP-2-1707C145 Page 258 of 341







Date: 24.JUL.2017 15:45:23



Date: 24.JUL.2017 15:46:21






Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.79	0.00	6.79	17.00
CH46	5230	11.38	0.00	11.38	17.00


Report No.: BTL-FCCP-2-1707C145 Page 260 of 341







Date: 24.JUL.2017 16:05:20



Date: 24.JUL.2017 16:06:49





Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.17	17.00
CH46	5230	14.58	17.00

Report No.: BTL-FCCP-2-1707C145 Page 262 of 341






Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	2.76	0.00	2.76	17.00





Date: 24.JUL.2017 16:02:41

Report No.: BTL-FCCP-2-1707C145 Page 263 of 341






Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	3.06	0.00	3.06	17.00

CH42



Date: 24.JUL.2017 16:00:22

Report No.: BTL-FCCP-2-1707C145 Page 264 of 341





Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/MHz)	(dBm/MHz)
CH42	5210	5.92	17.00

Report No.: BTL-FCCP-2-1707C145 Page 265 of 341





Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

				Power	
Channal	Frequency	Power Density	Duty Footor	Density+Duty	Limit
Channel	(MHz)	(dBm/500kHz)	Duty Factor	Factor	(dBm/500kHz)
				(dBm/500kHz)	
CH149	5745	15.98	0.00	15.98	30.00
CH157	5785	15.62	0.00	15.62	30.00
CH165	5825	15.13	0.00	15.13	30.00

TX CH149




Date: 24.JUL.2017 11:13:58

Report No.: BTL-FCCP-2-1707C145 Page 266 of 341







Date: 24.JUL.2017 11:17:52



Date: 24.JUL.2017 11:19:08

Report No.: BTL-FCCP-2-1707C145 Page 267 of 341





Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

				Power	
Channel	Frequency	Power Density	Duty Factor	Density+Duty	Limit
Charmer	(MHz)	(dBm/500kHz)	Duty Factor	Factor	(dBm/500kHz)
				(dBm/500kHz)	
CH149	5745	13.17	0.00	13.17	30.00
CH157	5785	13.07	0.00	13.07	30.00
CH165	5825	12.72	0.00	12.72	30.00

TX CH149




Date: 24.JUL.2017 11:50:37


Report No.: BTL-FCCP-2-1707C145 Page 268 of 341







Date: 24.JUL.2017 11:51:33



Date: 24.JUL.2017 11:55:01






Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.72	0.00	11.72	30.00
CH157	5785	11.68	0.00	11.68	30.00
CH165	5825	11.44	0.00	11.44	30.00

TX CH149




Date: 24.JUL.2017 11:37:23


Report No.: BTL-FCCP-2-1707C145 Page 270 of 341







Date: 24.JUL.2017 11:38:13



Date: 24.JUL.2017 11:39:06





Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	15.52	30.00
CH157	5785	15.44	30.00
CH165	5825	15.14	30.00

Report No.: BTL-FCCP-2-1707C145 Page 272 of 341






Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.57	0.00	10.57	30.00
CH159	5795	10.47	0.00	10.47	30.00


Report No.: BTL-FCCP-2-1707C145 Page 273 of 341







Date: 24.JUL.2017 15:31:31



Date: 24.JUL.2017 15:32:28






Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.80	0.00	8.80	30.00
CH159	5795	8.77	0.00	8.77	30.00


Report No.: BTL-FCCP-2-1707C145 Page 275 of 341







Date: 24.JUL.2017 15:41:48



Date: 24.JUL.2017 15:42:40





Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	12.78	30.00
CH159	5795	12.71	30.00

Report No.: BTL-FCCP-2-1707C145 Page 277 of 341






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

				Power	
Channal	Frequency	Power Density	Duty Footor	Density+Duty	Limit
Channel	(MHz)	(dBm/500kHz)	Duty Factor	Factor	(dBm/500kHz)
				(dBm/500kHz)	
CH149	5745	12.15	0.00	12.15	30.00
CH157	5785	12.15	0.00	12.15	30.00
CH165	5825	12.19	0.00	12.19	30.00

TX CH149




Date: 24.JUL.2017 12:00:55

Report No.: BTL-FCCP-2-1707C145 Page 278 of 341







Date: 24.JUL.2017 12:02:13



Date: 24.JUL.2017 12:03:04






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	13.39	0.00	13.39	30.00
CH157	5785	13.27	0.00	13.27	30.00
CH165	5825	13.13	0.00	13.13	30.00

TX CH149




Date: 24.JUL.2017 13:45:57

Report No.: BTL-FCCP-2-1707C145 Page 280 of 341







Date: 24.JUL.2017 13:46:54



Date: 24.JUL.2017 13:47:46

Report No.: BTL-FCCP-2-1707C145





Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	15.82	30.00
CH157	5785	15.76	30.00
CH165	5825	15.70	30.00

Report No.: BTL-FCCP-2-1707C145 Page 282 of 341






Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.88	0.00	8.88	30.00
CH159	5795	9.01	0.00	9.01	30.00


Report No.: BTL-FCCP-2-1707C145 Page 283 of 341







Date: 24.JUL.2017 15:47:26



Date: 24.JUL.2017 15:48:23





Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.84	0.00	8.84	30.00
CH159	5795	8.84	0.00	8.84	30.00


Report No.: BTL-FCCP-2-1707C145 Page 285 of 341







Date: 24.JUL.2017 16:08:00



Date: 24.JUL.2017 16:08:56





Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	11.87	30.00
CH159	5795	11.94	30.00

Report No.: BTL-FCCP-2-1707C145 Page 287 of 341






Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.26	0.00	2.26	30.00

TX CH155



Date: 24.JUL.2017 16:03:33

Report No.: BTL-FCCP-2-1707C145 Page 288 of 341






Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.73	0.00	1.73	30.00

TX CH155



Date: 24.JUL.2017 16:01:34

Report No.: BTL-FCCP-2-1707C145 Page 289 of 341





Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/500kHz)	(dBm/500kHz)
CH155	5775	5.01	30.00

Report No.: BTL-FCCP-2-1707C145 Page 290 of 341






With Beamforming

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.66	0.00	10.66	17.00
CH40	5200	10.15	0.00	10.15	17.00
CH48	5240	10.33	0.00	10.33	17.00

CH36




Date: 27.JUL.2017 13:56:33


Report No.: BTL-FCCP-2-1707C145 Page 291 of 341







Date: 27.JUL.2017 14:01:01



Date: 27.JUL.2017 14:06:52






Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.35	0.00	10.35	17.00
CH40	5200	10.54	0.00	10.54	17.00
CH48	5240	10.29	0.00	10.29	17.00

CH36




Date: 27.JUL.2017 14:09:00


Report No.: BTL-FCCP-2-1707C145 Page 293 of 341







Date: 27.JUL.2017 14:10:17



Date: 27.JUL.2017 14:11:31





Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.52	17.00
CH40	5200	13.36	17.00
CH48	5240	13.32	17.00

Report No.: BTL-FCCP-2-1707C145 Page 295 of 341






Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	10.71	0.00	10.71	17.00
CH46	5230	10.39	0.00	10.39	17.00


Report No.: BTL-FCCP-2-1707C145 Page 296 of 341







Date: 27.JUL.2017 14:45:48



Date: 27.JUL.2017 14:47:18






Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	10.65	0.00	10.65	17.00
CH46	5230	10.80	0.00	10.80	17.00


Report No.: BTL-FCCP-2-1707C145 Page 298 of 341







Date: 27.JUL.2017 14:59:48



Date: 27.JUL.2017 15:00:39





Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	13.69	17.00
CH46	5230	13.61	17.00

Report No.: BTL-FCCP-2-1707C145 Page 300 of 341






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.40	0.00	10.40	17.00
CH40	5200	10.43	0.00	10.43	17.00
CH48	5240	10.41	0.00	10.41	17.00

CH36




Date: 27.JUL.2017 14:21:15


Report No.: BTL-FCCP-2-1707C145 Page 301 of 341







Date: 27.JUL.2017 14:23:10



Date: 27.JUL.2017 14:24:26






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.62	0.00	10.62	17.00
CH40	5200	10.85	0.00	10.85	17.00
CH48	5240	10.74	0.00	10.74	17.00

CH36




Date: 27.JUL.2017 14:31:51


Report No.: BTL-FCCP-2-1707C145 Page 303 of 341







Date: 27.JUL.2017 14:36:52



Date: 27.JUL.2017 14:37:49





Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.52	17.00
CH40	5200	13.66	17.00
CH48	5240	13.59	17.00

Report No.: BTL-FCCP-2-1707C145 Page 305 of 341






Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	10.68	0.00	10.68	17.00
CH46	5230	10.29	0.00	10.29	17.00

Report No.: BTL-FCCP-2-1707C145 Page 306 of 341







Date: 27.JUL.2017 15:04:42



Date: 27.JUL.2017 15:07:28

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	10.05	0.00	10.05	17.00
CH46	5230	10.05	0.00	10.05	17.00


Report No.: BTL-FCCP-2-1707C145 Page 308 of 341







Date: 27.JUL.2017 15:34:28



Date: 27.JUL.2017 15:35:13





Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	13.39	17.00
CH46	5230	13.18	17.00

Report No.: BTL-FCCP-2-1707C145 Page 310 of 341






Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	9.42	0.00	9.42	17.00





Date: 27.JUL.2017 15:36:51


Report No.: BTL-FCCP-2-1707C145 Page 311 of 341





Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	9.20	0.00	9.20	17.00



Date: 27.JUL.2017 15:39:38

Report No.: BTL-FCCP-2-1707C145 Page 312 of 341





Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/MHz)	(dBm/MHz)
CH42	5210	12.32	17.00

Report No.: BTL-FCCP-2-1707C145 Page 313 of 341






Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.75	0.00	12.75	30.00
CH157	5785	12.55	0.00	12.55	30.00
CH165	5825	12.26	0.00	12.26	30.00

TX CH149




Date: 27.JUL.2017 14:04:08

Report No.: BTL-FCCP-2-1707C145 Page 314 of 341







Date: 27.JUL.2017 14:05:16



Date: 27.JUL.2017 14:06:14

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.60	0.00	12.60	30.00
CH157	5785	12.21	0.00	12.21	30.00
CH165	5825	11.60	0.00	11.60	30.00

TX CH149




Date: 27.JUL.2017 14:13:17


Report No.: BTL-FCCP-2-1707C145 Page 316 of 341







Date: 27.JUL.2017 14:14:09



Date: 27.JUL.2017 14:14:59





Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	15.69	30.00
CH157	5785	15.39	30.00
CH165	5825	14.95	30.00

Report No.: BTL-FCCP-2-1707C145 Page 318 of 341






Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	9.04	0.00	9.04	30.00
CH159	5795	8.35	0.00	8.35	30.00


Report No.: BTL-FCCP-2-1707C145 Page 319 of 341







Date: 27.JUL.2017 14:49:13



Date: 27.JUL.2017 14:50:20

Report No.: BTL-FCCP-2-1707C145






Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.97	0.00	7.97	30.00
CH159	5795	7.82	0.00	7.82	30.00


Report No.: BTL-FCCP-2-1707C145 Page 321 of 341







Date: 27.JUL.2017 15:01:37



Date: 27.JUL.2017 15:02:34





Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	11.55	30.00
CH159	5795	11.10	30.00

Report No.: BTL-FCCP-2-1707C145 Page 323 of 341






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

				Power	
Channal	Frequency	Power Density	Duty Factor	Density+Duty	Limit
Channel	(MHz)	(dBm/500kHz)	Duty Factor	Factor	(dBm/500kHz)
				(dBm/500kHz)	
CH149	5745	11.44	0.00	11.44	30.00
CH157	5785	11.42	0.00	11.42	30.00
CH165	5825	10.80	0.00	10.80	30.00

TX CH149



Date: 27.JUL.2017 14:26:15

Report No.: BTL-FCCP-2-1707C145 Page 324 of 341







Date: 27.JUL.2017 14:27:13



Date: 27.JUL.2017 14:29:29






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

				Power	
Channel	Frequency	Power Density	Duty Easter	Density+Duty	Limit
Chamilei	(MHz)	(dBm/500kHz)	Duty Factor	Factor	(dBm/500kHz)
				(dBm/500kHz)	
CH149	5745	11.37	0.00	11.37	30.00
CH157	5785	10.90	0.00	10.90	30.00
CH165	5825	10.63	0.00	10.63	30.00

TX CH149




Date: 27.JUL.2017 14:39:24


Report No.: BTL-FCCP-2-1707C145 Page 326 of 341







Date: 27.JUL.2017 14:40:26



Date: 27.JUL.2017 14:41:17

Report No.: BTL-FCCP-2-1707C145





Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.42	30.00
CH157	5785	14.18	30.00
CH165	5825	13.73	30.00

Report No.: BTL-FCCP-2-1707C145 Page 328 of 341






Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.17	0.00	8.17	30.00
CH159	5795	8.12	0.00	8.12	30.00


Report No.: BTL-FCCP-2-1707C145 Page 329 of 341







Date: 27.JUL.2017 15:13:24



Date: 27.JUL.2017 15:14:38






Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.51	0.00	7.51	30.00
CH159	5795	7.01	0.00	7.01	30.00


Report No.: BTL-FCCP-2-1707C145 Page 331 of 341







Date: 27.JUL.2017 15:31:26



Date: 27.JUL.2017 15:32:20





Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.86	30.00
CH159	5795	10.61	30.00

Report No.: BTL-FCCP-2-1707C145 Page 333 of 341






Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.19	0.00	6.19	30.00

TX CH155



Date: 27.JUL.2017 15:38:05

Report No.: BTL-FCCP-2-1707C145 Page 334 of 341






Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.06	0.00	6.06	30.00

TX CH155



Date: 27.JUL.2017 15:40:29

Report No.: BTL-FCCP-2-1707C145 Page 335 of 341





Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency	Power Density	Limit
Onanne	(MHz)	(dBm/500kHz)	(dBm/500kHz)
CH155	5775	9.14	30.00

Report No.: BTL-FCCP-2-1707C145 Page 336 of 341





	WE 1
	ATTACHMENTH-FREQUENCY STABILITY
I	

Report No.: BTL-FCCP-2-1707C145 Page 337 of 341





Non-Beamforming

Test Mode: UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9524
120	5179.9524
108	5179.9524
Max. Deviation (MHz)	0.0476
Max. Deviation (ppm)	9.1892

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9524
5	5179.9524
15	5179.9524
25	5179.9524
35	5179.9524
45	5179.9524
50	5179.9524
Max. Deviation (MHz)	0.0476
Max. Deviation (ppm)	9.1892

Report No.: BTL-FCCP-2-1707C145 Page 338 of 341





Test Mode: UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9472
120	5744.9472
108	5744.9472
Max. Deviation (MHz)	0.0528
Max. Deviation (ppm)	9.1906

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5744.9476
5	5744.9472
15	5744.9472
25	5744.9476
35	5744.9476
45	5744.9476
50	5744.9476
Max. Deviation (MHz)	0.0528
Max. Deviation (ppm)	9.1906

Report No.: BTL-FCCP-2-1707C145 Page 339 of 341





With Beamforming

Test Mode: UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9524
120	5179.9524
108	5179.9524
Max. Deviation (MHz)	0.0476
Max. Deviation (ppm)	9.1892

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9524
5	5179.9524
15	5179.9524
25	5179.9524
35	5179.9524
45	5179.9524
50	5179.9524
Max. Deviation (MHz)	0.0476
Max. Deviation (ppm)	9.1892

Report No.: BTL-FCCP-2-1707C145 Page 340 of 341





Test Mode: UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9472
120	5744.9472
108	5744.9472
Max. Deviation (MHz)	0.0528
Max. Deviation (ppm)	9.1906

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5744.9476
5	5744.9472
15	5744.9472
25	5744.9476
35	5744.9476
45	5744.9476
50	5744.9476
Max. Deviation (MHz)	0.0528
Max. Deviation (ppm)	9.1906

Report No.: BTL-FCCP-2-1707C145 Page 341 of 341