


Date: 15.NOV.2017 14:20:52



Date: 15.NOV.2017 14:21:33

Report No.: BTL-FCCP-2-1709C145 Page 177 of 264






Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.59	17.80
CH40	5200	34.30	18.10
CH48	5240	26.10	17.90

TX CH36




Date: 15.NOV.2017 14:33:07


Report No.: BTL-FCCP-2-1709C145 Page 178 of 264







Date: 15.NOV.2017 14:34:11



Date: 15.NOV.2017 14:35:02

Report No.: BTL-FCCP-2-1709C145 Page 179 of 264






Test Mode: UNII-1/TX N40 Mode_CH38/CH46

Channal	Frequency	26dB Bandwidth	99% Occupied Bandwidth
Channel	(MHz)	(MHz)	(MHz)
CH38	5190	43.39	36.80
CH46	5230	79.39	38.00


Report No.: BTL-FCCP-2-1709C145 Page 180 of 264







Date: 15.NOV.2017 14:44:24



Date: 15.NoV.2017 14:46:56

Report No.: BTL-FCCP-2-1709C145 Page 181 of 264






Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165

Channel	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
	(MHz)	(MHz)	(MHz)	(kHz)
CH149	5745	16.50	36.20	>=500
CH157	5785	16.55	37.90	>=500
CH165	5825	16.50	38.60	>=500

TX CH 149




Date: 15.NOV.2017 14:23:17

Report No.: BTL-FCCP-2-1709C145 Page 182 of 264










Date: 15.NOV.2017 14:24:03

TX CH 165



Date: 15.NOV.2017 14:24:51

Report No.: BTL-FCCP-2-1709C145 Page 183 of 264






Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.70	17.80	>=500
CH157	5785	17.70	18.50	>=500
CH165	5825	17.65	21.90	>=500

TX CH 149





Date: 15.NOV.2017 14:36:07


Report No.: BTL-FCCP-2-1709C145 Page 184 of 264











Date: 15.NOV.2017 14:37:40






Test Mode: UNII-3/ TX N40 Mode_CH151/CH159

Channel	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH151	5755	36.60	36.60	>=500
CH159	5795	36.40	39.20	>=500

Report No.: BTL-FCCP-2-1709C145 Page 186 of 264







10 MHz/

Span 100 MHz

Date: 15.NOV.2017 14:48:11

Center 5.755 GHz

TX CH 159 *RBW 100 kHz Delta 1 [T1] *VBW 300 kHz 0.97 dB SWT 20 ms 36.397950000 MHz Ref 30 dBm *Att 40 dB 30 Offset OBW 39.200000000 MHz 1 [T1 Marker 776902000 GHz 1 PK VIEW [T1 OBW] 776200000 GHz 815400000 GHz washing Span 100 MHz Center 5.795 GHz 10 MHz/

Date: 15.NOV.2017 14:49:18

Report No.: BTL-FCCP-2-1709C145 Page 187 of 264






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48

Channal	Frequency	26dB Bandwidth	99% Occupied Bandwidth
Channel	(MHz)	(MHz)	(MHz)
CH36	5180	34.09	18.10
CH40	5200	36.40	18.30
CH48	5240	34.29	18.10

TX CH36




Date: 15.NOV.2017 14:38:32


Report No.: BTL-FCCP-2-1709C145 Page 188 of 264







Date: 15.NOV.2017 14:39:47



Date: 15.NOV.2017 14:40:36

Report No.: BTL-FCCP-2-1709C145 Page 189 of 264





Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channal	Frequency	26dB Bandwidth	99% Occupied Bandwidth
Channel	(MHz)	(MHz)	(MHz)
CH38	5190	43.10	36.80
CH46	5230	78.21	37.60

Report No.: BTL-FCCP-2-1709C145 Page 190 of 264










Date: 15.NOV.2017 14:50:56

TX CH46



Date: 15.NOV.2017 14:52:09






Test Mode: UNII-1/TX AC80 Mode_CH42

Channal	Frequency	26dB Bandwidth	99% Occupied Bandwidth
Channel	(MHz)	(MHz)	(MHz)
CH42	5210	82.40	75.60

TX CH42



Date: 15.NOV.2017 14:55:58

Report No.: BTL-FCCP-2-1709C145 Page 192 of 264






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channal	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH149	5745	17.70	26.50	>=500
CH157	5785	17.70	29.20	>=500
CH165	5825	17.70	31.20	>=500

TX CH 149




Date: 15.NOV.2017 14:41:33


Report No.: BTL-FCCP-2-1709C145 Page 193 of 264







Date: 15.NOV.2017 14:42:27



Date: 15.NOV.2017 14:43:16

Report No.: BTL-FCCP-2-1709C145 Page 194 of 264





Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channal	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH151	5755	36.60	38.80	>=500
CH159	5795	36.50	46.80	>=500

Report No.: BTL-FCCP-2-1709C145 Page 195 of 264










Date: 15.NOV.2017 14:53:28

TX CH 159



Date: 15.NOV.2017 14:54:31

Report No.: BTL-FCCP-2-1709C145 Page 196 of 264






Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency	6dB Bandwidth	99% Occupied Bandwidth	Limit
Channel	(MHz)	(MHz)	(MHz)	(kHz)
CH155	5775	74.80	89.20	>=500

TX CH 155



Date: 15.NOV.2017 14:56:59

Report No.: BTL-FCCP-2-1709C145 Page 197 of 264





APPENDIX F - MAXIMUM OUTPUT POWER

Report No.: BTL-FCCP-2-1709C145 Page 198 of 264





Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.45	0.00	24.45	30.00	1.00
CH40	5200	24.94	0.00	24.94	30.00	1.00
CH48	5240	25.50	0.00	25.50	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 199 of 264





Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.88	0.00	24.88	30.00	1.00
CH40	5200	24.29	0.00	24.29	30.00	1.00
CH48	5240	23.74	0.00	23.74	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	23.94	0.00	23.94	30.00	1.00
CH40	5200	24.21	0.00	24.21	30.00	1.00
CH48	5240	22.61	0.00	22.61	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH36	5180	27.45	30.00	1.00
CH40	5200	27.26	30.00	1.00
CH48	5240	26.22	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 200 of 264





Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	21.33	0.00	21.33	30.00	1.00
CH46	5230	24.56	0.00	24.56	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.70	0.00	20.70	30.00	1.00
CH46	5230	24.57	0.00	24.57	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH38	5190	24.04	30.00	1.00
CH46	5230	27.58	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 201 of 264





Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	27.27	0.00	27.27	30.00	1.00
CH157	5785	27.48	0.00	27.48	30.00	1.00
CH165	5825	27.56	0.00	27.56	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 202 of 264





Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.17	0.00	24.17	30.00	1.00
CH157	5785	24.84	0.00	24.84	30.00	1.00
CH165	5825	25.01	0.00	25.01	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.95	0.00	24.95	30.00	1.00
CH157	5785	25.41	0.00	25.41	30.00	1.00
CH165	5825	25.82	0.00	25.82	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	27.59	30.00	1.00
CH157	5785	28.14	30.00	1.00
CH165	5825	28.44	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 203 of 264





Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	24.82	0.00	24.82	30.00	1.00
CH159	5795	25.07	0.00	25.07	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	25.10	0.00	25.10	30.00	1.00
CH159	5795	25.86	0.00	25.86	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH151	5755	27.97	30.00	1.00
CH159	5795	28.49	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 204 of 264





Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.19	0.00	24.19	30.00	1.00
CH40	5200	23.93	0.00	23.93	30.00	1.00
CH48	5240	23.96	0.00	23.96	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	23.22	0.00	23.22	30.00	1.00
CH40	5200	23.48	0.00	23.48	30.00	1.00
CH48	5240	23.11	0.00	23.11	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode _Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH36	5180	26.74	30.00	1.00
CH40	5200	26.72	30.00	1.00
CH48	5240	26.57	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 205 of 264





Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channe	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.73	0.00	20.73	30.00	1.00
CH46	5230	24.48	0.00	24.48	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.80	0.00	19.80	30.00	1.00
CH46	5230	23.77	0.00	23.77	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channal	Frequency	Output Power	Limit	Limit
Channel	(MHz)	(dBm)	(dBm)	(Watt)
CH38	5190	23.30	30.00	1.00
CH46	5230	27.15	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 206 of 264





Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.97	0.00	19.97	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	26.28	0.00	26.28	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency	Output Power	Limit	Limit
	(MHz)	(dBm)	(dBm)	(Watt)
CH42	5210	27.19	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 207 of 264





Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	26.47	0.00	26.47	30.00	1.00
CH157	5785	26.63	0.00	26.63	30.00	1.00
CH165	5825	26.42	0.00	26.42	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	26.48	0.00	26.48	30.00	1.00
CH157	5785	26.63	0.00	26.63	30.00	1.00
CH165	5825	26.35	0.00	26.35	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency	Output Power	Limit	Limit
	(MHz)	(dBm)	(dBm)	(Watt)
CH149	5745	29.49	30.00	1.00
CH157	5785	29.64	30.00	1.00
CH165	5825	29.40	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 208 of 264





Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	26.62	0.00	26.62	30.00	1.00
CH159	5795	26.31	0.00	26.31	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	26.65	0.00	26.65	30.00	1.00
CH159	5795	26.54	0.00	26.54	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency	Output Power	Limit	Limit
	(MHz)	(dBm)	(dBm)	(Watt)
CH151	5755	29.65	30.00	1.00
CH159	5795	29.44	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 209 of 264





Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.20	0.00	25.20	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.44	0.00	25.44	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency	Output Power	Limit	Limit
	(MHz)	(dBm)	(dBm)	(Watt)
CH155	5775	28.33	30.00	1.00

Report No.: BTL-FCCP-2-1709C145 Page 210 of 264





Report No.: BTL-FCCP-2-1709C145 Page 211 of 264






Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.88	0.00	12.88	17.00
CH40	5200	13.42	0.00	13.42	17.00
CH48	5240	13.63	0.00	13.63	17.00

CH36




Date: 15.Nov.2017 14:20:27

Report No.: BTL-FCCP-2-1709C145 Page 212 of 264







Date: 15.NOV.2017 14:21:01



Date: 15.NOV.2017 14:21:42

Report No.: BTL-FCCP-2-1709C145 Page 213 of 264






Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	13.37	0.00	13.37	17.00
CH40	5200	12.71	0.00	12.71	17.00
CH48	5240	12.18	0.00	12.18	17.00

CH36




Date: 15.NOV.2017 14:26:11


Report No.: BTL-FCCP-2-1709C145 Page 214 of 264







Date: 15.NOV.2017 14:29:48



Date: 15.NoV.2017 14:30:29






Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.49	0.00	11.49	17.00
CH40	5200	11.86	0.00	11.86	17.00
CH48	5240	11.41	0.00	11.41	17.00

CH36




Date: 15.NoV.2017 14:59:20


Report No.: BTL-FCCP-2-1709C145 Page 216 of 264







Date: 15.NOV.2017 15:00:05



Date: 15.NoV.2017 15:00:59

Report No.: BTL-FCCP-2-1709C145 Page 217 of 264





Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	15.54	17.00
CH40	5200	15.32	17.00
CH48	5240	14.82	17.00

Report No.: BTL-FCCP-2-1709C145 Page 218 of 264






Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.77	0.00	6.77	17.00
CH46	5230	10.42	0.00	10.42	17.00

Report No.: BTL-FCCP-2-1709C145 Page 219 of 264







Date: 15.Nov.2017 14:46:04



Date: 15.NOV.2017 14:47:08






Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.03	0.00	6.03	17.00
CH46	5230	10.20	0.00	10.20	17.00


Report No.: BTL-FCCP-2-1709C145 Page 221 of 264







Date: 15.NOV.2017 15:21:42



Date: 15.NOV.2017 15:23:16





Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.43	17.00
CH46	5230	13.32	17.00

Report No.: BTL-FCCP-2-1709C145 Page 223 of 264






Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	13.32	0.00	13.32	30.00
CH157	5785	12.99	0.00	12.99	30.00
CH165	5825	12.80	0.00	12.80	30.00

TX CH149



Date: 15.NOV.2017 14:22:49

Report No.: BTL-FCCP-2-1709C145 Page 224 of 264










Date: 15.NOV.2017 14:24:12

TX CH165



Date: 15.NOV.2017 14:25:00






Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.45	0.00	9.45	30.00
CH157	5785	9.73	0.00	9.73	30.00
CH165	5825	10.06	0.00	10.06	30.00

TX CH149




Date: 15.NOV.2017 14:36:17


Report No.: BTL-FCCP-2-1709C145 Page 226 of 264







Date: 15.NOV.2017 14:37:02



Date: 15.Nov.2017 14:37:49

Report No.: BTL-FCCP-2-1709C145 Page 227 of 264






Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.27	0.00	10.27	30.00
CH157	5785	10.58	0.00	10.58	30.00
CH165	5825	11.31	0.00	11.31	30.00

TX CH149




Date: 15.NOV.2017 15:01:53


Report No.: BTL-FCCP-2-1709C145 Page 228 of 264







Date: 15.NOV.2017 15:02:40



Date: 15.Nov.2017 15:04:10





Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.89	30.00
CH157	5785	13.19	30.00
CH165	5825	13.74	30.00

Report No.: BTL-FCCP-2-1709C145 Page 230 of 264





Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.92	0.00	6.92	30.00
CH159	5795	7.29	0.00	7.29	30.00

Report No.: BTL-FCCP-2-1709C145 Page 231 of 264










Date: 15.NOV.2017 14:48:23

TX CH159



Date: 15.NoV.2017 14:49:30





Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.99	0.00	7.99	30.00
CH159	5795	8.36	0.00	8.36	30.00

Report No.: BTL-FCCP-2-1709C145 Page 233 of 264









Date: 15.NOV.2017 15:26:04

TX CH159



Date: 15.NoV.2017 15:27:07





Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.50	30.00
CH159	5795	10.87	30.00

Report No.: BTL-FCCP-2-1709C145 Page 235 of 264






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.09	0.00	12.09	17.00
CH40	5200	12.76	0.00	12.76	17.00
CH48	5240	12.51	0.00	12.51	17.00

CH36




Date: 15.NOV.2017 14:38:41

Report No.: BTL-FCCP-2-1709C145 Page 236 of 264







Date: 15.NOV.2017 14:39:57



Date: 15.NOV.2017 14:40:45






Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	11.14	0.00	11.14	17.00
CH40	5200	11.88	0.00	11.88	17.00
CH48	5240	12.24	0.00	12.24	17.00

CH36




Date: 15.NOV.2017 15:15:41

Report No.: BTL-FCCP-2-1709C145 Page 238 of 264







Date: 15.NOV.2017 15:16:27



Date: 15.NOV.2017 15:17:28





Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	14.65	17.00
CH40	5200	15.35	17.00
CH48	5240	15.39	17.00

Report No.: BTL-FCCP-2-1709C145 Page 240 of 264






Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.09	0.00	7.09	17.00
CH46	5230	10.25	0.00	10.25	17.00

Report No.: BTL-FCCP-2-1709C145 Page 241 of 264







Date: 15.NOV.2017 14:51:08



Date: 15.NOV.2017 14:52:21






Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.20	0.00	6.20	17.00
CH46	5230	10.03	0.00	10.03	17.00

Report No.: BTL-FCCP-2-1709C145 Page 243 of 264







Date: 15.NOV.2017 15:28:12



Date: 15.NOV.2017 15:29:46





Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	9.68	17.00
CH46	5230	13.15	17.00

Report No.: BTL-FCCP-2-1709C145 Page 245 of 264






Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.95	0.00	4.95	17.00

CH42



Date: 15.NOV.2017 14:56:10

Report No.: BTL-FCCP-2-1709C145 Page 246 of 264






Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.37	0.00	4.37	17.00

CH42





Date: 15.NOV.2017 15:33:38

Report No.: BTL-FCCP-2-1709C145 Page 247 of 264





Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/MHz)	(dBm/MHz)
CH42	5210	7.68	17.00

Report No.: BTL-FCCP-2-1709C145 Page 248 of 264






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.22	0.00	11.22	30.00
CH157	5785	11.16	0.00	11.16	30.00
CH165	5825	11.68	0.00	11.68	30.00

TX CH149




Date: 15.NOV.2017 14:41:43

Report No.: BTL-FCCP-2-1709C145 Page 249 of 264







Date: 15.NOV.2017 14:42:37



Date: 15.NOV.2017 14:43:26

Report No.: BTL-FCCP-2-1709C145 Page 250 of 264






Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.98	0.00	11.98	30.00
CH157	5785	11.95	0.00	11.95	30.00
CH165	5825	11.89	0.00	11.89	30.00

TX CH149




Date: 15.NOV.2017 15:18:30


Report No.: BTL-FCCP-2-1709C145 Page 251 of 264







Date: 15.NOV.2017 15:19:27



Date: 15.NOV.2017 15:20:35





Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.63	30.00
CH157	5785	14.58	30.00
CH165	5825	14.80	30.00

Report No.: BTL-FCCP-2-1709C145 Page 253 of 264





Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	7.53	0.00	7.53	30.00
CH159	5795	7.74	0.00	7.74	30.00

Report No.: BTL-FCCP-2-1709C145 Page 254 of 264










Date: 15.NOV.2017 14:53:41

TX CH159



Date: 15.NOV.2017 14:54:44






Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	8.39	0.00	8.39	30.00
CH159	5795	8.60	0.00	8.60	30.00


Report No.: BTL-FCCP-2-1709C145 Page 256 of 264







Date: 15.NOV.2017 15:31:02



Date: 15.Nov.2017 15:32:13

Report No.: BTL-FCCP-2-1709C145 Page 257 of 264





Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	10.99	30.00
CH159	5795	11.20	30.00

Report No.: BTL-FCCP-2-1709C145 Page 258 of 264






Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	5.38	0.00	5.38	30.00

TX CH155



Date: 15.NOV.2017 14:57:12

Report No.: BTL-FCCP-2-1709C145 Page 259 of 264






Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	6.07	0.00	6.07	30.00

TX CH155



Date: 15.NOV.2017 15:36:53

Report No.: BTL-FCCP-2-1709C145 Page 260 of 264





Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency	Power Density	Limit
	(MHz)	(dBm/500kHz)	(dBm/500kHz)
CH155	5775	8.75	30.00

Report No.: BTL-FCCP-2-1709C145 Page 261 of 264





The state of the s
APPENDIX H - FREQUENCY STABILITY

Report No.: BTL-FCCP-2-1709C145 Page 262 of 264





Test Mode: UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9876
120	5179.9872
108	5179.9868
Max. Deviation (MHz)	0.0132
Max. Deviation (ppm)	2.5483

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9868
5	5179.9868
15	5179.9864
25	5179.9864
35	5179.9864
45	5179.9864
50	5179.9864
Max. Deviation (MHz)	0.0136
Max. Deviation (ppm)	2.6255

Report No.: BTL-FCCP-2-1709C145 Page 263 of 264





Test Mode: UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9832
120	5744.9832
108	5744.9832
Max. Deviation (MHz)	0.0168
Max. Deviation (ppm)	2.9243

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5744.9832
5	5744.9836
15	5744.9836
25	5744.9836
35	5744.9836
45	5744.9840
50	5744.9836
Max. Deviation (MHz)	0.0168
Max. Deviation (ppm)	2.9243

Report No.: BTL-FCCP-2-1709C145 Page 264 of 264