# FCC ID: V8YFW638PC25000W

The data in pink column are measured b Agilent spectrum analyzer E4446A The data in orange column are measured by Anritsu wideband power meter ML2495A

Channel bandwidth	5MHz			
Communication	5MHz / QPSK 1/2			
Channel (MHz)	Conducted power( dBm) Peak to average ratio(dBm)			Peak to average ratio(dB)
	Average	Average	Peak	PAR
2505	21.51 21.51 30.06 8.54			
2600	21.81	21.80	30.41	8.62
2685	22.28	22.27	30.13	7.85

Communication	5MHz / QPSK 3/4				
Channel (MHz)	Conducted power( dBm) Peak to average ratio(dBm)			Peak to average ratio(dB)	
	Average	Average Average Peak			
2505	21.46	21.46	29.83	8.37	
2600	21.77	21.76	30.10	8.34	
2685	22.23	22.23	29.97	7.74	

Communication	5MHz / 16QAM 1/2				
Channel (MHz)	Conducted power( dBm) Peak to average ratio(dBm)			Peak to average ratio(dB)	
	Average	Average Average Peak			
2505	21.49	21.45	29.71	8.26	
2600	21.76	21.76	29.95	8.20	
2685	22.20 22.23 29.71 7.47				

Communication	5MHz / 16QAM 3/4				
Channel (MHz)	Conducted power( dBm) Peak to average			Peak to average ratio(dB)	
	Average	PAR			
2505	21.41	21.41	29.47	8.06	
2600	21.71	30.40	7.71		
2685	22.18 29.69 7.52				

# FCC ID: V8YFW638PC25000W

The data in pink column are measured b Agilent spectrum analyzer E4446A The data in orange column are measured by Anritsu wideband power meter ML2495A

Channel bandwidth	10MHz			
Communication	10MHz / QPSK 1/2			
Channel (MHz)	Conducted power( dBm) Peak to average ratio(dB			Peak to average ratio(dB)
	Average	Average	Peak	PAR
2505	21.40	21.42	29.63	8.21
2600	20.86	20.87	29.44	8.57
2685	21.05	21.07	29.32	8.25

Communication	10MHz / QPSK 3/4				
Channel (MHz)	Conducted power( dBm) Peak to average ratio			Peak to average ratio(dB)	
	Average	Average	Peak	PAR	
2505	21.35	21.35	29.77	8.42	
2600	20.83	20.86	29.50	8.64	
2685	21.00 21.03 29.27 8.24				


Communication	10MHz / 16QAM 1/2				
Channel (MHz)	Conducted power( dBm) Peak to average ratio(c			Peak to average ratio(dB)	
	Average	Peak	PAR		
2505	21.31	21.33	29.87	8.54	
2600	20.74	20.78	29.61	8.83	
2685	20.98 20.98 29.37 8.39				


Communication	10MHz / 16QAM 3/4					
Channel (MHz)		Conducted power( dBm)				
	Average	Average	Peak	PAR		
2505	21.28	21.31	29.70	8.39		
2600	20.75	20.75	29.60	8.85		
2685	20.94	1.11				



# Channel power of 5MHz bandwidth


QPSK 1/2 2505MHz






Page 1







QPSK 3/4 2505MHz



Page 2












# 16QAM 1/2 2505MHz






Page 4







16QAM 3/4 2505MHz



Page 5









Page 6



# Channel power of 10MHz bandwidth


QPSK 1/2 2505MHz






Page 7







QPSK 3/4 2505MHz



Page 8













# 16QAM 1/2 2505MHz









16QAM 3/4 2505MHz



Page 11









## **UL BURST PEAK-TO-AVERAGE POWER RATIO (PAR)**

Communication: 5MHz QPSK 1/2

Channel: 2505MHz




## Channel: 2600MHz






#### Channel: 2685MHz




Communication: 5MHz QPSK 3/4

Channel: 2505MHz






#### Channel: 2600MHz




## Channel: 2685MHz






Communication: 5MHz 16QAM 1/2

Channel: 2505MHz




## Channel: 2600MHz






#### Channel: 2685MHz




Communication: 5MHz 16QAM 3/4

Channel: 2505MHz






## Channel: 2600MHz




## Channel: 2685MHz






Communication: 10MHz QPSK 1/2

Channel: 2505MHz




## Channel: 2600MHz






#### Channel: 2685MHz




Communication: 10MHz QPSK 3/4

Channel: 2505MHz






## Channel: 2600MHz




#### Channel: 2685MHz






Communication: 10MHz 16QAM 1/2

Channel: 2505MHz




## Channel: 2600MHz






#### Channel: 2685MHz




Communication: 10MHz 16QAM 3/4

Channel: 2505MHz





#### Channel: 2600MHz



#### Channel: 2685MHz

