

TTA310P34 v1.2

TTA-310
v1.07

u-blox®

LEA-4H-0-000 36



5771202843 07/12

140100.0510.000

© u-blox AG
All Rights Reserved

Silicon by
Aster

TTA310P34 v1.2

TTA-310
v1.07

SIEMENS

MADE IN GERMANY

133851-V02

Q8372-A2

CE  US

CE 0682

070206

Mm

&S

4V-0

01 03




TTA-310
v107

6 Y

S-801A

12345

12345




MC56

930880-98375-A100-1

FCC ID: QIPMC56 IC: 2674-MC56

35202300 233074 0 U3



NEC
JS7

Dialog

D0767CB LF
060555TC

M36W0T604

0T12AQ

9907K 05

MYS 99 602



Infineon

PMB 7850 E
V3.1H M42

G0604

EL604025S05

EAF2

MC56 330880-38375-A100-1

FCC ID: 01PMC56 IC: 2674-MC56

35202300 233074 0 U3



SKYWORKS
SKY74963-23
M3140437.1
0601 MX

SKYWORKS
SKY77500-12
3145723.1
0603 MX

NEC
jS7

Dialog
D0767CB LF
060555TC

M36W0T604
0T12AQ
9907K N5
MYS 99 602





Infineon
PMB 7850 E
V3.1H M42


60604


EL604025S05


EAF2














GPS Module and connection

GPS Antenna

TVA-310 GPS-antenna v1.02

TRACKER Li-ion Battery GB/T 18287-2000

Spec: cp103450A

Nominal Voltage: 3.7V

Charge Up Voltage: 4.2V

Rated Capacity: 1700mAh

WARNING
MAY EXPLODE IF
DISPOSED OF IN FIRE

1. Use only TRACKER original battery and charger
2. To prevent injury or burns.
3. Do not allow metal objects to contact the battery terminals.

Date of production: 2006. 09. 30

Made in china