


	CHEOMC	
:3TIT	Р ОИСТІОИ:	оме ио.
REW 1800 TX PCB LAYOUT DESIGN BY: PRAWING BY: REPROPRIED BY: RE	SIEKSCREEN-BOTTOM SIDE SHOITOMOT ON CHEONER	20-K016040061
жа иогза	ом гн	2009-06-16
та эммаяс	ом эні Глоличоно	2009-06-16 2009-07-22
YB QBVOЯ99A		
REV:	;	<u>.</u> 4
LIAIRETAN		9 4 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
HICKNE22:	;	J. 6
MATERIAL: THICKNESS: COPPER CLAD: PLATING: SHEET		2,2
РСАТІМС: БНЕЕТ:	6	^\r 50; 2



SHEET.	2,7 G/S	5
PLATING:	d/S	3
CLAD:		n
OPPER	7	?
HICKNESS: C	,	ŝ
TERIAL: TI		4.1 0440
EV: 14/		<u>4.</u>
BY: R		
PPROVED		
BY: 4	SNIC	7-22
DRAWING	W SHI LUOJIANQING	2009-06-16 2009-07-22
N BY:	HS #	-06-16
DESIG	ð	2009
NEW 1800 TX PCB LAYOUT DESIGN BY: DRAWING BY: APPROVED BY: REV: MATERIAL: THICKNESS: COPPER CLAD: PLATING: SHEET:	COPPER-80TTOM SIDE	20-K0160400G1 3
TITE:	FUNCTION: 0	DWG NO.
	CHEONG	
	INRG)
	M	
		4
	_	



												-
		TITE:	1800-1900 BD PCB LAYOUT DESIGN BY: DRAWING BY: APPROVED BY: REV: MATERIAL; THICKNESS: COPPER CLAD: PLATING: SHEET:	DESIGN BY:	DRAWING BY: #	APPROVED BY:	REV: M	ATERIAL: 1	THICKNESS:	COPPER CLAD:	PLATING:	SHEET:
NO I	CHEONG	FUNCTION:	COPPER-TOP SIDE		LUOJIANQING			9	,			
) : :) 		DWG NO.	20-K015030061 3		MAY-23-08		3	1.0 34vU	3	n n	7/4	0 0