

Timco Engineering Inc.
FCC Authorized Telecommunications
Certification Body (TCB)

Nokia, Global Product Compliance Laboratory
600-700 Mountain Avenue
Room 5B-108
Murray Hill, New Jersey 07974-0636 USA

May 17, 2019

Bruno Clavier- General Manager
Timco Engineering Inc.
 849 N.W. State Road 45
 P.O. Box 370
 Newberry, Florida 32669

Dear Mr. Clavier

The Nokia **AirScale 28 GHz Radio Unit (AEUA)** is the subject of this request for a FCC Product Certification Class II Change under **FCC ID: VBNAEUA-01**. The **AEUA** is an 800 MHz bandwidth LTE / New Radio Transceiver with a total power output capability of 57 dBm EIRP per polarization for a total power of 60 dBm EIRP. It operates as a 2x2 MIMO transmitter in the **Part 30 Upper Microwave Flexible Use Service** spectrum utilizing **5G New Radio (NR)** technology.

The initial filing was for single carrier operation in each of the polarizations. This Class II Change documents operation using two through four non overlapping carriers in each polarization. The total power is unchanged from the initial filing and remains 60 dBm total.

There is no change to the product hardware design, or output power rating of the product. For the maximum four carriers configuration a Carrier Aggregation Emissions designator of 397M7G7W is appropriate. Operation otherwise continues within the parameters as originally filed.

The measurement exhibits attached to this application demonstrate full compliance with FCC Part 30 following the procedural requirements specified in FCC Part 2 Subpart J – Equipment Authorization Procedures.

The data, summarized below, is in the form presently used by the Commission’s Radio Equipment List.

Equipment Identification:	VBNAEUA-01
Rules Part Number:	Part 30
Emissions Designator:	97M5G7W and 397M7G7W (5G-NR) (LTE-TDD Based)
Frequency Range:	Transmit/ Receive: 27.5 – 28.35
Output Power:	57 dBm EIRP per polarization, 60 dBm EIRP Total Output for 2 polarizations operating in a 2x2 MIMO configuration. Multi Carrier Operation for One to Four carriers
Frequency Tolerance:	± 0.05 ppm

Grant Notes:

MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing. This Class II change is for MIMO operation with one to four carriers per polarization.

Attached are the FCC Form 731 (Application for Equipment Authorization – Radio Frequency Devices), the required measurement data and exhibits specific to this request for authorization of the **AirScale 28 GHz Radio Unit (AEUA)**. The technical or non-technical contact at Nokia Bell Labs will comply with any request for additional information should the need arise. The attached exhibits with the applicable FCC Rule section are assembled and presented in accordance with the *Table of Contents* attachment. Included is a formal letter requesting confidentiality for the following exhibits:

Should there be any questions or procedural issues please feel free to contact me by email and/or phone.
Sincerely,



Raymond J. Johnson
Technical Manager
FCC Compliance Test Group
Nokia, Global Product Compliance Laboratory
Phone: +1 908 679 6220
email: ray.johnson@nokia-bell-labs.com

Primary Administrative Contact

Raymond J. Johnson
Technical Manager
FCC Compliance Test Group
Nokia, Global Product Compliance Laboratory
Building 5A-127
600 Mountain Avenue
Murray Hill, NJ 07974
Phone: +1 908 679 6220
email: ray.johnson@nokia-bell-labs.com

Filing Engineer

W. Steve Majkowski NCE
Filing Lead Engineer
Nokia, Global Product Compliance Laboratory
Building 5B-103
600 Mountain Avenue
Murray Hill, NJ 07974
Phone +1 908 608-8004
email: steve.majkowski@nokia-bell-labs.com

Att. Table of Contents for the **AirScale 28 GHz Radio Unit (AEUA)** Product Certification Report

TABLE OF CONTENTS

Cover Letter

Request for Short Term Confidentiality

Agent Authorization Letter

Exhibit

<u>Number</u>	<u>FCC Rule Number</u>	<u>Description</u>
1	Section 2.1033(a)	FCC Form 731
2	Section 2.911(d)	Qualifications and Certifications
3	Section 2.1033(c)(1,2, 4-7)	Manufacturers, FCC Identifier, Emission, Range of RF Power & Frequency
12	Section 2.1033(c)(21)	Photographs of the Test Setups

FCC Test Report