

XMit 2019.09.05

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Agilent	E8257D	TGU	15-Feb-18	15-Feb-21
Generator - Signal	Keysight	N5171B-506	TEW	2-May-18	2-May-21
Analyzer - Spectrum Analyzer	Keysight	N9010A	AFM	19-Mar-19	19-Mar-20

TEST DESCRIPTION

The spurious RF conducted emissions were measured with the EUT set to the middle channel. The EUT was transmitting at the data rate(s) and bandwidths listed in the datasheet. For each transmit frequency, the spectrum was scanned throughout the specified frequency range.

All limits were adjusted by a factor of [-10*log(N)] dB to account for the device operation as a N port MIMO transmitter, as per FCC KDB 622911.

For Bands 12 and 14, the limit adjustment is $-10*\log(4) = -6$ dB. For Band 29, the limit adjustment is $-10*\log(2) = -3$ dB.

Over the frequency range of 150kHz-20MHz, a RBW of 10 kHz was used; therefore, an additional limit adjustment factor of 10 dB was applied [10*log(10/1)].

The limit for the 9kHz to 150kHz frequency range was adjusted to -39dBm to correct for a spectrum analyzer RBW of 1kHz versus required RBW of 100kHz [i.e.: -39dBm = -19dBm -10log(100kHz/1kHz)]. The limit for the 150kHz to 20MHz frequency range was adjusted to -29dBm to correct for a spectrum analyzer RBW of 10kHz versus required RBW of 100kHz [i.e.: -29dBm = -19dBm -10log(100kHz/10kHz)].

Per FCC section 27.53(g), the power of any emission outside of the authorized operating frequency range cannot exceed -13 dBm. The limit is adjusted to -19 dBm [-13 dBm -10 log (4)] per FCC KDB 662911D01 v02r01 because the RRH may operate as a 4 port MIMO transmitter for Band 12. FCC 27.53(g) requires a >100 kHz measurement bandwidth for emissions 100 kHz outside of the RRH operating frequency range.

Report No. NOKI0004.1

1.2GHz-8GHz



EUT: AHLBBA RRH Serial Number: K9193514835 Work Order: NOKI0004 Date: 19-Nov-19 **Customer: Nokia Solutions and Networks** Temperature: 23 °C Humidity: 30.7% RH Barometric Pres.: 1017 mbar Project: None
Tested by: Jonathan Kiefer
TEST SPECIFICATIONS Power: 54VDC Test Method Job Site: TX09 COMMENTS Band 12 conducted spurious emissions for four modulation types. Tested on highest power antenna port (Port 1). EUT is operated at 100% duty cycle. DEVIATIONS FROM TEST STANDARD Jonathan Kiefer Configuration # 2,4,5 Signature Value (dBm) Limit (dBm) Result **QPSK Modulation** LTE5 Bandwidth Pass Pass 9kHz-150kHz -57.862 -39 150kHz-20MHz -55.749 -29 -19 -19 20MHz-600MHz -32.238 Pass 600MHz-800MHz -35.537 Pass -19 -19 800MHz-1.2GHz -33.562 Pass 1.2GHz-8GHz -33.498 Pass LTE10 Bandwidth 9kHz-150kHz -58.109 -39 Pass 150kHz-20MHz -56.315 -29 Pass 20MHz-600MHz -32.331 -19 Pass 600MHz-800MHz -36 063 -19 Pass 800MHz-1.2GHz -32.705 -19 Pass 1.2GHz-8GHz -34.119 -19 Pass LTE5 Bandwidth 9kHz-150kHz -58.302 -39 Pass Pass Pass 150kHz-20MHz -55 852 -29 20MHz-600MHz -32.536 -19 600MHz-800MHz -36.475 -19 Pass 800MHz-1.2GHz -33.409 -19 Pass 1.2GHz-8GHz -34 069 -19 Pass LTE10 Bandwidth 9kHz-150kHz -58.322 -39 Pass 150kHz-20MHz -56.143 -29 Pass -19 -19 20MHz-600MHz -32.428 Pass 600MHz-800MHz -36.086 Pass -19 -19 800MHz-1.2GHz -33 685 Pass 1.2GHz-8GHz -34.22 Pass 64QAM Modulation LTE5 Bandwidth 9kHz-150kHz -58 303 -39 Pass 150kHz-20MHz -55.895 -29 Pass 20MHz-600MHz -32.719 -19 Pass 600MHz-800MHz -19 -35.463 Pass -33.228 -34.214 -19 -19 800MHz-1.2GHz Pass 1.2GHz-8GHz Pass LTE10 Bandwidth 9kHz-150kHz -57.864 -39 Pass -29 -19 150kHz-20MHz -56.299 Pass 20MHz-600MHz -32.989 Pass 600MHz-800MHz -35 533 -19 Pass 800MHz-1.2GHz -33.403 -19 Pass 1.2GHz-8GHz -34.145 -19 Pass 256QAM Modulation LTE5 Bandwidth 9kHz-150kHz -39 Pass 150kHz-20MHz -56.144 -29 Pass -31.973 -19 20MHz-600MHz Pass 600MHz-800MHz -36.1 -19 Pass 800MHz-1.2GHz -32.824 -19 Pass 1.2GHz-8GHz -34 568 -19 Pass LTE10 Bandwidth 9kHz-150kHz 150kHz-20MHz -58.33 -39 Pass -56.262 -29 Pass -32.644 -35.962 -19 -19 Pass Pass 20MHz-600MHz 600MHz-800MHz 800MHz-1.2GHz -32 675 -19 Pass

Report No. NOKI0004.1 397/574

-34.087


Pass





Band 12, QPSK Modulation, LTE5 Bandwidth, 9kHz-150kHz

Value Limit
(dBm) (dBm) Result

-57.862 -39 Pass








Report No. NOKI0004.1 398/574





Band 12, QPSK Modulation, LTE5 Bandwidth, 20MHz-600MHz

Value Limit
(dBm) (dBm) Result

-32.238 -19 Pass








Report No. NOKI0004.1 399/574





Band 12, QPSK Modulation, LTE5 Bandwidth, 800MHz-1.2GHz

Value Limit
(dBm) (dBm) Result

-33.562 -19 Pass







Report No. NOKI0004.1 400/574





Band 12, QPSK Modulation, LTE10 Bandwidth, 9kHz-150kHz

Value Limit
(dBm) (dBm) Result

-58.109 -39 Pass








Report No. NOKI0004.1 401/574





Band 12, QPSK Modulation, LTE10 Bandwidth, 20MHz-600MHz

Value Limit
(dBm) (dBm) Result

-32.331 -19 Pass








Report No. NOKI0004.1 402/574




Band 12, QPSK Modulation, LTE10 Bandwidth, 800MHz-1.2GHz

Value Limit
(dBm) (dBm) Result

-32.705 -19 Pass








Report No. NOKI0004.1 403/574





Band 12, 16QAM Modulation, LTE5 Bandwidth, 9kHz-150kHz

Value Limit
(dBm) (dBm) Result

-58.302 -39 Pass








Report No. NOKI0004.1 404/574





Band 12, 16QAM Modulation, LTE5 Bandwidth, 20MHz-600MHz

Value Limit
(dBm) (dBm) Result

-32.536 -19 Pass








Report No. NOKI0004.1 405/574





Band 12, 16QAM Modulation, LTE5 Bandwidth, 800MHz-1.2GHz

Value Limit
(dBm) (dBm) Result

-33.409 -19 Pass








Report No. NOKI0004.1 406/574





Band 12, 16QAM Modulation, LTE10 Bandwidth, 9kHz-150kHz

Value Limit
(dBm) (dBm) Result

-58.322 -39 Pass








Report No. NOKI0004.1 407/574





Band 12, 16QAM Modulation, LTE10 Bandwidth, 20MHz-600MHz

Value Limit
(dBm) (dBm) Result

-32.428 -19 Pass








Report No. NOKI0004.1 408/574




Band 12, 16QAM Modulation, LTE10 Bandwidth, 800MHz-1.2GHz

Value Limit
(dBm) (dBm) Result

-33.685 -19 Pass







Report No. NOKI0004.1 409/574





Band 12, 64QAM Modulation, LTE5 Bandwidth, 9kHz-150kHz

Value Limit
(dBm) (dBm) Result

-58.303 -39 Pass








Report No. NOKI0004.1 410/574





Band 12, 64QAM Modulation, LTE5 Bandwidth, 20MHz-600MHz

Value Limit
(dBm) (dBm) Result

-32.719 -19 Pass








Report No. NOKI0004.1 411/574





Band 12, 64QAM Modulation, LTE5 Bandwidth, 800MHz-1.2GHz

Value Limit
(dBm) (dBm) Result

-33.228 -19 Pass








Report No. NOKI0004.1 412/574





Band 12, 64QAM Modulation, LTE10 Bandwidth, 9kHz-150kHz

Value Limit
(dBm) (dBm) Result

-57.864 -39 Pass








Report No. NOKI0004.1 413/574





Band 12, 64QAM Modulation, LTE10 Bandwidth, 20MHz-600MHz

Value Limit
(dBm) (dBm) Result

-32.989 -19 Pass








Report No. NOKI0004.1 414/574





Band 12, 64QAM Modulation, LTE10 Bandwidth, 800MHz-1.2GHz

Value Limit
(dBm) (dBm) Result

-33.403 -19 Pass







Report No. NOKI0004.1 415/574





Band 12, 256QAM Modulation, LTE5 Bandwidth, 9kHz-150kHz

Value Limit
(dBm) (dBm) Result

-58.25 -39 Pass








Report No. NOKI0004.1 416/574





Band 12, 256QAM Modulation, LTE5 Bandwidth, 20MHz-600MHz

Value Limit
(dBm) (dBm) Result

-31.973 -19 Pass








Report No. NOKI0004.1 417/574





Band 12, 256QAM Modulation, LTE5 Bandwidth, 800MHz-1.2GHz

Value Limit
(dBm) (dBm) Result

-32.824 -19 Pass







Report No. NOKI0004.1 418/574





Band 12, 256QAM Modulation, LTE10 Bandwidth, 9kHz-150kHz

Value Limit
(dBm) (dBm) Result

-58.33 -39 Pass








Report No. NOKI0004.1 419/574





Band 12, 256QAM Modulation, LTE10 Bandwidth, 20MHz-600MHz

Value Limit
(dBm) (dBm) Result

-32.644 -19 Pass








Report No. NOKI0004.1 420/574





Band 12, 256QAM Modulation, LTE10 Bandwidth, 800MHz-1.2GHz

Value Limit
(dBm) (dBm) Result

-32.675 -19 Pass







Report No. NOKI0004.1 421/574