





FCC ID: VC3-R100V3
IC ID: 7160A-R100V3



FCC ID: VC3-R100V3
IC ID: 7160A-R100V3



FCC ID: VC3-R100V3
IC ID: 7160A-R100V3




FCC ID: VC3-R100V3
IC ID: 7160A-R100V3



INCHES	DEGREES
1	0.0315
2	0.0625
3	0.0937
4	0.1250
5	0.1562
6	0.1875
7	0.2187
8	0.2500
9	0.2812
10	0.3125
11	0.3437
12	0.3750
13	0.4062
14	0.4375
15	0.4687
16	0.5000
17	0.5312
18	0.5625
19	0.5937
20	0.6250
21	0.6562
22	0.6875
23	0.7187
24	0.7500
25	0.7812
26	0.8125
27	0.8437
28	0.8750
29	0.9062
30	0.9375
31	0.9687
32	1.0000

FCC ID: VC3-R100V3
IC ID: 7160A-R100V3



FCC ID: VC3-R100V3
IC ID: 7160A-R100V3



W & M
STANDARD
STEEL WIRE
GAGE

NO. DEC.

4	.2253
5	.2070
6	.1920
7	.1770
8	.1620
9	.1483
10	.1350
11	.1205
12	.1055
13	.0915
14	.0800
15	.0720
16	.0625
17	.0540
18	.0475
19	.0410
20	.0348
21	.0318
22	.0286
23	.0258
24	.0230
25	.0204
	.0181