

Report No.: ER/2007/50023-01 Issue Date: Aug. 08, 2007

Page: 1 of 10

RADIOFREQUENCY RADIATION EXPOSURE REPORT

Mobiles /Fixed Base Station Maximum Permissible Exposure (MPE)

OF

Product Name: AVL tracking device

Brand Name: Rover

Model Name: Rover 9

FCC ID: VEM-ROVER9

Report No.: ER/2007/50023-01

Issue Date: Aug. 08, 2007

Prepared for Stars Navigation Technologies Ltd

7Fl.-1, No.152, Sec.1 Jungshan Rd., Shulin City,

Taipei, Taiwan 238, R.O.C.

Prepared by SGS Taiwan Ltd.

No. 134, Wu Kung Rd., Wuku Industrial Zone,

Taipei County, Taiwan.

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

| Test By: | Jazz Huang | Date | Aug. 08, 20077 | |
|--------------|-----------------------|------|----------------|--|
| | Jazz Huang / Engineer | | | |
| Prepared By: | Gigi yeh | Date | Aug. 08, 2007 | |
| _ | Gigi Yeh/ Clerk | | | |
| Approved By | Timent Su | Date | Aug. 08, 2007 | |
| | Vincent Su/Manager | _ | | |

This document is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sqs.com. Attention is drawn to the limitations of liability, indemnification, and Jurisdictional issued defined therein. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放,請注意此條款列印於背面,亦可在www.sqs.com中查閱。將本公司之義務,免責,管轄權皆明確規範之。除非另有說明,此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、僞造、寬改皆屬非法,違犯者將會被依法追訴。



ID: VEM-ROVER9

Report No: ER/2007/50023-01 Issue Date: Aug. 08, 2007

Page: 2

Table of Contents

| 1. | GENERAL INFORMATION | 3 |
|-------|--|---|
| 1.1 | PRODUCT DESCRIPTION | 3 |
| 1.2 | RELATED SUBMITTAL(S) / GRANT (S) | 3 |
| 1.3 | TEST METHODOLOGY | 3 |
| 1.4 | TEST FACILITY | 4 |
| 1.5 | SPECIAL ACCESSORIES | 4 |
| 1.6 | EQUIPMENT MODIFICATIONS | 4 |
| 2. | SYSTEM TEST CONFIGURATION | 5 |
| 2.1 | EUT CONFIGURATION | 5 |
| 2.2 | EUT Exercise | 5 |
| 2.3 | TEST PROCEDURE | 5 |
| 2.4 | LIMITATION | |
| 2.5 | CONFIGURATION OF TESTED SYSTEM | 6 |
| 3. | DESCRIPTION OF TEST MODES | 6 |
| 4. | MAXIMUM PERMISSIBLE EXPOSURE (MPE) MEASUREMENT | 7 |
| 4.1. | MEASUREMENT PROCEDURE: | 7 |
| 4.2. | TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) | 7 |
| 4.3. | MEASUREMENT EQUIPMENT USED: | 7 |
| 4.4. | MEASUREMENT RESULT: | 8 |
| APPEN | NDIX 1 PHOTOGRPHS OF SET UP | 9 |



Report No.: ER/2007/50023-01 **Issue Date: Aug. 08, 2007**

Page: 3

1. GENERAL INFORMATION

1.1 Product Description

| Product | AVL tracking device | | |
|---------------------------|-----------------------------------|--|--|
| Model Name | Rover 9 | | |
| Model Difference: | N/A | | |
| Brand Name Rover | | | |
| Frequency Range and Power | GSM 850: 824 MHz – 849 MHz 33 dBm | | |
| Type of Emission | 300KGXW | | |
| Power Supply | 12V DC by Car Battery | | |

1.2 Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: **VEM-ROVER9** filing to comply with Section Part 22, subpart H of the FCC CFR 47 Rules. For 47 CFR 1.1310 Radiofrequency Radiation Exposure requirement.

1.3 Test Methodology

The testing were performed according to the procedures document on IEEE C95.1, chapter 13 of ANSI C63.4 (2003) and TIA/EIA-603-1-1998.



Report No.: ER/2007/50023-01 **Issue Date: Aug. 08, 2007**

Page: 4

1.4 Test Facility

The open area test site and conducted measurement facility used to collect the radiated data is located on the address of SGS Taiwan Ltd. No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan. The Open Area Test Sites and the Line Conducted labs are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2001 and CISPR 22/EN 55022 requirements. Site No. 1(3 &10 meters) Registration Number: 94644, Anechoic chamber (3 meters) Registration Number: 573967

1.5 Special Accessories

Not available for this EUT intended for grant.

1.6 Equipment Modifications

Not available for this EUT intended for grant.



Report No.: ER/2007/50023-01 Issue Date: Aug. 08, 2007

Page: 5

2. System Test Configuration

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The Transmitter was operated in the normal operating mode link mode with GSM/GPRS Base station. the Tx frequency was fixed which was for the purpose of the measurements with max output power level..

2.3 Test Procedure

Maximum Permissible Exposure (MPE) measurement:

In accordance with ANSI 63.4:2003, the EUT is a placed on as turn table which is 1 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 20 cm away from the receiving probe In order to find out the max. emission, the ambient temperature of the actual EUT was maintained within the range of 10 to 40 C unless the particular equipment requirements specify testing over a different temperature range, unless otherwise indicated, the humidity levels where in the range of 10% to 90% relative humidity.

2.4 Limitation

| Frequency Range | Electric Field | Magnetic Field | Power Density | Averaging Time | | |
|-----------------|---|----------------|---------------|----------------|--|--|
| (MHz) | Strength (V/m) | Strength (A/m) | (mW/cm^2) | (minute) | | |
| | Limits for General Population/Uncontrolled Exposure | | | | | |
| 0.3-1.34 | 614 | 1.63 | *(100) | 30 | | |
| 1.34-30 | 824/f | 2.19/f | $*(180/f^2)$ | 30 | | |
| 30-300 | 27.5 | 0.073 | 0.2 | 30 | | |
| 300-1500 | / | / | F/1500 | 30 | | |
| 1500-15000 | / | / | 1.0 | 30 | | |

F = frequency in MHz

This document is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification, and Jurisdictional issued defined therein. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放,請注意此條款列印於背面,亦可在www.sgs.com中查閱。將本公司之義務,免責,管轄權皆明確規範之。除非另有說明,此報告結果僅對檢驗之樣品負責。本報告未經本公司書面許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、僞造、竄改皆屬非法,違犯者將會被依法追訴。

^{* =} Plane-wave equipment power density



Report No.: ER/2007/50023-01 **Issue Date: Aug. 08, 2007**

Page: 6

2.5 Configuration of Tested System

Fig. 2-1 Configuration of Tested System




Table 2-1 Equipment Used in Tested System

| Item | Equipment | Mfr/Brand | Model/ Type No. | FCC ID | Series No. |
|------|-----------------|-----------|--------------------|--------|------------|
| 1. | DC Power Supply | Topward | 3303A | N/A | 715856 |

Description of test modes

The EUT has been tested under normal operating link mode with GSM/GPRS Base Station. condition. the Tx frequency was fixed which was for the purpose of the measurements with max output power level.

The GSM 850 channel 251 (channel High) which has the max conducted power level was chosen for testing and reported.

This document is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification, and Jurisdictional issued defined therein. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放, 請注意此條款列印於背面,亦可在<u>www.sgs.com</u>中查閱。將本公司之義務,免責,管轄權皆明確規範之。除非另有說明,此報告結果僅對檢驗之樣品負責。本報告未經本 公司書面許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、僞造、竄改皆屬非法,違犯者將會被依法追訴

台灣檢驗科技股份有限公司

SGS Taiwan Ltd. No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan. / 台塊石股工業品工工路34號科技股份有限公司 t (886-2) 2299-3939 f (886-2) 2298-2698 www.sgs.com.tw



Report No.: ER/2007/50023-01 **Issue Date: Aug. 08, 2007**


Page: 7

4. Maximum Permissible Exposure (MPE) Measurement

4.1.Measurement Procedure:

- 1. The following measurements were performed with a field probe using
- 2. The EUT's radiating element (antenna) was placed on a 1 m tall table for ease of testing. For equipment normally operated on a metal surface, a ground plane was used.
- 3. The remaining equipment necessary to operate the EUT was maintained at a distance from the measurement arrangement suitable to minimize interference with the measurements.
- 4. With the EUT operating at maximum power, a search was initiated for worst case emissions with the probe raised and lowered over a range of 0.2 to 2 meters in height and over a horizontal plane of 0o to 360o.

4.2.Test SET-UP (Block Diagram of Configuration)



4.3. Measurement Equipment Used:

| 966 Test Site | | | | | |
|----------------------|-----|---------|-----------|------------|------------|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL |
| TYPE | | NUMBER | NUMBER | CAL. | DUE. |
| STRENGTH FIELD Meter | WG | EMR-30 | BN2244/80 | 10/30/2006 | 10/30/2007 |
| Turn Table | HD | DT420 | N/A | N/A | N/A |
| Antenna Tower | HD | MA240-N | 240/657 | N/A | N/A |
| Controller | HD | HD100 | N/A | N/A | N/A |

This document is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification, and Jurisdictional issued defined therein. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放, 請注意此條款列印於背面,亦可在www.sgs.com中查閱。將本公司之義務,免責,管轄權皆明確規範之。除非另有說明,此報告結果僅對檢驗之樣品負責。本報告未經本 公司書面許可,不可部份複製。對本報告內容或外觀之任何未經授權之變更、僞造、竄改皆屬非法,違犯者將會被依法追訴



Report No.: ER/2007/50023-01 Issue Date: Aug. 08, 2007

Page: 8

4.4.Measurement Result:

Operation Mode : TX CH High Mode Test Date : Aug. 06, 2007

Fundamental Frequency: 848.80 MHz Test By : Jazz Humidity Temperature : 25 : 65%

| Probe Height (m) | Power Density (mW/cm^2) | Limit at 20cm (mW/cm^2) |
|------------------|-------------------------|-------------------------|
| 2.0 | 0.0005 | 1.0 |
| 1.8 | 0.0009 | 1.0 |
| 1.6 | 0.0012 | 1.0 |
| 1.4 | 0.0015 | 1.0 |
| 1.2 | 0.0020 | 1.0 |
| 1.0 | 0.0034 | 1.0 |
| 0.8 | 0.0017 | 1.0 |
| 0.6 | 0.0011 | 1.0 |
| 0.4 | 0.0008 | 1.0 |
| 0.2 | 0.0004 | 1.0 |



Report No.: ER/2007/50023-01 **Issue Date: Aug. 08, 2007**

Page: 9

APPENDIX 1 PHOTOGRPHS OF SET UP

This document is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification, and Jurisdictional issued defined therein. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. 此報告是遵循本公司訂定之通用服務條款所製作發放,



Report No.: ER/2007/50023-01 Issue Date: Aug. 08, 2007

Page: 10

Setup Photos

