

RF EXPOSURE REPORT

REPORT NO.: SA960621L10

MODEL NO.: PSHC122

SERIAL MODEL NO.: BT100HT, PSPC122

ACCORDING: FCC Guidelines for Human Exposure

IEEE C95.1

APPLICANT: Holly Development CO., LTD.

ADDRESS: 3F., No.68, Jhuangjing 3rd Rd., Jhubei City,

Hsinchu County 302, Taiwan

ISSUED BY: Advance Data Technology Corporation

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang

244, Taipei Hsien, Taiwan, R.O.C.

TEST LOCATION: No. 19, Hwa Ya 2nd Rd., Wen Hwa Tsuen, Kwei

Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



No Evaluation required if power is below this threshold:

F(GHz)		mW	
Low	2.402	24.58	
High	2.480	24.50	

Maximum measured transmitter power:

Pout (dBr	Pout (mW)	
Conducted Power	-1.640	0.685
EIRP Power	-0.520	0.887

^{*}Note: The antenna is chip antenna with 1.12 dBi gain.

Threshold for no SAR evaluation is 24.58mW Transmitter power is 0.887mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold