


Report No.:HK12010461-1

Model: L720CBT

Mode: Speaker + USB charging

AC Mains



Date: 3.FEB.2012 15:32:18



Report No.:HK12010461-1 Model: L720CBT

Mode: Speaker + USB charging

AC Mains

| | | EDIT | PEAK | LIST | (Final | Measur | ement | Resi | ılts) | | | |
|---------|---------|---------|-----------|---------|------------|--------|-------|------|----------|------|--|--|
| Tra | cel: | | CF15M | QP | | | | | | | | |
| Trace2: | | | CF15M | CF15MAV | | | | | | | | |
| Tra | ce3: | | | | | | | | | | | |
| TRACE | | Е | FREQUENCY | | LEVEL dBµV | | | DELT | ra LIMIT | dВ | | |
| 1 | Quasi 1 | Peak | 4.038 | MHz | | 46.86 | N | gnd | -9. | .13 | | |
| 2 | CISPR A | Average | 4.038 | MHz | | 30.89 | N | gnd | -15. | .10 | | |
| 1 | Quasi 1 | Peak | 4.123 | 5 MHz | | 44.37 | N | gnd | -11. | .62 | | |
| 2 | CISPR A | Average | 4.857 | MHz | | 35.16 | L1 | gnd | -10. | . 83 | | |
| | | | | | | | | | | | | |

Date: 3.FEB.2012 15:32:03




Report No.:HK12010461-1

Model: L702CBT

Mode: Ringing + USB Charging

AC Mains



Date: 16.JAN.2012 21:46:38



Report No.:HK12010461-1 Model: L702CBT

Mode: Ringing + USB Charging

AC Mains

| | | EDIT | PEAK | LIST | (Final | Measureme | ent | Result | s) |
|---------|-------|-----------|---------|-------|------------|-----------|-----|----------------|--------|
| Tra | cel: | | CF15M | QP | | | | | |
| Trace2: | | | CF15MAV | | | | | | |
| Tra | ce3: | | | | | | | | |
| TRACE | | FREQUENCY | | | LEVEL dBµV | | | DELTA LIMIT dB | |
| 2 | CISPR | Average | 6.517 | 5 MHz | | 35.09 | N | gnd | -14.90 |
| 1 | Quasi | Peak | 6.679 | 5 MHz | | 49.74 | N | gnd | -10.25 |
| 1 | Quasi | Peak | 8.232 | MHz | | 42.48 | N | gnd | -17.51 |
| 2 | CISPR | Average | 8.232 | MHz | | 35.85 | N | gnd | -14.14 |


Date: 16.JAN.2012 21:46:08



Report No.:HK12010461-1 Model: L702CBT

Mode: Talk (by corded HS) +

USB Charging **AC Mains**



Date: 16.JAN.2012 21:55:39



Report No.:HK12010461-1 Model: L702CBT

Mode: Talk (by corded HS) +

USB Charging AC Mains

| | | EDIT | PEAK | LIST | (Final | Measure | ment | Resul | ts) | |
|---------|----------|--------|-----------|-------|--------|------------|------|-------|---------------|----|
| Tracel: | | | CF15M | QP | | | | | | |
| Trace2: | | | CF15MAV | | | | | | | |
| Trace3: | | | | | | | | | | |
| TRACE | | | FREQUENCY | | | LEVEL dBµV | | | DELTA LIMIT d | lВ |
| 1 | Quasi Pe | eak | 6.513 | MHz | | 49.03 | N | gnd | -10.96 | |
| 2 | CISPR Av | verage | 6.657 | MHz | | 35.46 | N | gnd | -14.53 | |
| 1 | Quasi Pe | eak | 8.056 | 5 MHz | | 41.65 | N | gnd | -18.34 | |
| 2 | CISPR Av | verage | 8.205 | MHz | | 36.21 | L1 | gnd | -13.78 | |


Date: 16.JAN.2012 21:53:42



Report No.:HK12010461-1 Model: L720CBT

Mode: Answer Machine + USB

charging AC Mains



Date: 3.FEB.2012 15:28:29



Report No.:HK12010461-1 Model: L720CBT

Mode: Answer Machine + USB

charging AC Mains

| | | EDIT | PEAK | LIST | (Final | Measure | ment | Result | s) | |
|---------|----------|-------|-------|--------|--------|---------|------|--------|-------------|----|
| Tracel: | | | CF15M | QΡ | | | | | | |
| Trace2: | | | CF15M | V | | | | | | |
| Tra | Trace3: | | | | | | | | | |
| | TRACE | | FI | REQUEI | NCY | LEVEL d | lΒμV | | DELTA LIMIT | dВ |
| 1 | Quasi Pe | ak | 4.069 | 5 MHz | | 46.11 | N | gnd | -9.88 | |
| 2 | CISPR Av | erage | 4.069 | MHz | | 30.97 | N | gnd | -15.02 | |
| 1 | Quasi Pe | ak | 4.114 | 5 MHz | | 44.99 | N | gnd | -11.00 | |
| 2 | CISPR Av | erage | 4.884 | MHz | | 34.06 | N | gnd | -11.93 | |
| | | | | | | | | | | |

Date: 3.FEB.2012 15:28:15