


Report no.: HK11110773-1

Mode: Charging Adaptor: Sunstrong

AC Mains



Date: 23.NOV.2011 11:13:22



Report no.: HK11110773-1 Mode: Charging Adaptor: Sunstrong

AC Mains

		EDIT	PEAK	LIST	(Final	Measur	ement	Resu	ılts)
Tracel:		CF15MQP							
Trace2:			CF15MAV						
Tra	ce3:								
	TRAC	CE	F	REQUE	NCY	LEVEL	dΒμV		DELTA LIMIT dB
2	CISPR	Average	397.5	kHz		37.20	L1	gnd	-10.70
1	Quasi	Peak	402 ki	Hz		41.39	N	gnd	-16.41
2	CISPR	Average	406.5	kHz		36.75	L1	gnd	-10.96
1	Quasi	Peak	415.5	kHz		37.67	N	gnd	-19.86
1	Quasi	Peak	7.282	5 MHz		39.88	N	gnd	-20.11
2	CISPR	Average	7.957	5 MHz		33.45	L1	gnd	-16.54
1	Quasi	Peak	8.196	MHz		38.80	N	gnd	-21.19
2	CISPR	Average	8.389	5 MHz		32.45	N	gnd	-17.54


Date: 23.NOV.2011 11:12:56



Report no.: HK11110773-1

Mode: Ringing Adaptor: Sunstrong

AC Mains



Date: 21.DEC.2011 10:46:53



Report no.: HK11110773-1 Mode: Ringing Adaptor: Sunstrong

AC Mains

	EDI	T PEAK LIST (Final	l Measure	ment Resul	lts)			
Tra	cel:	CF15MQP						
Trace2:		CF15MAV						
Trace3:								
	TRACE	FREQUENCY	LEVEL d	BμV	DELTA LIMIT dB			
1	Quasi Peak	402 kHz	41.22	N gnd	-16.58			
2	CISPR Averag	g∈402 kHz	33.45	L1 gnd	-14.35			
1	Quasi Peak	406.5 kHz	38.58	N gnd	-19.13			
2	CISPR Averag	g∈406.5 kHz	32.95	L1 gnd	-14.76			
1	Quasi Peak	2.5305 MHz	26.68	N gnd	-29.31			
1	Quasi Peak	3.8265 MHz	25.52	L1 gnd	-30.47			
1	Quasi Peak	4.155 MHz	25.97	L1 gnd	-30.02			
1	Quasi Peak	6.432 MHz	31.97	L1 gnd	-28.02			
2	CISPR Averag	g∈7.629 MHz	33.74	N gnd	-16.25			
2	CISPR Averag	g∈7.9935 MHz	31.02	N gnd	-18.98			
1	Quasi Peak	8.502 MHz	37.95	N gnd	-22.04			


Date: 21.DEC.2011 10:46:32



Report no.: HK11110773-1 Mode: Talk (DECT & Bluetooth)

Adaptor: Sunstrong

AC Mains



Date: 23.NOV.2011 11:23:23



Report no.: HK11110773-1 Mode: Talk (DECT & Bluetooth) Adaptor: Sunstrong

AC Mains


									_	
		EDIT	PEAK 1	LIST	(Final	Measure	ment	Resul	ts)	
Tra	ce1:		CF15MQ	P						
Tra	Trace2:		CF15MAV							
Tra	ce3:									
	TRACE		FR	EQUE:	NCY	LEVEL C	lΒμV		DELTA LIMIT	dВ
1	Quasi Pe	ak	393 kH	z		38.24	N	gnd	-19.75	
2	CISPR Av	erage	397.5	kHz		35.72	L1	gnd	-12.18	
1	Quasi Pe	ak	406.5	kHz		39.69	N	gnd	-18.02	
2	CISPR Av	erage	406.5	kHz		33.36	L1	gnd	-14.35	
1	Quasi Pe	ak	4.9335	MHz		27.16	N	gnd	-28.84	
2	CISPR Av	erage	7.5345	MHz		32.68	L1	gnd	-17.31	
1	Quasi Pe	ak	7.9305	MHz		39.45	N	gnd	-20.54	
2	CISPR Av	erage	8.5785	MHz		32.44	L1	gnd	-17.56	
1	Quasi Pe	ak	8.7585	MHz		35.19	L1	gnd	-24.80	

Date: 23.NOV.2011 11:23:01



Report no.: HK11110773-1 Mode: Answer Machine Adaptor: Sunstrong

30 MHz



Date: 23.NOV.2011 11:38:52

150 kHz



Report no.: HK11110773-1 Mode: Answer Machine Adaptor: Sunstrong

AC Mains

		EDIT	PEAK	LIST	(Final	Measure	ement	Resi	ults)
Tra	ce1:		CF15M	QP					
Trace2:			CF15MAV						
Tra	ce3:								
	TRAC	E	F	REQUE	NCY	LEVEL o	dΒμV		DELTA LIMIT dB
1	Quasi	Peak	402 k	Hz		39.08	N	gnd	-18.72
2	CISPR	Average	402 k	Hz		35.12	L1	gnd	-12.68
1	Quasi	Peak	406.5	kHz		38.53	N	gnd	-19.18
2	CISPR	Average	406.5	kHz		33.13	L1	gnd	-14.58
1	Quasi	Peak	7.408	5 MHz		37.02	N	gnd	-22.97
2	CISPR	Average	7.503	MHz		31.61	N	gnd	-18.38
1	Quasi	Peak	8.074	5 MHz		35.10	N	gnd	-24.89
2	CISPR	Average	8.331	MHz		28.24	L1	gnd	-21.75

Date: 23.NOV.2011 11:38:36