

Report no.: HK10051677-1 Model no.: CB1010GHR0


Charging by Clock AC MAINS "L"

 Final Measurement: x QP / + AV
 Transducer No. Start
 Stop
 Name

 Meas Time:
 1 s
 1 d
 9k
 30M
 2454

 Subranges:
 16
 2 gk
 30M
 0700

 Acc Margin:
 20dB
 3 gk
 30M
 0090





Report no.: HK10051677-1 Model no.: CB1010GHR0 Charging by Clock AC MAINS "L"

Report No.:HK10051677-1

**Final Measurement Results:** 

Scan Settings (1 Range)

|------ Frequencies -------||------ Receiver Settings ------|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

Frequency QP Level QP Limit Delta

MHz	dB	dB	dB
0.35250	37.7	58.9	-21.2
0.55950	36.4	56.0	-19.6
0.61800	35.3	56.0	-20.7
0.97800	35.0	56.0	-21.0
1.51800	41.5	56.0	-14.5
1.63950	49.6	56.0	-6.4
2.85000	37.6	56.0	-18.4
3.99300	40.8	56.0	-15.2
4.77150	40.9	56.0	-15.1
6.32850	40.2	60.0	-19.8
8.91600	40.3	60.0	-19.7

## Frequency AV Level AV Limit Delta

1.44150	25.1	46.0	-20.9
1.63950	36.3	46.0	-9.7
3.83100	24.5	46.0	-21.5
4.30350	27.1	46.0	-18.9

MHz dB dB dB

<sup>\*</sup> limit exceeded



Report no.: HK10051677-1 Model no.: CB1010GHR0


Charging by Clock AC MAINS "N"

 Final Measurement: x QP / + AV
 Transducer No. Start
 Stop
 Name

 Meas Time:
 1 s
 1 d
 9k
 30M
 2454

 Subranges:
 16
 2 gk
 30M
 0700

 Acc Margin:
 20dB
 3 gk
 30M
 0090





Report no.: HK10051677-1 Model no.: CB1010GHR0 Charging by Clock

AC MAINS "N"

Report No.:HK10051677-1

Scan Settings (1 Range)

|------ Frequencies ------||------ Receiver Settings ------|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge

150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta

MHz	dBuV	dBuV	dB	
0.36150	46.7	58.7	-12.0	
0.55500	42.2	56.0	-13.8	
0.56850	43.3	56.0	-12.7	
0.98250	41.1	56.0	-14.9	
1.34250	39.5	56.0	-16.5	
1.61700	39.7	56.0	-16.3	
2.89500	38.0	56.0	-18.0	
4.10100	40.2	56.0	-15.8	
4.87500	40.5	56.0	-15.5	
5.81100	38.6	60.0	-21.4	
9.50100	39.8	60.0	-20.2	

## Frequency AV Level AV Limit Delta

MHz	dBuV	dBuV	dB
0.25350	36.5	51.7	-15.2
0.35250	39.3	48.9	-9.6
0.40650	33.9	47.7	-13.8
0.56850	29.9	46.0	-16.1
0.98250	29.3	46.0	-16.7
1.23450	25.8	46.0	-20.2
1.62150	25.9	46.0	-20.1
2.74650	25.7	46.0	-20.3
3.47550	27.5	46.0	-18.5
4.25850	27.9	46.0	-18.1

<sup>\*</sup> limit exceeded