
Test report No.: 11094714H-A-R1

Page : 80 of 86
FCC ID : VPYLB1FJ
Issue date : February 22, 2016
Revised date : June 2, 2016

APPENDIX 4: Photographs of test setup

1. Photographs of EUT





Module (Rear)



Test report No. : 11094714H-A-R1
Page : 81 of 86
FCC ID : VPYLB1FJ
Issue date : February 22, 2016
Revised date : June 2, 2016

2. Photographs of host device

<Information of the Host device>

Type of Equipment : Digital Camera

Model No. : N1511

Serial No. : 1005 (for WLAN), 1009 (for Bluetooth)
Rating : DC 3.7V, 1050mAh, 3.9Wh (Battery)

DC 5.0V, 1.0A (AC Adapter)

Size of Host device : 113.0 x 66.5 x 39.9 mm

Receipt Date of Sample : January 12, 2016














UL Japan, Inc. Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Test report No. : 11094714H-A-R1 : 82 of 86 Page FCC ID : VPYLB1FJ Issue date : February 22, 2016 : June 2, 2016 Revised date



UL Japan, Inc. Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Test report No. : 11094714H-A-R1 : 83 of 86 Page FCC ID : VPYLB1FJ : February 22, 2016 : June 2, 2016 Issue date

Revised date


Photographs of setup



4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Test report No.: 11094714H-A-R1
Page: 84 of 86
FCC ID: VPYLB1FJ


Issue date : February 22, 2016 Revised date : June 2, 2016



4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Test report No. : 11094714H-A-R1 Page : 85 of 86 FCC ID : VPYLB1FJ : February 22, 2016 : June 2, 2016 Issue date

Revised date



4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Test report No. : 11094714H-A-R1
Page : 86 of 86
FCC ID : VPYLB1FJ
Issue date : February 22, 2016
Revised date : June 2, 2016



End of Report

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN