
Test report No. : 11052477H-A-R2

Page : 58 of 64
FCC ID : VPYLB1FJ
Issued date : February 15, 2016
Revised date : April 5, 2016

APPENDIX 4: Photographs of test setup

1. Photographs of EUT





Module (Rear)



 $Test\ report\ No.\ :\ 11052477H\text{-}A\text{-}R2$

Page : 59 of 64
FCC ID : VPYLB1FJ
Issued date : February 15, 2016
Revised date : April 5, 2016

2. Photographs of host device

<Information of the Host device>

Type of Equipment : Digital Camera

Model No. : N1505 Serial No. : PT120356

Rating : AC Adaptor: Typ. 9.0V, Min. 8.7V, Max. 9.6V

Battery: Typ. 7.2V 1110mAh 8.0Wh(M/N:EN-EL20a)

Size of Host device : 122.5 x 89.9 x 138.8 mm (4.9 x 3.6 x 5.5 in)

Receipt Date of Sample : January 26, 2016









4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Test report No. : 11052477H-A-R2
Page : 60 of 64
FCC ID : VPYLB1FJ
Issued date : February 15, 2016
Revised date : April 5, 2016









4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Test report No.: 11052477H-A-R2

Page : 61 of 64 FCC ID : VPYLB1FJ Issued date : February 15, 2016 Revised date : April 5, 2016

3. Antenna position







Test report No.: 11052477H-A-R2

Page : 62 of 64
FCC ID : VPYLB1FJ
Issued date : February 15, 2016
Revised date : April 5, 2016

4. Photographs of setup












Test report No.: 11052477H-A-R2

Page : 63 of 64
FCC ID : VPYLB1FJ
Issued date : February 15, 2016
Revised date : April 5, 2016



4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Test report No. : 11052477H-A-R2
Page : 64 of 64
FCC ID : VPYLB1FJ
Issued date : February 15, 2016
Revised date : April 5, 2016



End of Report

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN