

Arkivsystem for etiketter i pdf-format

Dato: 24.04.2006

Etikettens x-nummer: x-82251

Etikettens navn: LABEL MB-45 Jotron logo

Etikettens format: Bredde: 92 mm - høyde 48 mm

Folietype: Fascal Transp. Folie

Trykkfarge: Grå

Ferdiggjøring: stanses



Bracket type: 85621, FB-60 Category 1, Automatic release Replace hydrostatic release:

Folie: ORACAL 751 TRANSPARENT Colour: Light grey (edge) Colour: Black (text)

Γ	V	08.12.10	08.12.10 AD First version.	ersion.				
	Rev.	Date		SignDescription/Change				l
	Material:	rial:			This drawing is	This drawing is a property of Jotron AS and must not be	nd must not be	I
					duplicated or use	duplicated or used for manufacture of the parts disclosed herein without permission from Jotron AS	parts disclosed	
٦	Surfa	Surface Treatment:	ent:		Scale:			I
	Approved:		Draft: AD	Date: 08.12.1	08.12.10		NO N	
	F	LABEL				Replaces draft:	Repl. by draft:	
	88. FB	BRACKET TYPE FB-60	TYPE			X-86211	Sheet: 1 /	

WARNING: The EPIRB can drop out of the bracket when releasing front cover of the bracket.

Pulpi, L.

OPERATION

For manual activation, deactivation, self-test and inspection of EPIRB please follow instructions on EPIRB.

Cotegory 1 study. Pull pin from release rod above to remove cover, detach cover with caution-Cotegory I PPIRB will automatically be released from bracket and float free it vessel sinks.

WARNING: THE EPRIB SHALL NOT BE OPERATED EXCEPT IN AN EMERGENCY!

THIS EPIRB IS CATEGORY 1

-- Scale 08.12.10 Sign. Description/Change Oate ΑD Draft Surface Treatment: Date LABEL Material: Rev. Approved:

Folie: ORACAL 751 TRANSPARENT

Colour: Ligth grey (edge) Colour: Black (text)

Colour: Orange

Sheet duplicated or used for manufacture of the parts disclosed herein without permission from Jotron AS. This drawing is a property of Jotron AS and must not be Repl. by draft Replaces draft: AD First version. 08.12.10 OPERATION

1/1

Reve

X-86212

BRACKET FB-60

EPIRB type: Tron 60S/60GPS 406/121.5 MHz satellite EPIRB, Class 2(-20°C to 55°C) Jotron AS, Norway, www.jotron.com

Folie: ORACAL 751 TRANSPARENT Colour: Light grey (edge) Colour: Black (text)

Sheet: 1/1 ⋖ duplicated or used for manufacture of the parts disclosed herein without permission from Jotron Electronics This drawing is a property of Jotron AS and must not be Rev. Repl. by draft: CATO X-86214 Replaces draft: ***** <u>..</u> Scale Sign. Description/Change Date AD First version. B Draft: Surface Treatment: 08.12.10 Date EPIRB TYPE FB-60 Material: LABEL Approved Rev.



Folietype: FASCAL TRANSP FOLIE Trykkfarge: GRÅ Ferdiggjøring: STANSES

Α	10.12.10	AD	First vers	ion				of the parts disclosed				
Rev.	Date	Sign.	Descriptio	escription/Change								
Materii	ıl:					duplicated or us	a property of Jotron AS a ed for manufacture of the permission from Jotron A	parts dis c				
Surface Treatment:						Scale:	JOTRON					
Approved:							001					
LABI		Replaces draft: Repl. by draft:										
406,037 MHz FB-60 PROTECTIVE COVER G-86216 Sheet: 1/1 Rev. A								- A				
- FB-60 PKUIELIIVE LUVER							U-00Z 10		Rev: A			