

# **Certification Exhibit**

FCC ID: VSFMS2 IC: 7980A-MS2

FCC Rule Part: 15.247, 15.407 IC Radio Standards Specification: RSS-247


**ACS Project: 15-2133** 

Manufacturer: Juniper Systems, Inc. Model(s): MS2G, MS2GC

# **Internal Photos**




MS2 main PCBA (front) with shields



MS2 main PCBA (front) without shields



MS2 main PCBA (back) with shields



MS2 main PCBA (back) without shields




MS2 dock connector flex (front)




MS2 dock connector flex (back)



MS2 "S" connector flex (front)



MS2 "S" connector flex (back)



MS2 battery connector flex (front)



MS2 battery connector flex (back)



MS2 display flex (front)



MS2 display flex (back)




MS2 cellular antenna flex



MS2 GNSS flex (front)



MS2 GNSS flex (back)



MS2 keypad flex (front)



MS2 keypad flex (back)






MS2 expansion flex (front and back)





MS2 IO expansion flex (front and back)





MS2 cellular PCBA



MS2 cellular radio location



Bluetooth / WLAN / Cellular antennas in MS2GC

A = Primary WLAN & Bluetooth antenna

B = Secondary WLAN antenna

C = Primary cellular antenna

D = Secondary cellular antenna



Bluetooth / WLAN antennas in MS2G

A = Primary WLAN & Bluetooth antenna

B = Secondary WLAN antenna