Pilz GmbH & Co. KG Felix-Wankel-Strasse 2 73760 Ostfildern Germany



FCRN: **0017145996** December 7, 2016

FCC-ID: VT8-PSENSG IC-ID: 7482A-PSENSG

Page 1 of 12

Attestation letter

We, Pilz GmbH & Co. KG hereby declare that the test report of CETECOM laboratory given below also covers the following products:

	low also covers the following products.	
Kind of product:	Operating Mode Selector	
Product Series:	PSEN sgate	
Product Name: (Family Approval)	PSEN sg2c-3LPE	
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09	
Model Name	Product Label	
PSEN sg2c- 3LPE (570801)	This was the DUT (Device under Test) of Test report No.: Cetecom 1-8548/14-01-09 - version: short (3 elements) - element configuration: illuminated button, button, emergency stop - coding: coded	

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 3LBE (570803)	Device Input Lock / Safety Area Safe Gate PIL Z PER Mach No. 50000 Y1.1 Balance Total 2019 Mach in Michael Was All 2019 FOG DE YTH-MINION C. TISLA-MINION C. TISLA-MINI
	<u>Difference to DUT:</u> - element configuration: illuminated button, key button, emergency stop
PSEN sg2c- 3LPS (570805)	Device Input Lock / Safety Area Safe Gate PILZ PSEN sgroot PS Nace in Safe Vision Safe
	<u>Difference to DUT:</u> - element configuration: illuminated button, button, section stop
	- element configuration, illuminated button, button, section stop

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 3LBS (570807)	Device Input Lock / Safety Area Safe Gate PEL 2 PESH segion 3.88 Inc. No. Strong Yet 1 SAMMARINE Yet 2199 Make in Scring Yet 1 SAMMARINE Yet 2199 Make in Control Yet 1 SAMMARINE Yet 2199 Make in Control Yet 2 SAMMARINE YET
	<u>Difference to DUT:</u> - element configuration: illuminated button, key button, section stop
PSEN sg2c- 3LPC (570809)	Device Input Lock / Safety Area Safe Gate PRINTED Robinson (CA. 1974-1970) C. Talki-Fallon C. Talki-Fallon Robinson Rob
	- element configuration: illuminated button, button, blind cover

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 3LBC (570811)	Device Input Lock / Safety Area Safe Gate PILZ PSEN spb. 3.BC Base to 19911 1/11 Man in Industrial Base to 19911 1/11 ACC 1/1824 PORTOR COLUMN STORMS COLU
	<u>Difference to DUT:</u> - element configuration: illuminated button, key button, blind cover
PSEN sg2c- 5LPLLE (570813)	Device Input Lock / Safety Area Safe Gate PILZ PSEN systom PILE Insulational text States V.1 Insulational text States V.1
	Difference to DUT: - version: long (5 elements) - element configuration: illuminated button, button, illuminated button, illuminated button, emergency stop

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 5LBLLE (570815)	Device Input Lock / Safety Area Safe Gate PILO BUT PREMISED THE MANDELSHOW HE STORE WAS THE MANDELSHOW HE WAS THE MANDELSHOW HE WAS THE MANDELSHOW HE WAS THE MANDELSHOW HE WAS THE WAS
	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, key button, illuminated button, emergency stop
PSEN sg2c- 5LPLLS (570817)	Device Input Lock / Safety Area Safe Gate PLZ PSEN 1970-04 PLS total in Enterthy in the state of the stat
	Difference to DUT: - version: long (5 elements) - element configuration: illuminated button, button, illuminated button, section stop

December 7, 2016 Page 5 of 12

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 5LBLLS (570819)	Device Input Lock / Safety Area Safe Gate PEL Z PESH sph-statts Man in indexinal way at any More in the shared way at any NO ON TO PENDON TO SET PROPOSITION T
	Difference to DUT: - version: long (5 elements) - element configuration: illuminated button, key button, illuminated button, section stop
PSEN sg2c- 5LPLLC (570821)	Device Input Lock / Safety Area Safe Gate PELZ PEST No 1908-87-LC Both Agricult VI Both A
	Difference to DUT: - version: long (5 elements) - element configuration: illuminated button, button, illuminated button, blind cover

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 5LBLLC (570823)	Device Input Lock / Safety Area Safe Gate PILZ PSEN app.S.B.R.C. We describe the behavior of the part of the p
	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, key button, illuminated button, blind cover
PSEN sg2c- 5LPKLE- M12/5 (570825)	Device Input Lock / Safety Area Safe Gate PIL Z PESN NGA-RACE MATAS BANK MAN TO SECONT MAN Which is DECOS MAN Which is DECOS MAN FOR DEVINERANCE PER NGA-RACE RECONTREPENDS CONTREPENDS CONTR
	Difference to DUT: - version: long (5 elements) - element configuration: illuminated button, button, key switch, illuminated button, emergency stop - confirmation button connector plug 5 pin

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 5LBKLE- M12/5 (570827)	Device Input Lock / Safety Area Safe Gate POLIZE AT 1735 Books No. 37 MIZE VI.1 Books No.
	 version: long (5 elements) element configuration: illuminated button, key button, key switch, illuminated button, emergency stop confirmation button connector plug 5 pin
PSEN sg2c- 5LPKLS- M12/5 (570829)	Device Input Lock / Safety Area Safe Gate PILZ PSIN sph. SPATS 41125 Book is SINES VII SANGERER FOR EACH STATE
	Difference to DUT: - version: long (5 elements) - element configuration: illuminated button, button, key switch, illuminated button, section stop - confirmation button connector plug 5 pin

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 5LBKLS- M12/5 (570831)	Difference to DUT: - version: long (5 elements) - element configuration: illuminated button, key button, key switch, illuminated button, section stop
PSEN sg2c- 5LPKLC- M12/5 (570833)	- confirmation button connector plug 5 pin Difference to DUT: - version: long (5 elements) - element configuration: illuminated button, button, key switch, illuminated button, blind cover - confirmation button connector plug 5 pin

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 5LBKLC- M12/5 (570835)	Difference to DUT:
	 version: long (5 elements) element configuration: illuminated button, key button, key switch, illuminated button, blind cover confirmation button connector plug 5 pin
PSEN sg2c- 5CCLLE (570837)	Device Input Lock / Safety Area Safe Gate PSIN sph-CCLE Not. 19 STATE 111 Note to Industry PSIN sph-CCLE Not. 18 STATE 111 Note to Industry PSI to Industry Note to Industry PSI to Industry Note to Industry PSI to Indu
	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: blind cover (2x), button (x2), emergency stop

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 3LPE 2.2 (570881)	Device Input Lock / Safety Area Safe Gate PED 1422-317E 2.2 Mac No. Other 141.5 Make to Subsect the Subsect th
	<u>Difference to DUT:</u> - element configuration: illuminated button, button, emergency stop - coding: uniquely coded
PSEN sg2c- 5LPLLE 2.2 (570883)	Device Input Lock / Safety Area Safe Gate PEL Z PEN syb-0-PLE 2 Non-Market Mark Man h Edwarded Week from Mark Co on Markets PER Syd-0-PLE 2 Non-Markets
	<u>Difference to DUT:</u> - version: long (5 elements) - element configuration: illuminated button, button, illuminated button, illuminated button, emergency stop - coding: uniquely coded

FCC - Attestation Letter December 7, 2016
Page 12 of 12

Kind of product:	Operating Mode Selector
Product Series:	PSEN sgate
Product Name: (Family Approval)	PSEN sg2c-3LPE
CETECOM Testreport No.:	Test report No.: 1-8548/14-01-09
Model Name	Product Label
PSEN sg2c- 5LPKLE- M12/5 2.2 (570885)	Difference to DUT: - version: long (5 elements) - element configuration: illuminated button, button, key switch, illuminated button, emergency stop - coding: uniquely coded - confirmation button connector plug 5 pin

Authorized Signature:

Print Name & Title: Jürgen Kitzing, Approval Manager