OUYA

Setup Instructions

1. Remove OUYA Console, Controller, and accessories from packaging

2. Connect HDMI cable from Console to HDMI-compatible TV

3. Connect power adaptor from Console to AC power outlet

4. Press power button on Console

5. Insert batteries in Controller

6. Follow on-screen instructions to complete setup

OUYA Game Console Specifications

|	
CPU:	nVIDIA Tegra 3 QuadC Core
Memory:	1GB RAM
Dimensions:	75mm x 75mm x 82mm
	2.9in x 2.9in x 3.2in
Weight:	300g (10.5 oz)
Storage:	8/16GB Internal Flash Storage (expandable via USB Port)
USB:	One USB 2.0 port, One Micro USB port
Connectivity:	WiFi (802.11 a/b/g/n) Ethernet Bluetooth
Output:	HDMI (up to 1080p HD)

OUYA Game Controller Specifications

Product name   OUYA game controller
Model no.   OGC1
Power supply   3VDC (battery)
Modulation type   GFSK
Modulation technology   fFHSS
Transfer rate   1Mbps
Operating frequency   2402 ~ 2480Mhz
Number of channel   79
Max. Output power   0.927mW
Antenna type   PCB antenna with
                        -3.11dbi gain

OUYA Console I/O Port locations

Power

Micro USB

Ethernet

HDMI

USB

Wet Location

Apparatus shall not be exposed to dripping or splashing and that no objects filled with liquids, such as vases, shall be placed on the apparatus.

Outdoor Use

"WARNING: To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture"

Disconnect Device - The Mains Plug or An Appliance Coupler

The mains plug or an appliance coupler is used as the disconnect device for disconnect from the mains, the disconnect device shall remain readily operable