**Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 4**

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.64	0.25	1.89	9.36
CH116	5580	1.82	0.25	2.07	9.36
CH140	5700	1.66	0.25	1.91	9.36

CH100

Date: 18.JUL.2018 11:15:07

CH116


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              1.82 dBm
          Ref  30 dBm    *Att  40 dB  SWT 20 ms      5.578500000 GHz
          30  Offset   3 dB                                          A
       -20
1 RM *
VIEW   -10                                                         LVL
                                      1
         0
       -10
       -20
            SWP   100 of  100                                      3DB
       -30
       -40
       -50
       -60
       -70
          Center 5.58 GHz         5 MHz/           Span 50 MHz
```

Date: 18.JUL.2018   11:15:53

CH140


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              1.66 dBm
          Ref  30 dBm    *Att  40 dB  SWT 20 ms      5.695900000 GHz
          30  Offset   3 dB                                          A
       -20
1 RM *
VIEW   -10                                                         LVL
                                     1
         0
       -10
       -20
            SWP   100 of  100                                      3DB
       -30
       -40
       -50
       -60
       -70
          Center 5.7 GHz          5 MHz/           Span 50 MHz
```

Date: 18.JUL.2018   11:16:50

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.26	9.36
CH116	5580	8.46	9.36
CH140	5700	8.47	9.36

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.16	0.63	2.79	9.36
CH110	5550	2.12	0.63	2.75	9.36
CH134	5670	2.28	0.63	2.91	9.36

CH102

Date: 18.JUL.2018 14:29:38

CH110


```
                                        *RBW  1 MHz      Marker 1 [T1 ]
                                        *VBW  3 MHz                    2.12 dBm
        Ref  30 dBm          *Att  40 dB     SWT 20 ms        5.558000000 GHz
        30  Offset  3 dB                                                      A
      -20

1 RM *
VIEW  -10                                                                    LVL
                                                       1
        0                                             ▼

     -10

     -20
        SWP    100 of  100                                                   3DB
     -30

     -40

     -50

     -60

     -70
        Center 5.55 GHz              10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 14:31:04

CH134


```
                                        *RBW  1 MHz      Marker 1 [T1 ]
                                        *VBW  3 MHz                    2.28 dBm
        Ref  30 dBm          *Att  40 dB     SWT 20 ms        5.675600000 GHz
        30  Offset  3 dB                                                      A
      -20

1 RM *
VIEW  -10                                                                    LVL
                                                       1
        0                                             ▼

     -10

     -20
        SWP    100 of  100                                                   3DB
     -30

     -40

     -50

     -60

     -70
        Center 5.67 GHz              10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 14:31:59

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.80	0.63	2.43	9.36
CH110	5550	1.87	0.63	2.50	9.36
CH134	5670	1.90	0.63	2.53	9.36

CH102

Date: 18.JUL.2018 14:43:32

CH110


```
                                            *RBW 1 MHz    Marker 1 [T1 ]
                                            *VBW 3 MHz                1.87 dBm
          Ref  30 dBm           *Att  40 dB   SWT 20 ms      5.555000000 GHz
          30  Offset  3 dB                                                    A

1 RM *
VIEW                                                                          LVL


                              1



                                                                             3DB
          SWP   100 of  100




          Center 5.55 GHz             10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 14:44:26

CH134


```
                                            *RBW 1 MHz    Marker 1 [T1 ]
                                            *VBW 3 MHz                1.90 dBm
          Ref  30 dBm           *Att  40 dB   SWT 20 ms      5.683800000 GHz
          30  Offset  3 dB                                                    A

1 RM *
VIEW                                                                          LVL


                                  1


                                                                             3DB
          SWP   100 of  100




          Center 5.67 GHz             10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 14:45:12

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.52	0.63	3.15	9.36
CH110	5550	2.59	0.63	3.22	9.36
CH134	5670	2.31	0.63	2.94	9.36

CH102

Date: 18.JUL.2018 14:52:27

CH110


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              2.59 dBm
         Ref  30 dBm        *Att  40 dB    SWT 20 ms       5.555200000 GHz
         30  Offset  3 dB                                                     A
       -20

 1 RM
 VIEW  -10
                                               1
         0

       -10


       -20
         SWE   100 of  100                                                    3DB
       -30


       -40

       -50

       -60

       -70
         Center 5.55 GHz           10 MHz/           Span 100 MHz
```

Date: 18.JUL.2018 14:53:37

CH134


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              2.31 dBm
         Ref  30 dBm        *Att  40 dB    SWT 20 ms       5.676000000 GHz
         30  Offset  3 dB                                                     A
       -20

 1 RM
 VIEW  -10
                                               1
         0

       -10


       -20
         SWE   100 of  100                                                    3DB
       -30


       -40

       -50

       -60

       -70
         Center 5.67 GHz           10 MHz/           Span 100 MHz
```

Date: 18.JUL.2018 14:54:51

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.03	0.63	2.66	9.36
CH110	5550	2.07	0.63	2.70	9.36
CH134	5670	1.88	0.63	2.51	9.36

CH102

Date: 18.JUL.2018 15:19:38

CH110

Date: 18.JUL.2018 15:20:48

CH134

Date: 18.JUL.2018 15:22:01

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	8.79	9.36
CH110	5550	8.82	9.36
CH134	5670	8.75	9.36

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	10.39	0.05	10.44	29.46
CH157	5785	10.28	0.05	10.33	29.46
CH165	5825	10.02	0.05	10.07	29.46

TX CH149

Date: 17.JUL.2018 10:55:40

TX CH157


```
                                        * RBW 1 MHz    Marker 1 [T1 ]
                                        * VBW 3 MHz              10.28 dBm
        Ref  30 dBm         * Att  40 dB  SWT 20 ms       5.781500000 GHz
```

Date: 17.JUL.2018 10:56:40

TX CH165


```
                                        * RBW 1 MHz    Marker 1 [T1 ]
                                        * VBW 3 MHz              10.02 dBm
        Ref  30 dBm         * Att  40 dB  SWT 20 ms       5.822600000 GHz
```

Date: 17.JUL.2018 10:57:41

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.42	0.25	8.67	28.36
CH157	5785	8.14	0.25	8.39	28.36
CH165	5825	7.93	0.25	8.18	28.36

TX CH149

Date: 17.JUL.2018 11:10:06

TX CH157


```
                              *RBW  1 MHz     Marker 1 [T1 ]
                              *VBW  3 MHz              8.14 dBm
   Ref  30 dBm    *Att  40 dB  SWT 20 ms     5.787000000 GHz
```

Date: 17.JUL.2018 11:11:07

TX CH165


```
                              *RBW  1 MHz     Marker 1 [T1 ]
                              *VBW  3 MHz              7.93 dBm
   Ref  30 dBm    *Att  40 dB  SWT 20 ms     5.826400000 GHz
```

Date: 17.JUL.2018 11:12:06

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.62	0.25	8.87	28.36
CH157	5785	8.18	0.25	8.43	28.36
CH165	5825	7.86	0.25	8.11	28.36

TX CH149

Date: 17.JUL.2018 11:26:59

TX CH157


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              8.18 dBm
    Ref  30 dBm      *Att  40 dB    SWT 20 ms       5.781400000 GHz
```

Date: 17.JUL.2018 11:28:08

TX CH165


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              7.86 dBm
    Ref  30 dBm      *Att  40 dB    SWT 20 ms       5.822600000 GHz
```

Date: 17.JUL.2018 11:29:17

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.90	0.25	9.15	28.36
CH157	5785	8.57	0.25	8.82	28.36
CH165	5825	8.33	0.25	8.58	28.36

TX CH149

Date: 17.JUL.2018 11:40:37

TX CH157


```
                              *RBW 1 MHz    Marker 1 [T1 ]
                              *VBW 3 MHz              8.57 dBm
 Ref  30 dBm     *Att  40 dB   SWT 20 ms    5.782400000 GHz
```

Date: 17.JUL.2018 11:41:39

TX CH165


```
                              *RBW 1 MHz    Marker 1 [T1 ]
                              *VBW 3 MHz              8.33 dBm
 Ref  30 dBm     *Att  40 dB   SWT 20 ms    5.823600000 GHz
```

Date: 17.JUL.2018 11:42:36

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.20	0.25	8.45	28.36
CH157	5785	7.91	0.25	8.16	28.36
CH165	5825	7.64	0.25	7.89	28.36

TX CH149

Date: 17.JUL.2018 11:55:36

TX CH157


```
                                         *RBW  1 MHz    Marker 1 [T1 ]
                                         *VBW  3 MHz               7.91 dBm
        Ref  30 dBm          *Att  40 dB   SWT 20 ms      5.782600000 GHz
   30
                                                                            A
  -20
 1 RM *
 VIEW -10                          1
   0
  -10
  -20
       SWB  100 of   100                                                  3DB
  -30
  -40
  -50
  -60
  -70
    Center 5.785 GHz            5 MHz/              Span 50 MHz
```

Date: 17.JUL.2018 11:56:34

TX CH165


```
                                         *RBW  1 MHz    Marker 1 [T1 ]
                                         *VBW  3 MHz               7.64 dBm
        Ref  30 dBm          *Att  40 dB   SWT 20 ms      5.821200000 GHz
   30
                                                                            A
  -20
 1 RM *
 VIEW -10                          1
   0
  -10
  -20
       SWB  100 of   100                                                  3DB
  -30
  -40
  -50
  -60
  -70
    Center 5.825 GHz            5 MHz/              Span 50 MHz
```

Date: 17.JUL.2018 11:57:35

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	14.81	28.36
CH157	5785	14.47	28.36
CH165	5825	14.21	28.36

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.01	0.63	5.64	28.36
CH159	5795	4.50	0.63	5.13	28.36

TX CH151

```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz            5.01 dBm
        Ref  30 dBm      *Att  40 dB   SWT 20 ms      5.747600000 GHz
```



```
Center 5.755 GHz          10 MHz/            Span 100 MHz
```

Date: 17.JUL.2018 14:54:19

TX CH159

```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz            4.50 dBm
        Ref  30 dBm      *Att  40 dB   SWT 20 ms      5.789000000 GHz
```



```
Center 5.795 GHz          10 MHz/            Span 100 MHz
```

Date: 17.JUL.2018 14:55:40

| Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.19	0.63	5.82	28.36
CH159	5795	4.95	0.63	5.58	28.36

TX CH151

Date: 17.JUL.2018 15:41:16

TX CH159

Date: 17.JUL.2018 15:42:32

	Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3				
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.74	0.63	6.37	28.36
CH159	5795	5.60	0.63	6.23	28.36

TX CH151


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              5.74 dBm
        Ref  30 dBm      *Att  40 dB  SWT 20 ms     5.748400000 GHz
```

Date: 18.JUL.2018 14:56:04

TX CH159


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              5.60 dBm
        Ref  30 dBm      *Att  40 dB  SWT 20 ms     5.788800000 GHz
```

Date: 18.JUL.2018 14:57:18

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.10	0.63	5.73	28.36
CH159	5795	4.77	0.63	5.40	28.36

TX CH151

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz   5.10 dBm
Ref 30 dBm   *Att 40 dB SWT 20 ms   5.748600000 GHz

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 18.JUL.2018 15:23:26

TX CH159

*RBW 1 MHz Marker 1 [T1]
*VBW 3 MHz   4.77 dBm
Ref 30 dBm   *Att 40 dB SWT 20 ms   5.788600000 GHz

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 18.JUL.2018 15:24:38

	Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total		
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	11.92	28.36
CH159	5795	11.63	28.36

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.52	0.24	2.76	9.36
CH40	5200	2.68	0.24	2.92	9.36
CH48	5240	3.07	0.24	3.31	9.36

CH36

Date: 25.JUL.2018 13:46:36

CH40


```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz              2.68 dBm
    Ref  30 dBm          *Att  40 dB   SWT 20 ms       5.201300000 GHz
    30 Offset  3 dB                                                    A
-20
-10                                                                   LVL
                                            1
  0
-10
-20
    SWP   100 of  100                                                 3DB
-30
-40
-50
-60
-70
    Center 5.2 GHz              5 MHz/              Span 50 MHz
```

Date: 25.JUL.2018 13:56:05

CH48


```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz              3.07 dBm
    Ref  30 dBm          *Att  40 dB   SWT 20 ms       5.242600000 GHz
    30 Offset  3 dB                                                    A
-20
-10                                                                   LVL
                                            1
  0
-10
-20
    SWP   100 of  100                                                 3DB
-30
-40
-50
-60
-70
    Center 5.24 GHz             5 MHz/              Span 50 MHz
```

Date: 25.JUL.2018 11:22:16

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.87	0.24	2.11	9.36
CH40	5200	1.81	0.24	2.05	9.36
CH48	5240	1.88	0.24	2.12	9.36

CH36

Date: 25.JUL.2018 13:47:11

CH40


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              1.81 dBm
        Ref   30 dBm        *Att  40 dB  SWT  20 ms      5.202100000 GHz
```

Date: 25.JUL.2018 13:55:26

CH48


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              1.88 dBm
        Ref   30 dBm        *Att  40 dB  SWT  20 ms      5.242500000 GHz
```

Date: 25.JUL.2018 11:20:49

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.73	0.24	2.97	9.36
CH40	5200	2.74	0.24	2.98	9.36
CH48	5240	2.72	0.24	2.96	9.36

CH36

Date: 25.JUL.2018 13:50:44

CH40

```
                                              *RBW  1 MHz     Marker 1 [T1 ]
                                              *VBW  3 MHz              2.74 dBm
        Ref  30 dBm          *Att  40 dB      SWT 20 ms         5.203600000 GHz
        30 Offset   3 dB                                                        [A]
   -20

 1 RM *
 VIEW  -10                                                                      LVL
                                           1
      0                                     ▼

    -10

    -20
        SWP   100 of  100                                                       3DB
    -30

    -40

    -50

    -60

    -70
        Center 5.2 GHz              5 MHz/              Span 50 MHz
```

Date: 25.JUL.2018 13:54:49

CH48

```
                                              *RBW  1 MHz     Marker 1 [T1 ]
                                              *VBW  3 MHz              2.72 dBm
        Ref  30 dBm          *Att  40 dB      SWT 20 ms         5.243800000 GHz
        30 Offset   3 dB                                                        [A]
   -20

 1 RM *
 VIEW  -10                                                                      LVL
                                           1
      0                                     ▼

    -10

    -20
        SWP   100 of  100                                                       3DB
    -30

    -40

    -50

    -60

    -70
        Center 5.24 GHz             5 MHz/              Span 50 MHz
```

Date: 25.JUL.2018 11:20:08

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.75	0.24	1.99	9.36
CH40	5200	1.75	0.24	1.99	9.36
CH48	5240	2.01	0.24	2.25	9.36

CH36

Date: 25.JUL.2018 13:53:26

CH40

30 Offset 3 dB

-20

-10

1

0

-10

-20

SWP   100 of 100

-30

-40

-50

-60

-70

Center 5.2 GHz   5 MHz/   Span 50 MHz

A

LVL

3DB

Date: 25.JUL.2018 13:54:20

CH48

30 Offset 3 dB

-20

-10

1

0

-10

-20

SWP   100 of 100

-30

-40

-50

-60

-70

Center 5.24 GHz   5 MHz/   Span 50 MHz

A

LVL

3DB

Date: 25.JUL.2018 11:19:31

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.50	9.36
CH40	5200	8.53	9.36
CH48	5240	8.71	9.36

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.49	0.79	2.28	9.36
CH46	5230	2.49	0.79	3.28	9.36

CH38

Date: 25.JUL.2018 11:58:30

## CH46

Date: 25.JUL.2018 11:53:24

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.55	0.79	1.34	9.36
CH46	5230	1.61	0.79	2.40	9.36

CH38

```
                                        *RBW  1 MHz     Marker 1 [T1 ]
                                        *VBW  3 MHz              0.55 dBm
        Ref  30 dBm        *Att  40 dB   SWT  20 ms       5.204000000 GHz
        30  Offset  3 dB
                                                                          A
    -20
1  RM *
VIEW  -10
                                                                         LVL
       0                            1
                                                                         3DB
    -10
    -20
        SWP    100 of   100
    -30
    -40
    -50
    -60
    -70
        Center 5.19 GHz              10 MHz/              Span 100 MHz
```

Date: 25.JUL.2018 11:57:51

CH46

```
                                        *RBW  1 MHz     Marker 1 [T1 ]
                                        *VBW  3 MHz              1.61 dBm
        Ref  30 dBm        *Att  40 dB   SWT  20 ms       5.235200000 GHz
        30  Offset  3 dB
                                                                          A
    -20
1  RM *
VIEW  -10
                                           1
       0
                                                                         LVL
    -10
    -20
        SWP    100 of   100
    -30                                                                  3DB
    -40
    -50
    -60
    -70
        Center 5.23 GHz              10 MHz/              Span 100 MHz
```

Date: 25.JUL.2018 11:54:29

| Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.76	0.79	2.55	9.36
CH46	5230	2.51	0.79	3.30	9.36

CH38

Date: 25.JUL.2018 11:57:14

CH46

Date: 25.JUL.2018 11:54:59

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4					

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.97	0.79	1.76	9.36
CH46	5230	1.69	0.79	2.48	9.36

CH38

```
                                              *RBW  1 MHz    Marker 1 [T1 ]
                                              *VBW  3 MHz              0.97 dBm
              Ref   30 dBm        *Att  40 dB  SWT 20 ms       5.196200000 GHz
              30  Offset  3 dB                                                   A
        -20

 1  RM *
 VIEW   -10
                                         1
          0

        -20
              SWP   100 of  100
        -30                                                                     3DB

        -40

        -50

        -60

        -70
              Center 5.19 GHz              10 MHz/              Span 100 MHz
```

Date: 25.JUL.2018 11:56:39

CH46

```
                                              *RBW  1 MHz    Marker 1 [T1 ]
                                              *VBW  3 MHz              1.69 dBm
              Ref   30 dBm        *Att  40 dB  SWT 20 ms       5.235200000 GHz
              30  Offset  3 dB                                                   A
        -20

 1  RM *
 VIEW   -10
                                         1
          0

        -10

        -20
              SWP   100 of  100
        -30                                                                     3DB

        -40

        -50

        -60

        -70
              Center 5.23 GHz              10 MHz/              Span 100 MHz
```

Date: 25.JUL.2018 11:55:37

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	8.03	9.36
CH46	5230	8.91	9.36

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.73	1.58	2.31	9.36

CH42

Date: 18.JUL.2018 16:28:29

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.01	1.58	1.57	9.36

CH42

Date: 18.JUL.2018 16:35:51

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.74	1.58	2.32	9.36

CH42

Date: 18.JUL.2018 16:42:15

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.28	1.58	1.30	9.36

CH42

Date: 18.JUL.2018 16:48:48

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	7.92	9.36

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.40	0.24	2.64	9.36
CH60	5300	2.29	0.24	2.53	9.36
CH64	5320	2.18	0.24	2.42	9.36

CH52

Date: 18.JUL.2018 11:20:05

CH60

```
                                      *RBW  1 MHz      Marker 1 [T1 ]
                                      *VBW  3 MHz                  2.29 dBm
        Ref   30 dBm        *Att   40 dB    SWT  20 ms        5.302600000 GHz
        30  Offset   3 dB
                                                                          A
   -20
1 RM *
VIEW  -10
                                                                          LVL
     0                      _____1_____
   -10

   -20
        SWP   100 of   100
   -30                                                                    3DB

   -40

   -50

   -60

   -70
        Center 5.3 GHz              5 MHz/              Span 50 MHz
```

Date: 18.JUL.2018   11:40:48

CH64

```
                                      *RBW  1 MHz      Marker 1 [T1 ]
                                      *VBW  3 MHz                  2.18 dBm
        Ref   30 dBm        *Att   40 dB    SWT  20 ms        5.321700000 GHz
        30  Offset   3 dB
                                                                          A
   -20
1 RM *
VIEW  -10
                                                                          LVL
     0                      _____1_____
   -10

   -20
        SWP   100 of   100
   -30                                                                    3DB

   -40

   -50

   -60

   -70
        Center 5.32 GHz             5 MHz/              Span 50 MHz
```

Date: 18.JUL.2018   11:41:34

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.28	0.24	1.52	9.36
CH60	5300	1.26	0.24	1.50	9.36
CH64	5320	1.51	0.24	1.75	9.36

CH52

Date: 18.JUL.2018 11:47:49

CH60


```
                              *RBW  1 MHz    Marker 1 [T1 ]
                              *VBW  3 MHz              1.26 dBm
      Ref  30 dBm    *Att  40 dB   SWT 20 ms    5.302400000 GHz
      30  Offset  3 dB                                          A

  1 RM*
  VIEW                                                        LVL

                                                             3DB
          SWP    100 of  100
```

Center 5.3 GHz   5 MHz/   Span 50 MHz

Date: 18.JUL.2018 11:48:43

CH64


```
                              *RBW  1 MHz    Marker 1 [T1 ]
                              *VBW  3 MHz              1.51 dBm
      Ref  30 dBm    *Att  40 dB   SWT 20 ms    5.322200000 GHz
      30  Offset  3 dB                                          A

  1 RM*
  VIEW                                                        LVL

                                                             3DB
          SWP    100 of  100
```

Center 5.32 GHz   5 MHz/   Span 50 MHz

Date: 18.JUL.2018 11:49:54

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	2.00	0.24	2.24	9.36
CH60	5300	2.43	0.24	2.67	9.36
CH64	5320	2.57	0.24	2.81	9.36

CH52

Date: 18.JUL.2018 11:54:29

CH60


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              2.43 dBm
           Ref  30 dBm        *Att  40 dB  SWT 20 ms       5.301400000 GHz
           30  Offset  3 dB                                                      A
        -20
   1 RM *
   VIEW  -10                                                                   LVL
         0                        1

       -10

       -20
           SWP    100 of   100                                                 3DB
       -30

       -40

       -50

       -60

       -70
           Center 5.3 GHz              5 MHz/              Span 50 MHz
```

Date: 18.JUL.2018 11:55:21

CH64


```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz              2.57 dBm
           Ref  30 dBm        *Att  40 dB  SWT 20 ms       5.323500000 GHz
           30  Offset  3 dB                                                      A
        -20
   1 RM *
   VIEW  -10                                                                   LVL
         0                        1

       -10

       -20
           SWP    100 of   100                                                 3DB
       -30

       -40

       -50

       -60

       -70
           Center 5.32 GHz             5 MHz/              Span 50 MHz
```

Date: 18.JUL.2018 11:56:07

Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	1.48	0.24	1.72	9.36
CH60	5300	1.72	0.24	1.96	9.36
CH64	5320	1.84	0.24	2.08	9.36

CH52

Date: 18.JUL.2018 14:09:51

CH60

```
                                            *RBW  1 MHz    Marker 1 [T1 ]
                                            *VBW  3 MHz              1.72 dBm
              Ref  30 dBm       *Att  40 dB  SWT  20 ms     5.297800000 GHz
```



```
Date: 18.JUL.2018  14:10:32
```

CH64

```
                                            *RBW  1 MHz    Marker 1 [T1 ]
                                            *VBW  3 MHz              1.84 dBm
              Ref  30 dBm       *Att  40 dB  SWT  20 ms     5.317700000 GHz
```



```
Date: 18.JUL.2018  14:11:09
```

|	Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total		
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.08	9.36
CH60	5300	8.21	9.36
CH64	5320	8.31	9.36

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.36	0.79	3.15	9.36
CH62	5310	2.45	0.79	3.24	9.36

CH54

```
                                      *RBW  1 MHz    Marker 1 [T1 ]
                                      *VBW  3 MHz              2.36 dBm
     Ref  30 dBm        *Att  40 dB    SWT 20 ms     5.273600000 GHz
```



```
   Center 5.27 GHz            10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 15:31:46

CH62

```
                                      *RBW  1 MHz    Marker 1 [T1 ]
                                      *VBW  3 MHz              2.45 dBm
     Ref  30 dBm        *Att  40 dB    SWT 20 ms     5.316400000 GHz
```



```
   Center 5.31 GHz            10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 15:34:23

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.21	0.79	2.00	9.36
CH62	5310	1.34	0.79	2.13	9.36

CH54


```
                                          *RBW  1 MHz     Marker 1 [T1 ]
                                          *VBW  3 MHz                1.21 dBm
         Ref   30 dBm          *Att  40 dB    SWT 20 ms       5.275200000 GHz
         30  Offset   3 dB                                                    A
       -20
1 RM*
VIEW   -10                                                                  LVL

          0                    ┌──────────1────────────┐
                               │          ▼            │
        -10

        -20
       SWP   100 of  100
        -30                                                                 3DB

        -40

        -50

        -60

        -70
        Center 5.27 GHz            10 MHz/            Span 100 MHz
```

Date: 18.JUL.2018 15:44:20

CH62


```
                                          *RBW  1 MHz     Marker 1 [T1 ]
                                          *VBW  3 MHz                1.34 dBm
         Ref   30 dBm          *Att  40 dB    SWT 20 ms       5.315000000 GHz
         30  Offset   3 dB                                                    A
       -20
1 RM*
VIEW   -10                                                                  LVL

          0                    ┌─────────1─────────┐
                               │         ▼         │
        -10

        -20
       SWP   100 of  100
        -30                                                                 3DB

        -40

        -50

        -60

        -70
        Center 5.31 GHz            10 MHz/            Span 100 MHz
```

Date: 18.JUL.2018 15:45:28

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	2.11	0.79	2.90	9.36
CH62	5310	2.42	0.79	3.21	9.36

CH54

30 Offset 3 dB

A

-20

1 RM *
VIEW

-10

LVL

0

1

-10

-20

SWP 100 of 100

-30

3DB

-40

-50

-60

-70

Center 5.27 GHz 10 MHz/ Span 100 MHz

Date: 18.JUL.2018 15:55:49

CH62

30 Offset 3 dB

A

-20

1 RM *
VIEW

-10

LVL

0

1

-10

-20

SWP 100 of 100

-30

3DB

-40

-50

-60

-70

Center 5.31 GHz 10 MHz/ Span 100 MHz

Date: 18.JUL.2018 15:56:57

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 4

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	1.42	0.79	2.21	9.36
CH62	5310	1.89	0.79	2.68	9.36

CH54


```
                                          *RBW 1 MHz     Marker 1 [T1 ]
                                          *VBW 3 MHz                 1.42 dBm
        Ref  30 dBm          *Att  40 dB   SWT 20 ms         5.275200000 GHz
        30  Offset  3 dB                                                      A
-20
 1 RM *
 VIEW                                                                        LVL
-10

  0                                            1

-10

-20
        SWP   100 of  100                                                    3DB
-30

-40

-50

-60

-70
        Center 5.27 GHz              10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 16:12:16

CH62


```
                                          *RBW 1 MHz     Marker 1 [T1 ]
                                          *VBW 3 MHz                 1.89 dBm
        Ref  30 dBm          *Att  40 dB   SWT 20 ms         5.315600000 GHz
        30  Offset  3 dB                                                      A
-20
 1 RM *
 VIEW                                                                        LVL
-10

  0                                            1

-10

-20
        SWP   100 of  100                                                    3DB
-30

-40

-50

-60

-70
        Center 5.31 GHz              10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 16:13:23

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	8.61	9.36
CH62	5310	8.86	9.36

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.40	1.58	1.18	9.36

CH58

Date: 24.JUL.2018 14:28:55

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.45	1.58	0.13	9.36

CH58

Date: 24.JUL.2018 14:37:27

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-0.70	1.58	0.88	9.36

CH58

Date: 24.JUL.2018 14:44:12

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.34	1.58	0.24	9.36

CH58

Date: 24.JUL.2018 14:50:59

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	6.65	9.36

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.18	0.24	2.42	9.36
CH116	5580	2.03	0.24	2.27	9.36
CH140	5700	2.02	0.24	2.26	9.36

CH100

Date: 18.JUL.2018 11:42:21

CH116


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              2.03 dBm
     Ref  30 dBm        *Att  40 dB  SWT 20 ms      5.583900000 GHz
     30 Offset  3 dB                                              A
  -20
  -10                                                          LVL
    0             1
 -10
 -20
     SWE   100 of  100                                         3DB
 -30
 -40
 -50
 -60
 -70
     Center 5.58 GHz           5 MHz/            Span 50 MHz
```

Date: 18.JUL.2018 11:43:08

CH140


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              2.02 dBm
     Ref  30 dBm        *Att  40 dB  SWT 20 ms      5.698700000 GHz
     30 Offset  3 dB                                              A
  -20
  -10                                                          LVL
    0       1
 -10
 -20
     SWE   100 of  100                                         3DB
 -30
 -40
 -50
 -60
 -70
     Center 5.7 GHz            5 MHz/            Span 50 MHz
```

Date: 18.JUL.2018 11:45:35

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.32	0.24	1.56	9.36
CH116	5580	1.88	0.24	2.12	9.36
CH140	5700	2.41	0.24	2.65	9.36

CH100

Date: 18.JUL.2018 11:50:39

CH116

Ref 30 dBm   *Att 40 dB

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   1.88 dBm
SWT 20 ms   5.582100000 GHz

30 Offset 3 dB

A

-20

1 RM *
VIEW

-10

LVL

0

1

-10

-20

SWP   100 of   100

3DB

-30

-40

-50

-60

-70

Center 5.58 GHz   5 MHz/   Span 50 MHz

Date: 18.JUL.2018 11:51:28

CH140

Ref 30 dBm   *Att 40 dB

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   2.41 dBm
SWT 20 ms   5.702200000 GHz

30 Offset 3 dB

A

-20

1 RM *
VIEW

-10

LVL

0

1

-10

-20

SWP   100 of   100

3DB

-30

-40

-50

-60

-70

Center 5.7 GHz   5 MHz/   Span 50 MHz

Date: 18.JUL.2018 11:52:11

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	2.04	0.24	2.28	9.36
CH116	5580	2.39	0.24	2.63	9.36
CH140	5700	2.32	0.24	2.56	9.36

CH100

Date: 18.JUL.2018 11:56:52

CH116

```
                               *RBW  1 MHz     Marker 1 [T1 ]
                               *VBW  3 MHz              2.39 dBm
        Ref  30 dBm   *Att  40 dB   SWT 20 ms     5.575900000 GHz
```



```
Date: 18.JUL.2018  11:57:46
```

CH140

```
                               *RBW  1 MHz     Marker 1 [T1 ]
                               *VBW  3 MHz              2.32 dBm
        Ref  30 dBm   *Att  40 dB   SWT 20 ms     5.697900000 GHz
```



```
Date: 18.JUL.2018  11:58:39
```

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	1.47	0.24	1.71	9.36
CH116	5580	1.82	0.24	2.06	9.36
CH140	5700	1.83	0.24	2.07	9.36

CH100

Date: 18.JUL.2018 14:13:38

CH116


```
                                       *RBW 1 MHz    Marker 1 [T1 ]
                                       *VBW 3 MHz              1.82 dBm
          Ref  30 dBm    *Att  40 dB   SWT 20 ms      5.582300000 GHz
```

Date: 18.JUL.2018 14:14:15

CH140


```
                                       *RBW 1 MHz    Marker 1 [T1 ]
                                       *VBW 3 MHz              1.83 dBm
          Ref  30 dBm    *Att  40 dB   SWT 20 ms      5.701500000 GHz
```

Date: 18.JUL.2018 14:15:22

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	8.03	9.36
CH116	5580	8.30	9.36
CH140	5700	8.42	9.36

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.01	0.79	2.80	9.36
CH110	5550	2.11	0.79	2.90	9.36
CH134	5670	2.25	0.79	3.04	9.36

CH102

Date: 18.JUL.2018 15:35:13

CH110


```
                                            *RBW 1 MHz    Marker 1 [T1 ]
                                            *VBW 3 MHz              2.11 dBm
           Ref  30 dBm          *Att  40 dB  SWT 20 ms     5.556200000 GHz
           30  Offset  3 dB
                                                                        A
       1 RM *
       VIEW                                                          LVL

                                        1

                                                                    3DB
           SWP   100 of  100

       Center 5.55 GHz             10 MHz/            Span 100 MHz
```

Date: 18.JUL.2018 15:36:21

CH134


```
                                            *RBW 1 MHz    Marker 1 [T1 ]
                                            *VBW 3 MHz              2.25 dBm
           Ref  30 dBm          *Att  40 dB  SWT 20 ms     5.667400000 GHz
           30  Offset  3 dB
                                                                        A
       1 RM *
       VIEW                                                          LVL

                                    1

                                                                    3DB
           SWP   100 of  100

       Center 5.67 GHz             10 MHz/            Span 100 MHz
```

Date: 18.JUL.2018 15:37:32

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.86	0.79	2.65	9.36
CH110	5550	2.03	0.79	2.82	9.36
CH134	5670	2.29	0.79	3.08	9.36

CH102

Date: 18.JUL.2018 15:46:36

CH110

```
                              *RBW 1 MHz    Marker 1 [T1 ]
                              *VBW 3 MHz              2.03 dBm
   Ref  30 dBm    *Att  40 dB  SWT 20 ms      5.558000000 GHz
   30 Offset  3 dB                                              A
  -20
  -10                                                          LVL
   0                        1
  -10
  -20
        SWP   100 of  100
  -30                                                          3DB
  -40
  -50
  -60
  -70
   Center 5.55 GHz         10 MHz/          Span 100 MHz
```

Date: 18.JUL.2018 15:47:46

CH134

```
                              *RBW 1 MHz    Marker 1 [T1 ]
                              *VBW 3 MHz              2.29 dBm
   Ref  30 dBm    *Att  40 dB  SWT 20 ms      5.666600000 GHz
   30 Offset  3 dB                                              A
  -20
  -10                                                          LVL
   0              1
  -10
  -20
        SWP   100 of  100
  -30                                                          3DB
  -40
  -50
  -60
  -70
   Center 5.67 GHz         10 MHz/          Span 100 MHz
```

Date: 18.JUL.2018 15:48:57

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.20	0.79	2.99	9.36
CH110	5550	2.19	0.79	2.98	9.36
CH134	5670	2.46	0.79	3.25	9.36

CH102

Date: 18.JUL.2018 16:08:03

CH110

```
                                            *RBW 1 MHz     Marker 1 [T1 ]
                                            *VBW 3 MHz                2.19 dBm
            Ref  30 dBm           *Att  40 dB    SWT 20 ms      5.546400000 GHz
            30 Offset  3 dB                                                        [A]
          -20
1 RM *
VIEW      -10                                                                      LVL
                                          1
            0                             ▼
          -10
          -20
            SWP    100 of  100                                                     3DB
          -30
          -40
          -50
          -60
          -70
            Center 5.55 GHz              10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 16:02:19

CH134

```
                                            *RBW 1 MHz     Marker 1 [T1 ]
                                            *VBW 3 MHz                2.46 dBm
            Ref  30 dBm           *Att  40 dB    SWT 20 ms      5.663800000 GHz
            30 Offset  3 dB                                                        [A]
          -20
1 RM *
VIEW      -10                                                                      LVL
                                          1
            0                             ▼
          -10
          -20
            SWP    100 of  100                                                     3DB
          -30
          -40
          -50
          -60
          -70
            Center 5.67 GHz              10 MHz/              Span 100 MHz
```

Date: 18.JUL.2018 16:03:17

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	2.08	0.79	2.87	9.36
CH110	5550	2.07	0.79	2.86	9.36
CH134	5670	1.91	0.79	2.70	9.36

CH102

Date: 18.JUL.2018 16:14:30

CH110


```
                                              *RBW 1 MHz     Marker 1 [T1 ]
                                              *VBW 3 MHz            2.07 dBm
          Ref  30 dBm        *Att  40 dB      SWT 20 ms      5.556000000 GHz
          30  Offset  3 dB                                                   A
          -20
  1 RM
  VIEW
          -10                                                              LVL
            0                          1
          -10
          -20
          SWP    100 of   100                                              3DB
          -30
          -40
          -50
          -60
          -70
          Center 5.55 GHz              10 MHz/           Span 100 MHz
```

Date: 18.JUL.2018 16:15:37

CH134


```
                                              *RBW 1 MHz     Marker 1 [T1 ]
                                              *VBW 3 MHz            1.91 dBm
          Ref  30 dBm        *Att  40 dB      SWT 20 ms      5.675200000 GHz
          30  Offset  3 dB                                                   A
          -20
  1 RM
  VIEW
          -10                                                              LVL
            0                          1
          -10
          -20
          SWP    100 of   100                                              3DB
          -30
          -40
          -50
          -60
          -70
          Center 5.67 GHz              10 MHz/           Span 100 MHz
```

Date: 18.JUL.2018 16:16:47

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	8.85	9.36
CH110	5550	8.91	9.36
CH134	5670	9.04	9.36

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.62	1.58	-0.04	9.36
CH122	5610	-1.37	1.58	0.21	9.36

CH106

Date: 24.JUL.2018 14:32:16

CH122


```
                                              *RBW 1 MHz      Marker 1 [T1 ]
                                              *VBW 3 MHz                  -1.37 dBm
       Ref  30 dBm            *Att  40 dB      SWT 20 ms       5.623600000 GHz
       30  Offset  3 dB                                                              A
    -20

    -10                                                                              LVL

      0                                      1

    -10

    -20
          SWP    100 of   100                                                        3DB
    -30

    -40

    -50

    -60

    -70
       Center 5.61 GHz              20 MHz/              Span 200 MHz
```

Date: 24.JUL.2018   14:33:03

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.70	1.58	-0.12	9.36
CH122	5610	-1.15	1.58	0.43	9.36

CH106

Date: 24.JUL.2018 14:38:37

CH122


```
                                          *RBW  1 MHz      Marker 1 [T1 ]
                                          *VBW  3 MHz                  -1.15 dBm
    Ref  30 dBm             *Att  40 dB    SWT 20 ms       5.622800000 GHz
    30  Offset  3 dB                                                          A

  -20

1 RM*
VIEW  -10

      0                                       1

     -10

     -20
         SWP   100 of  100                                                   3DB
     -30

     -40

     -50

     -60

     -70
    Center 5.61 GHz            20 MHz/              Span 200 MHz
```

Date: 24.JUL.2018 14:39:50

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.42	1.58	0.16	9.36
CH122	5610	-1.23	1.58	0.35	9.36

CH106

Date: 24.JUL.2018 14:45:36

CH122


```
                                          *RBW 1 MHz    Marker 1 [T1 ]
                                          *VBW 3 MHz              -1.23 dBm
     Ref  30 dBm         *Att  40 dB      SWT 20 ms      5.598800000 GHz
     30  Offset  3 dB                                                    A
       -20

1 RM*  -10                                                              LVL
VIEW
        0                         1
       -10

       -20
             SWP    100 of   100                                        3DB
       -30

       -40

       -50

       -60

       -70
     Center 5.61 GHz              20 MHz/              Span 200 MHz
```

Date: 24.JUL.2018 14:47:48

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-1.52	1.58	0.06	9.36
CH122	5610	-1.38	1.58	0.20	9.36

CH106

Date: 24.JUL.2018 14:52:19

CH122


```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz               -1.38 dBm
    Ref  30 dBm        *Att  40 dB   SWT 20 ms     5.623600000 GHz
    30  Offset  3 dB                                                    A
   -20
                                                                       LVL
   -10

     0                              1
   -10

   -20
        SWP    100 of   100                                            3DB
   -30

   -40

   -50

   -60

   -70
    Center 5.61 GHz          20 MHz/            Span 200 MHz
```

Date: 24.JUL.2018 14:53:33

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	6.04	9.36
CH122	5610	6.32	9.36

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.24	0.24	8.48	28.36
CH157	5785	8.00	0.24	8.24	28.36
CH165	5825	7.82	0.24	8.06	28.36

TX CH149

Date: 17.JUL.2018   14:37:43