C̶L

2

iTrip

1.25mm

◁   ▷

SmartScan

1

iTrip

3.25mm

6.75mm

SCALE = 3:1

	Instructions
1	Print color Pantone 425M.
2	Logo should be centered on aluminum housing

2

GRIFFIN

14mm

1

GRIFFIN

4mm

14mm

	Instructions
1	Print color Pantone 423M.
2	Logo should be centered on aluminum housing

3   **2**

0.4mm

FCC ID:VYB1454

MODEL: P1454

IC:6384A-1454TN4G

1

FCC ID:VYB1454

MODEL: P1454   1mm

IC:6384A-1454TN4G

9.75mm

SCALE = 3:1

|	Instructions
1	Print color Pantone 421M.
2	Center vertically on plastic top cap.
3	Center horizontally on plastic top cap (Final artwork with actual certification numbers to be supplied at a later date).

2

1

3.5mm

19mm

SCALE = 3:1

	Instructions
1	Print icons matte white.
2	Center icons both horizontally and vertically on plastic bottom cap.

iTrip

SmartScan

2

3

1

27.4mm

2mm

2mm

10.2mm

1.5mm

SmartScan

Instructions	
1	Print color Pantone 423C.
2	Logo should be centered vertically on buttons.
3	Smartscan logo should be centered horizontally on button.