
Test report No. : 11143373S-C Page : 17 of 116 Issued date : April 25, 2016

FCC ID : W2Z-01000007

# **APPENDIX 1: Photographs of test setup**

## Appendix 1-1: Photograph of EUT and antenna position





1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN Telephone: +81 463 50 6400 / Facsimile: +81 463 50 6401


Test report No. : 11143373S-C Page : 18 of 116 Issued date : April 25, 2016

FCC ID : W2Z-01000007

## **Appendix 1-2: Antenna position**









1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN Telephone: +81 463 50 6400 / Facsimile: +81 463 50 6401

Test report No. : 11143373S-C Page : 19 of 116 Issued date : April 25, 2016

FCC ID : W2Z-01000007

# Appendix 1-3: EUT and support equipment





**Description of EUT and Support Equipment** 

Description of EO1 and Support Equipment								
No.	Item	Model number	Serial number	Manufacturer	Remark			
A	Flat Panel Sensor	RIC 24C	#001	FUJIFILM Corporation	EUT.			
(With the following wireless LAN module.)								
-	Wireless LAN module	SX-PCEAN(FF-E)	00809270C5E1	Silex Technology, Inc.				
B1	Battery Pack	BJ-LF20001AA	#2	Panasonic Automotive &	Cumport aguinment			
<b>B2</b>	(DC 7.4 V, 3200 mAh, 24 Wh (Li-ion))	DJ-LI 2000 IAA	#3	Industrial Systems Company	Support equipment.			
С	Laptop PC (#KSPC-03)	ThinkPad T42 (Type 2373-L32)	L3-NHT3R_05/07	lenovo	Support equipment.			
D	AC Adaptor	08K8208	11S08K8208Z1Z9MA5668XB	lenovo	Support equipment.			
E	Battery Charger	FP2560A	No.24	Futaba Electric	Support equipment.			
F	AC Adaptor	RC120G-16D	D004528F	Telecommunication Co., Ltd.	Support equipment.			
*. The following equipment was used for the antenna terminal port conducted power measurement.								
G	Flat Panel Sensor	RIC 43G	#001	FUJIFILM Corporation	Support equipment.			

#### List of cables used

No.	Name	Length (m)	Shield
1	LAN interface cable	0.8	Shielded
2	LAN cable (CAT6)	3	Unshielded
3	DC cable (AC adaptor)	1.8	Unshielded


No.	Name	Length (m)	Shield
4	AC cable (AC adaptor)	2	Unshielded
(5)	DC cable (AC adaptor)	1.4	Unshielded
6	AC cable (AC adaptor)	1.9	Unshielded

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN Telephone: +81 463 50 6400 / Facsimile: +81 463 50 6401

Test report No. : 11143373S-C Page : 20 of 116 Issued date : April 25, 2016

FCC ID : W2Z-01000007

### Appendix 1-4: Photograph of SAR test setup



Test report No. : 11143373S-C Page : 21 of 116 Issued date : April 25, 2016

FCC ID : W2Z-01000007

Appendix 1-4: Photograph of SAR test setup (cont'd)

