
LABEL LOCATION


Brad name: LUXUL

Model name: XWO-BAP1





FCC ID: W59XWOBAP1 IC: 8584A-XWOBAP1



FCC ID: W59XWOBAP1 IC: 8584A-XWOBAP1

outline dimension

_____60mm

High Power AC1200 Dual-Band Outdoor Access Point Model No.: XWO-BAPI P Address: 192 168 010

Model No.: XWO-BAPI
IP Address: 192.168.0.10
User Name: admin
Password: admin
Power: DC 56V = 0.54A
FCC ID: WSSYWOBAPI
IC: 8584A-XWOBAPI CAN ICES-3 (B)/NMB-3(B)

Label preview

-3(B)

This device complies with Par of the FCC Rules. Operation is subject to the following two conditions: (I) this device wa

or the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause

FCC ID: W59XWOBAP1

IC: 8584A-XWOBAP1

4R2mm

High Power ACI200 Dual-Band Outdoor Access Point Model No.: XWO-BAPI IP Address: 192,168,0.10 User Name: admin Password: Complete with Part 15 Office Complete with Part 15 Office

Brad name: LUXUL

Model name: XWO-BAP1

Drawn by:	Date:	Material: 50μ (PET) Glossy White Polyester Film	Part No.:		Rev.:	Task ID:
Checked by:	Date:	Coated: N/A	Unit: mm	Cutting and Printing Tolerance: ±0.3mm Contents Tolerance: ±0.25mm		
Approved by:	Date:	Adhesive: Acrylic	Scale: 1:1	Modified draw	ing (Original drawing

4R2mm

Colors:

