


Ex ia IIB T3 Ga NNR—B+Coil#1 Ex IIIG Orpak Systems Ltd. Israel conforms to: Exi for Use in Hazardous Location, Class I, Group C & D and U. 913 (ct.). Exi for Use in Hazardous Location, Class I, Group C & D and U. 913 (ct.). WARNING: SUBSTITUTION OF COMPONENTS MAY IMPAIR Exi. WARNING: TO PREVENT IGNITION OF A HAZARDOUS ATMOSPHERE, BATTERIES MUST ONLY BE CHANGED IN AN AREA KNOWN TO BE NONHAZARDOUS. AVERTISSEMENTI A SUBSTITUTION OF COMPOSATIS PEUT COMPRONETTES LA Exia. AVERTISSEMENTI AFIN DE PREVENR L'INFLAMATION D'ATMOSPHERES UNCEPTIESTS, NE CHANGER LES BATTERIES QUE DANS DES EMPLACEMENTS DESIGNES NON DANGEREUX. C 044/1131 FCC ID: WBF800960060 IC: 8264A—800960000 mm.yyyyy

SCALE 2.2 : 1

T 4 T

AND D IN 1410 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DIMENSIONS ARE		any part of this document may be disclosed to any third party without the prior written consernt of ORPAK Systems Ltd.				I () K P			
1. MATERIAL :	MM	ANGLES	u, v u pu	ORPAK Sy	stems Ltd.		21. 91.			_
- TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE			
- INKS: R510	BETWEEN HOLES	S: ± 0.1	DRFT BY	RINA B	06.16		IARFI	NNR-B+	COIL#1	
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIUS	S: ± 0.1	CHKD.	NITZAN	06.16		LABEL,		- σοιεπι.	
OPTION:	MATERIAL: TRAN	ISFER PET MATT P-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. N	10.	
- Metalized Polyester Gloss - Nortec's 707	I INKS: R510	0 30001 B0+21111	APPD.	Y. ELLUL	06.16		۸ 1	01776	50220-00A	٨
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH:		PROJ.	NO.] Ат	01/36	30220-00A	4
	QTY:		DATE OF	ISSUE	18.04.16		SCALE 1:	1 SHEET	1 OF 1	



Ex ia IIB T3 Go NNR—B+Coil#2

P/N 819260221

Orpak Systems Ltd. Israel

Exi for Use in Hazardous Location, Class I, Group C & D

and Class I Zone 0 and Zone 1. Group IIB.T3_407CS(annbS+b07C)

WARNING! TO PREVENT ICHITION OF COMPONENTS MAY IMPAIR Exi.


WARNING! TO PREVENT ICHITION OF A HAZAROOUS ATMOSPHERE BATTERIS

MUST ONLY BE CHANCED IN AN AREA KNOWN TO BE NONHAZAROOUS.

AVERTISSEMENTI AN DE PREVENT INTERMENT DE TRUBE TO SANCERUSS. BE CHANCE IN THE COMPOSANTS PEUT COMPROMETIRE LA EXIG.

AVERTISSEMENTI AND PREVENT INTERMENT DE TRUBE TO SANCERUSS. BE CHANCE IN THE COMPOSANTS DAVIGREUSS. BE CHANCE IN THE COMPOSANTS DAVIGREUS SENDENTS AND MAYOR THE PROVINCE TWO MAYOR THE PROVINCE THE DAVIG THE PROVINCE THE DAVIG THE PROVINCE THE DAVIG THE PROVINCE THE THE PROVINCE THE DAVIG THE PROVINCE THE PROVIN mm.yyyy

THE CHARLES LINE STREET	DIMENSIONS ARI	This document is CONFIDENTIAL, Neither the whole nor any part of this document may be disclosed to any third party without the prior written consernt of ORPAK Systems Ltd.					AK Ltd.	
1. MATERIAL : - TRANSFER PET MATT CHROME TOP-S8001-BG42WH	100	±0°15′	ISSUE	1	DATE	SIGN.	TITLE	
- INKS: R510	BETWEEN HOLES	011	DRFT BY	RINA B	06.16		IABFI. N	NNR-B+COIL#2.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16] -, (522, 1	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
OPTION:	MATERIAL: TRAN	NSFER PET MATT DP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO.
- Metalized Polyester Gloss - Nortec's 707	I INKS: R510	DF -30001-1042WIT	APPD.	Y. ELLUL	06.16		۸ 1	817360221-00A
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH :		PROJ.	NO.] A1	01/360221-00A
	QTY:		DATE OF	ISSUE	18.04.16		SCALE 1 : 1	SHEET 1 OF 1



Ex ia IIB T3 Ga NNR—B+Coil#3

P/N 819260222

P/N 819260222

Exi for Use in Hazardous Location, Class I, Group C & D
and Class I Zone 0 and Zone 1. Group IB.T3_407C5(annb5+b07)

WARNING! TO PREVENT ICHITION OF COMPONENTS MAY IMPAIR Exi.
WARNING! TO PREVENT ICHITION OF A HAZAROOUS ATMOSPHERE BATTERIS
MUST ONLY BE CHANCED IN AN AREA KNOWN TO BE NONHAZAROOUS.

AVERTISSEMENTI AN DE PRÉVENT INTERMATION D'AMOSPHERTS DAVIGREUSS. BE CHANGET

AVERTISSEMENTI AND DE PRÉVENT INTERMATION D'AMOSPHERTS DAVIGREUSS. BE CHANGET

LES BATTERISSEMENTI AND DE PRÉVENT INTERMATION D'AMOSPHERTS DAVIGREUSS. BE CHANGET


LES BATTERISSEMENTI AND DE PRÉVENT INTERMATION D'AMOSPHERTS DAVIGREUSS. BE CHANGET

LES BATTERISSEMENT AND DE PRÉVENT INTERMATION D'AMOSPHERTS DAVIGREUSS. BE CHANGET

LES BATTERISSEMENT AND DE PRÉVENT INTERMATION D'AMOSPHERTS DAVIGREUSS. BE CHANGET

LES BATTERISSEMENT AND DE PRÉVENT DE PROPRIETAT DE PRÉVENTE NON DAVIGREUS. mm.yyyy

	DIMENSIONS AR	any part	of this docu arty without tl	ITIAL, Neither t ment may be o he prior writter	disclosed to		AK Ltd.	
1. MATERIAL:	MM	ANGLES		ORPAK S	ystėms Ltd.			
- TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE	
- INKS: R510	BETWEEN HOLE		DRFT BY	RINA B	06.16		LARFL N	NNR-B+COIL#3.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16			· · · · · · · · · · · · · · · · · · ·
OPTION:		NSFER PET MATT OP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO.
- Metalized Polyester Gloss - Nortec's 707	INKS: R510	JF -30001-1042WH	APPD.	Y. ELLUL	06.16		۸1	817360222-00A
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH:		PROJ.	NO.			A1	01/360222-00A
	QTY:		DATE OF	ISSUE	18.04.16		SCALE 1 : 1	SHEET 1 OF 1



Ex ia IIB T3 Go NNR—B+Coil#4

P/N 819260223

P/N 819260223

P/N 819260223

Exi for Use in Hazardous Location, Class I, Group C & D
and Class I Zone 0 and Zone 1. Group IIB.T3_407C3(antb\stat)C

WARNING! SUBSTITUTION OF COMPONENTS MAY IMPAIR Exi.

WARNING! TO PREVENT ICHITION OF A HAZAROOUS ATMOSPHERE BATTERIS
MUST ONLY BE CHANCED IN AN AREA KNOWN TO BE NONHAZAROOUS.

AVERTISSEMENTI AN DE PREVENT INTERMEDIATE DANGERUSS. BE CHANCET

AVERTISSEMENTI AND OF PREVENT INTERMEDIATE DANGERUSS. BE CHANCET

IES BATTERISS QUEEN TO AND A PREVENT SUBJECTIVE TO THE PREVENT INTERMEDIATE DANGERUSS. BE CHANCET IN THE PROPERTY INTERMEDIATE DANGERUSS. BE CHANCET INTERMEDIATE DANGERUSS. BE CHANCET INTERMEDIATE DANGERUSS. mm.yyyy

SCALE 2.2 : 1


1 OF 1

SHEET

	DIMENSIONS ARE IN MM 0		This document is CONFIDENTIAL, Neither the whole nor any part of this document may be disclosed to any third party without the prior written consernt of ORPAK Systems Ltd.					AK Ltd.
1. MATERIAL : - TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE	
– INKS: R510	BETWEEN HOLES		DRFT BY	RINA B	06.16		LABEL N	NNR-B+COIL#4.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIUS	S: ± 0.1	CHKD.	NITZAN	06.16		2, (322, 1	2.00.2//
OPTION:	MATERIAL: TRAN	NSFER PET MATT DP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO.
- Metalized Polyester Gloss - Nortec's 707	I INK2: KOTO	7F -30001-6642WH	APPD.	Y. ELLUL	06.16		۸ 1	817360223-00A
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH :		PROJ.	NO.] AI	01/360223-00A

18.04.16

SCALE



Ex ia IIB T3 Go NNR—B+Coil#5

P/N 819260224

P/N 819260224

Exi for Use in Hazardous Location, Class I, Group C & D
and Class I Zone 0 and Zone 1. Group IB.T3_407C5(annb5+b07C)


WARNING! TO PREVENT ICHITION OF COMPONENTS MAY IMPAIR Exi.
WARNING! TO PREVENT ICHITION OF A HAZAROOUS ATMOSPHERE BATTERIS
MUST ONLY BE CHANCED IN AN AREA KNOWN TO BE NONHAZAROOUS.


AVERTISSEMENTI AN DE PREVENTE INFLAMMATION D'AMOSPHERE SAMEGRETIES. BE CHANGE IN EXAMPLE AND THE COMPOSANTS PEUT COMPROMETIRE LA EXIG.

AVERTISSEMENTI AND DE PREVENTE INFLAMMATION D'AMOSPHERES DAVIGRETUSES. BE CHANGET IN THE COMPOSANTS DAVIGRETUSES. BE CHANGET IN THE PROPERTY DESCRIPTION OF THE PROPERTY OF TH mm.yyyy

SCALE 2.2 : 1

	DIMENSIONS AR	any part o	of this docum	TIAL, Neither ti nent may be d ne prior written	disclosed to		AK		
1. MATERIAL :	MM	ANGLES	uriy criir u pu	ORPAK Sy	stems Ltd.	Consernt or			
- TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0*15′	ISSUE	NAME	DATE	SIGN.	TITLE		
- INKS: R510	BETWEEN HOLE	S: ± 0.1	DRFT BY	RINA B	06.16		LARFL N	NNR-B+C	OII #5.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16				012 ₁₁ 01
OPTION:		NSFER PET MATT OP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO).
 Metalized Polyester Gloss — Nortec's 707 	INKS: R510	51 -30001-00 1 2W11	APPD.	Y. ELLUL	06.16		۸ 1	017760)224-00A
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH :		PROJ.	NO.			AI	01/360)ZZ4-00A
	QTY:		DATE OF	ISSUE	18.04.16		SCALE 1 : 1	SHEET	1 OF 1






SCALE 2.2 : 1

	DIMENSIONS AR	RE IN MM	any part o	ument is CONFIDENTIAL, Neither the whole nor rt of this document may be disclosed to d party without the prior written consernt of ORPAK Systems Ltd.			ORP	AK	Ltd.
	MM	ANGLES		ORPAK Sy	stems Ltd.				
BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE		
	BETWEEN HOLE	S: ± 0.1	DRFT BY	RINA B	06.16		LABEL.	NNR-B+	COIL#6.
EUROPE	BENDING RADIU	± 0.1	CHKD.	NITZAN	06.16		,		
		NSFER PET MATT OP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. N	10.
07	INKS: R510	01 30001 B0+2 1 111		Y. ELLUL	06.16		A1	81736	0225-00A
ec's 605	FINISH :		PROJ.	NO.			AI	01/30	00223-00A
	QTY:	·	DATE OF	ISSUE	18.04.16		SCALE 1:	1 SHEET	1 OF 1


1. MATERIAL:

- TRANSFER PET MATT CHROME TOP-S8001-BG42WH
- INKS: R510
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE OPTION:
- Metalized Polyester Gloss Nortec's 707
- Lamination: 25u Gloss Clear Polyester Nortec's 605




Ex ia IIB T3 Ga NNR—B+Coil#7 P/N 819260226 P/N 819260226 P/N 819260226 Exi for Use in Hazardous Location, Class I, Group C & D and Class I Zone 0 and Zone 1. Group IIB.T3_407C3(antb\stat)C WARNING! SUBSTITUTION OF COMPONENTS MAY IMPAIR Exi. WARNING! TO PREVENT ICHITION OF A HAZAROOUS ATMOSPHERE BATTERIS MUST ONLY BE CHANCED IN AN AREA KNOWN TO BE NONHAZAROOUS. AVERTISSEMENTI LA SUBSTITUTION DE COMPOSANTS PEUT COMPROMETIRE LA EXIG. AVERTISSEMENTI AND DE PRÉVENIR I INFLAMMATION D'AMOSPHERTS DAVIGREUSS. BE CHANGET LES RATTERISS QUE TRANSPORTES DAVIGREUSS. BE CHANGET LES RATTERISS QUE TRANSPORTES DAVIGREUSS. BE CHANGET LES RATTERISS QUE TRANSPORTES DAVIGREUSS. BE CHANGET LES RATTERISS QUE TRANSPORTE DAVIGREUSS. SUB CHANGET LES RATTERISS QUE TRANSPORTE DAVIGREUSS. BE CHANGET LES RATTERISS QUE TRANSPORTE DAVIG mm.yyyy

100 T 10 T 100 T 100 T 1 T 10 T 10 T 10	DIMENSIONS AR	This document is CINFIDENTIAL, Neither the whole nor any part of this document may be disclosed to any third party without the prior written consernt of					AK		
1. MATERIAL :	MM	ANGLES	u., v u pu	ORPAK S	ystems Ltd.	20113211117 01	<u> </u>		
- TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE		
- INKS: R510	BETWEEN HOLE	S: ± 0,1	DRFT BY	RINA B	06.16		I ARFI N	NNR-B+C	:OII #7
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16		LABEL, I	11111	σοι Ε π 7 :
OPTION:		NSFER PET MATT DP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO	0.
— Metalized Polyester Gloss — Nortec's 707	INKS: R510) -30001-00+2 \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	APPD.	Y. ELLUL	06.16		۸ 1	01776	0226-00A
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH :		PROJ.	NO.			AI	01/36	0228-00A
	QTY:		DATE OF	ISSUE	18.04.16		SCALE 1 : 1	SHEET	1 OF 1



mm.yyyy

	DIMENSIONS AR	This document any part of any third po	nt is CONFIDEN of this docur arty without th ORPAK Sy	TIAL, Neither t ment may be o he prior writter /stems Ltd.	he whole nor disclosed to consernt of	ORP	AK Ltd.	
1. MATERIAL : - TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′		NAME		SIGN.	TITLE	
- INKS: R510	BETWEEN HOLE		DRFT BY	RINA B	06.16		LABEL, 1	NNR-T+COIL#1.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16			
OPTION:		NSFER PET MATT OP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO.
- Metalized Polyester Gloss - Nortec's 707	INKS: P510	JI -30001-00+2WI	APPD.	Y. ELLUL	06.16		۸ 1	817360227-00A
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH:		PROJ.	NO.			A1	01/360227-00A
	QTY:		DATE OF	ISSUE	18.04.16	•	SCALE 1 : 1	SHEET 1 OF 1



Ex ia IIB T3 Ga NNR—T+Coil#2

P/N 819260228

Conforms to: Conforms to:

SCALE 2.2 : 1

SCALE


SHEET

1 OF

	DIMENSIONS AR	any part o	of this docum	ent may be o	disclosed to		'AK I,#a	
1 MATERIAL .	MM	ANGLES	any third po	rty without th ORPAK Sys	e prior writter stems Ltd.	consernt of		
1. MATERIAL : - TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE	
- INKS: R510	BETWEEN HOLES	011	DRFT BY	RINA B	06.16		LARFI.	NNR-T+COIL#2.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16			π
OPTION:	MATERIAL: TRAN	NSFER PET MATT DP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO.
- Metalized Polyester Gloss - Nortec's 707	I INKS: R510	DF -30001-1042WIT	APPD.	Y. ELLUL	06.16		۸ 1	817360228-004
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH:		PROJ.	NO.			АТ	01/300228-004

DATE OF ISSUE

18.04.16



Ex ia IIB T3 G0 NNR—T+Coil#3

P/N 819260229

P/N 819260229

Exi for Use in Hazardous Location, Class I, Group C & D

and Class I Zone 0 and Zone 1. Group IB.T3_407C5(antb5+607C)

WARNING! TO PREVENT ICHITION OF COMPONENTS MAY IMPAIR Exi.

WARNING! TO PREVENT ICHITION OF A HAZAROOUS ATMOSPHERE BATTERIES

MUST ONLY BE CHANCED IN AN AREA KNOWN TO BE NONHAZAROOUS.

AVERTISSEMENTI AN DE PRÉVENT INTERMATION D'AMOSPHERE SANGERUSS. BE CHANCET

AVERTISSEMENTI AND PRÉVENT INTERMATION D'AMOSPHERE SANGERUSS. BE CHANCET


LES BATTERIES DIE TOMBOSPHERE SANGERUSS. BE CHANCET

AVERTISSEMENTI AND DE PRÉVENT INTERMATION D'AMOSPHERE SANGERUSS. BE CHANCET

LES BATTERIES DIE TOMBOSPHERE SANGERUSS. BE CHANCET

LES BATTERIES DIE TOMBOS mm.yyyy

	DIMENSIONS ARI	This document any part of any third po	nt is CONFIDEN of this docur arty without th	ITIAL, Neither t ment may be o he prior written ystems Ltd.	he whole nor disclosed to consernt of	ORP	AK Ltd.	
1. MATERIAL : - TRANSFER PET MATT CHROME TOP-S8001-BG42WH	100	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE	
- INKS: R510	BETWEEN HOLES		DRFT BY	RINA B	06.16		LABEL, I	NNR-T+COIL#3.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16			
OPTION:		NSFER PET MATT DP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO.
- Metalized Polyester Gloss - Nortec's 707	INKS: R510	7 - 30001 - B0+2W11	APPD.	Y. ELLUL	06.16		A 1	817360229-00A
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH :		PROJ.	NO.] A1	01/300229-00A
	QTY:		DATE OF	ISSUE	18.04.16		SCALE 1 : 1	SHEET 1 OF 1



Ex ia IIB T3 Ga NNR—T+Coil#4

P/N 819260230

Orpak Systems Ltd. Israel

Exi for Use in Hazardous Location, Class I, Group C & D

and Class I Zone 0 and Zone 1. Group IB.T3—40°CS/amb U-813 (Ed. 5)

WARNING: 10 PREVENT (GNITION OF A LAZARDOUS ATMOSPHERE BATTERIES

MUST ONLY BE CHANGED IN AN AREA KNOWN TO BE NONHAZARDOUS.

AVERTISSEMENTI AS DUBSTILLION OF A LAZARDOUS ATMOSPHERE BATTERIES

AVERTISSEMENTI AND E PREVENT (INTIAMATION D'ATMOSPHERE DANGERIUSS. BE CHANGET

LES BATTERIES QUE DANS DES EMPLACEMENTS DESCRIES NON DANGEREUX.

ES BATTERIES QUE DANS DES EMPLACEMENTS DESCRIES NON DANGEREUX.

TO LES BATTERIES QUE DANS DES EMPLACEMENTS DESCRIES NON DANGEREUX.

MM. SECONOMICAL DES COMPONITOR DESCRIES NON DANGEREUX.

ES BATTERIES QUE DANS DES EMPLACEMENTS DESCRIES NON DANGEREUX.

MM. SECONOMICAL DES COMPONITOR DESCRIES NON DANGEREUX.

MM. SECONOMICAL DES COMPONITOR DESCRIES NON DANGEREUX.

ES BATTERIES QUE DANS DES EMPLACEMENTS DESCRIES NON DANGEREUX.

MM. SECONOMICAL DES COMPONITOR DES COMPONITOR DESCRIES NON DANGEREUX.

MM. SECONOMICAL DES COMPONITOR DES COMPONITOR DES COMPONITOR DES COMPONITOR DESCRIES NON DANGEREUX.

MM. SECONOMICAL DES COMPONITOR DES COMPONITOR DESCRIES NON DANGEREUX.

MM. SECONOMICAL DES COMPONITOR DES COMPONITO

SCALE 2.2 : 1

SCALE


SHEET

1 OF

NAME OF TAXABLE STATES OF TAXA	DIMENSIONS ARE IN MM MM ANGLES Inis document is this document may be disclosed to any third party without the prior written consernt of ORPAK Systems Ltd.					AK Ita		
1. MATERIAL :	ММ	ANGLES	any third po	orty without th ORPAK Sy	e prior writter stems Ltd.	Consernt of		
- TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE	
- INKS: R510	BETWEEN HOLES		DRFT BY	RINA B	06.16		LARFL.	NNR-T+COIL#4.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16			π
OPTION:	MATERIAL: TRAN	NSFER PET MATT DP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO.
- Metalized Polyester Gloss - Nortec's 707	I INKS: R510	DF -30001-1042WIT	APPD.	Y. ELLUL	06.16		۸ 1	817360230-004
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH :		PROJ.	NO.			AI	01/360230-004

DATE OF ISSUE

18.04.16



Ex ia IIB T3 G0 NNR—T+Coil#5

P/N 819260231

Orpak Systems Ltd. Israel

Exi for Use in Hazardous Location, Class I, Group C & D

and Class I Zone 0 and Zone 1. Group IB.T3_407C5(annb5+b07C)

WARNING! SUBSTITUTION OF COMPONENTS MAY IMPAIR Exi.

WARNING! TO PREVENT ICHITION OF A HAZAROOUS ATMOSPHERE BATTERIS

MUST ONLY BE CHANCED IN AN AREA KNOWN TO BE NONHAZAROOUS.

AVERTISSEMENTI LA SUBSTITUTION DE COMPOSANTS PEUT COMPROMETIRE LA EXIG.

AVERTISSEMENTI AND DE PRÉVENIR I INFLAMMATION D'AMOSPHERTS DAVIGREUSS. BE CHARGET

IES BATTERISS QUE TRANSPORTES DAVIGREUSS. BE CHARGET

IES BATTERISSEMENTI AND DE PRÉVENIR I INFLAMMATION D'AMOSPHERTS DAVIGREUSS. BE CHARGET

IES BATTERISSEMENTI AND DE PRÉVENIR I INFLAMMATION D'AMOSPHERTS DAVIGREUSS. BE CHARGET

IES BATTERISSEMENTI AND DE PRÉVENIR I INFLAMMATION D'AMOSPHERTS DAVIGREUSS. BE CHARGET

IES BATTERISSEMENT AND DE PRÉVENIR INFLAMMATION D'AMOSPHERTS DAVIGREUSS. BE CHARGET


IES BATTERISSEMENT AND DE PRÉVENIR INFLAMMATION D'AMOSPHERTS DAVIGREUSS. BE CHARGET

IES BATTERISSEMENT AND DE PRÉVENIR INFLAMMATION D'AMOSPHERTS DAVIGREUSS. BE CHARGET

IES BATTERISSEMENT AND DE PRÉVENIR INFLAMMATION D'AMOSPHERTS DAVIGREUSS. BE CHARGET mm.yyyy

SCALE 2.2 : 1

	DIMENSIONS ARI	Inis document is CUNHIBLANIAL, Neither the whole nor any part of this document may be disclosed to any third party without the prior written consernt of ORPAK Systems Ltd.					AK	Ltd.	
1. MATERIAL : - TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE		
- INKS: R510	BETWEEN HOLES		DRFT BY	RINA B	06.16		LARFI. N	NNR-T+C	OII #5.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16				012 _π 0.
OPTION:	MATERIAL: TRAN	NSFER PET MATT DP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO).
- Metalized Polyester Gloss - Nortec's 707	I INKS: KOTO	71 -30001-00+2WI1	APPD.	Y. ELLUL	06.16		۸ 1	017760	0231-00A
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH :		PROJ.	NO.			AI	01/360	J231-00A
	QTY:		DATE OF	ISSUE	18.04.16	•	SCALE 1 : 1	SHEET	1 OF 1



Ex ia IIB T3 G0 NNR—T+Coil#6

P/N 819260232

P/N 819260232

Exi for Use in Hazardous Location, Class I, Group C & D
and Class I Zone 0 and Zone 1. Group IB.T3_407C3(antb\short)C

WARNING! TO PREVENT ICHITION OF COMPONENTS MAY IMPAIR Exi.
WARNING! TO PREVENT ICHITION OF A HAZAROOUS ATMOSPHERE BATTERIS
MUST ONLY BE CHANCED IN AN AREA KNOWN TO BE NONHAZAROOUS.

AVERTISSEMENTI AN DE PREVENT INTERMEDIATE DANGERUSS. BE CHARGET

AVERTISSEMENTI AND PREVENT INTERMEDIATE DANGERUSS. BE CHARGET

LES BATTERISS AND ENERGY INTERMEDIATE DANGERUSS. BE CHARGET

LES BATTERISSEMENTI AND BE PREVENT INTERMEDIATE DANGERUSS. BE CHARGET

LES BATTERISSEMENTI AND DE PREVENTE INTERMEDIATE DANGERUSS. BE CHARGET

LES BATTERISSEMENTI AND DE PREVENTE INTERMEDIATE DANGERUSS. BE CHARGET

LES BATTERISSEMENT AND DE PREVENTE DE PREVENTE DANGERUSS. BE CHARGET


LES BATTERISSEMENT AND DE PREVENTE DANGERUSS. BE CHARGET

LES BATTERIS DANGERUS DANGERUSS. BE CHARGET

LES BATTERIS DAN mm.yyyy

1. MATERIAL:	MIM	A
- TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°
- INKS: R510	BETWEEN HOLES	•
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± (
OPTION:	MATERIAL: TRAN CHROME TO	
 Metalized Polyester Gloss — Nortec's 707 	INKS: R510	

1. MATERIAL :	DIMENSIONS AR	any part of this document may be disclosed to any third party without the prior written consernt of ORPAK Systems Ltd.				ORPAK Ltd.			
- TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE		
- INKS: R510	BETWEEN HOLES		DRFT BY	RINA B	06.16		LABFL. N	NNR-T+C	OII #6.
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16				0.2,, 0.
OPTION:		NSFER PET MATT OP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO).
 Metalized Polyester Gloss — Nortec's 707 	INKS: R510	JF -30001-1042WIT	APPD.	Y. ELLUL	06.16		۸ 1	017760	0232-00A
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH:		PROJ. NO.			A1	JZ3Z-00A		
	QTY:		DATE OF	ISSUE	18.04.16		SCALE 1 : 1	SHEET	1 OF 1



Ex io IIB T3 Ga NNR—T+Coil#7

PN 819260233

Conforms to: CALCOURT

Exi for Use in Hazardous Location, Class I, Group C & D. Grade Use 113 (Ed. 5)

and Class I Zone 0 and Zone 1. Group IB, T3—40°CSTambS+60°C Bot 3.640.5 Exi group C & D. Gro

SCALE 2.2 : 1

SCALE

SHEET

TF 1

1 OF

AM 8 (M) (AM) 1 (AM) 8 (AM) 1	DIMENSIONS ARE IN MM		any part of this document may be disclosed to any third party without the prior written consernt of				I () R.PAK L.T.A		
1. MATERIAL :	ММ	ANGLES	any third party without the prior written consernt of ORPAK Systems Ltd.						
- TRANSFER PET MATT CHROME TOP-S8001-BG42WH	±0.3	±0°15′	ISSUE	NAME	DATE	SIGN.	TITLE		
- INKS: R510	BETWEEN HOLES		DRFT BY	RINA B	06.16		LABFL N	NR-T+COIL#7.	
- MADE BY AVERY DENNISON ROLL MATERIALS EUROPE	BENDING RADIU	S: ± 0.1	CHKD.	NITZAN	06.16				
OPTION:	MATERIAL: TRAN	NSFER PET MATT DP-S8001-BG42WH	ENG.	NITZAN	06.16		REV.:	DWG. NO.	
— Metalized Polyester Gloss — Nortec's 707	1 INKS: R510	DF - 30001 - BG42WN	APPD.	Y. ELLUL	06.16		۸1	817360233-00A	
- Lamination: 25u Gloss Clear Polyester - Nortec's 605	FINISH:		PROJ.	NO.			A1	01/360233-00A	

18.04.16