

A.5 Spurious Emission at Antenna Terminals

Document No: BL-SZ1840014 Page 1 of 70



1. GPRS_GSM850

1.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)


0.15 30 0.01 Peak 0.2 -53.03 -13 Pass 2985 30 500 0.1 Peak 484.097 -41.4 -13 Pass 4700 500 1000 0.1 Peak 824.265 33.25 -13 N/A 5000	Sta Freque (MH	ency	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30 500 0.1 Peak 484.097 -41.4 -13 Pass 4700 500 1000 10000 1 Peak 824.265 33.25 -13 N/A 5000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 10000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 100000 100000		0.009	0.15	0.001	Peak	0.011	-54.38	-13	Pass	401
500 1000 0.1 Peak 824.265 33.25 -13 N/A 5000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 10000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 1000 1000000		0.15	30	0.01	Peak	0.2	-53.03	-13	Pass	2985
1000 10000 1 Peak 7699.818 -20.8 -13 Pass 9000 40- 30- 20- 10- 0303030405060-		30	500	0.1	Peak	484.097	-41.4	-13	Pass	4700
40- 30- 20- 10- 0- 0- -30- -30- -40- -50- -60-			1000	0.1	Peak	824.265	33.25	-13	N/A	5000
30- 20- 10- 0- 0- -30- -30- -40- -50- -60-			10000	1	Peak	7699.818	-20.8	-13	Pass	9000
0.009 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency(MHz)	20- 10- 0- (\text{\text{QBW}} -10- -30- -40- -50- -60- -70-		1000 2000	3000			7000	8000	9000	10000

Document No: BL-SZ1840014 Page 2 of 70



1.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.56	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.91	-13	Pass	2985
30	500	0.1	Peak	470.294	-41.98	-13	Pass	4700
500	1000	0.1	Peak	836.667	33.34	-13	N/A	5000
1000	10000	1	Peak	7100.745	-21.8	-13	Pass	9000
40- 30- 20-								




Document No: BL-SZ1840014 Page 3 of 70



1.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.77	-13	Pass	401
0.15	30	0.01	Peak	0.19	-52.97	-13	Pass	2985
30	500	0.1	Peak	473.094	-42.25	-13	Pass	4700
500	1000	0.1	Peak	848.87	33.25	-13	N/A	5000
1000	10000	1	Peak	7932.846	-21.35	-13	Pass	9000
40- 30- 20-								




Document No: BL-SZ1840014 Page 4 of 70



2. GPRS_PCS

2.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detecto r	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdic t	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.74	-13	Pass	401
0.15	30	0.01	Peak	0.34	-54.23	-13	Pass	2985
30	1000	0.1	Peak	866.423	-43.15	-13	Pass	9699
1000	3000	1	Peak	1850.425	30.27	-13	N/A	2000
3000	20000	1	Peak	14200.367	-20.67	-13	Pass	17000
40- 35- 30- 25- 20- 15- 10-								




Document No: BL-SZ1840014 Page 5 of 70



2.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detecto r	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdic t	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.84	-13	Pass	401
0.15	30	0.01	Peak	0.26	-53.58	-13	Pass	2985
30	1000	0.1	Peak	751.788	-43.25	-13	Pass	9699
1000	3000	1	Peak	1880.44	30.15	-13	N/A	2000
3000	20000	1	Peak	14214.369	-20.88	-13	Pass	17000




Document No: BL-SZ1840014 Page 6 of 70



2.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detecto r	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdic t	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.8	-13	Pass	2985
30	1000	0.1	Peak	827.697	-43.78	-13	Pass	9699
1000	3000	1	Peak	1909.455	30.05	-13	N/A	2000
3000	20000	1	Peak	13666.302	-21.12	-13	Pass	17000



Document No: BL-SZ1840014 Page 7 of 70



3. EGPRS_GSM850

3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)


Start Frequen (MHz)		Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.	009	0.15	0.001	Peak	0.009	-54.55	-13	Pass	401
().15	30	0.01	Peak	1.871	-53.55	-13	Pass	2985
	30	500	0.1	Peak	347.468	-42.96	-13	Pass	4700
	500	1000	0.1	Peak	824.165	29.8	-13	N/A	5000
35-	000	10000	1	Peak	8806.953	-21.78	-13	Pass	9000
20- 10- 0- (-10- -20- -30- -40- -50- -60- -70- 0.00		1000 2000	3000	4000	5000 6000	7000	8000	9000	10000
0.00	9	1000 2000	3000	4000 Erogu	5000 6000 iency(MHz)	/000	8000	9000	10000

Document No: BL-SZ1840014 Page 8 of 70



3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.39	-13	Pass	401
0.15	30	0.01	Peak	0.28	-53.38	-13	Pass	2985
30	500	0.1	Peak	477.895	-42.87	-13	Pass	4700
500	1000	0.1	Peak	836.567	30.27	-13	N/A	5000
1000	10000	1	Peak	7108.746	-21.53	-13	Pass	9000
40-								




Document No: BL-SZ1840014 Page 9 of 70



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.82	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.05	-13	Pass	2985
30	500	0.1	Peak	469.193	-42.72	-13	Pass	4700
500	1000	0.1	Peak	848.77	30.42	-13	N/A	5000
1000	10000	1	Peak	9796.748	-21.92	-13	Pass	9000
40- 30- 20-								




Document No: BL-SZ1840014 Page 10 of 70



4. EGPRS_PCS

4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detecto r	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdic t	Sweep Point
0.009	0.15	0.001	Peak	0.013	-57.12	-13	Pass	401
0.15	30	0.01	Peak	0.3	-53.56	-13	Pass	2985
30	1000	0.1	Peak	851.904	-43.11	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.47	-13	N/A	2000
3000	20000	1	Peak	13687.305	-21.06	-13	Pass	17000
35- 30- 25- 20- 15- 10- 5-								




Document No: BL-SZ1840014 Page 11 of 70



4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.77	-13	Pass	401
0.15	30	0.01	Peak	0.3	-54.25	-13	Pass	2985
30	1000	0.1	Peak	883.646	-43.32	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.29	-13	N/A	2000
3000	20000	1	Peak	14206.368	-20.93	-13	Pass	17000




Document No: BL-SZ1840014 Page 12 of 70



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detecto r	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdic t	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.04	-13	Pass	401
0.15	30	0.01	Peak	0.2	-52.99	-13	Pass	2985
30	1000	0.1	Peak	845.3	-42.8	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.59	-13	N/A	2000
3000	20000	1	Peak	14200.367	-20.56	-13	Pass	17000



Document No: BL-SZ1840014 Page 13 of 70



5. WCDMA_Band2

5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)


Sta Frequ (MF	ency	Stop Frequency (MHz)	,	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
	0.009	0.1	15	0.001	Peak	0.011	-64.64	-13	Pass	401
	0.15	3	30	0.01	Peak	0.27	-64.27	-13	Pass	2985
	30	100	00	0.1	Peak	879.24	-51.4	-13	Pass	9699
	1000	300	00	1	Peak	1853.427	23.38	-13	N/A	2000
	3000	2000	00	1	Peak	19795.668	-23.13	-13	Pass	17000
20· 10· 0· -10· -20· -30· -40· -50· -60· -70·		2000 400	00	6000	8000	10000 1200	0 14000	16000	18000	20000
0.	009	2000 400	00	6000		10000 1200 iency(MHz)	0 14000	16000	18000	20000

Document No: BL-SZ1840014 Page 14 of 70



5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.08	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.77	-13	Pass	2985
30	1000	0.1	Peak	852.805	-51.43	-13	Pass	9699
1000	3000	1	Peak	1881.441	23.34	-13	N/A	2000
3000	20000	1	Peak	19797.672	-23.38	-13	Pass	17000
30-								




Document No: BL-SZ1840014 Page 15 of 70



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point			
0.009	0.15	0.001	Peak	0.009	-66.35	-13	Pass	401			
0.15	30	0.01	Peak	0.2	-63.44	-13	Pass	2985			
30	1000	0.1	Peak	861.817	-52.42	-13	Pass	9699			
1000	3000	1	Peak	1906.453	23.44	-13	N/A	2000			
3000	20000	1	Peak	19795.668	-23.19	-13	Pass	17000			
20-	20										




Document No: BL-SZ1840014 Page 16 of 70



6. WCDMA_Band4

6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	Pass	2985
30	1000	0.1	RMS	885.849	-64.49	-13	Pass	9699
1000	3000	1	RMS	1711.356	17.76	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.45	-13	Pass	17000
25- 10- 0- -10-								




Document No: BL-SZ1840014 Page 17 of 70



6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-13	Pass	2985
30	1000	0.1	RMS	844.599	-64.47	-13	Pass	9699
1000	3000	1	RMS	1731.366	17.68	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.37	-13	Pass	17000




Document No: BL-SZ1840014 Page 18 of 70



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	880.041	-64.37	-13	Pass	9699
1000	3000	1	RMS	1752.376	17.76	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.4	-13	Pass	17000




Document No: BL-SZ1840014 Page 19 of 70



7. WCDMA_Band5

7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.77	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.74	-13	Pass	2985
30	500	0.1	Peak	475.295	-53.1	-13	Pass	4700
500	1000	0.1	Peak	827.365	17.6	-13	N/A	5000
1000	10000	1	Peak	7969.851	-32.49	-13	Pass	9000
10-								




Document No: BL-SZ1840014 Page 20 of 70



7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.37	-13	Pass	2985
30	500	0.1	Peak	337.665	-52.79	-13	Pass	4700
500	1000	0.1	Peak	837.067	18.4	-13	N/A	5000
1000	10000	1	Peak	7984.853	-32.26	-13	Pass	9000




Document No: BL-SZ1840014 Page 21 of 70



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.58	-13	Pass	2985
30	500	0.1	Peak	485.397	-53.5	-13	Pass	4700
500	1000	0.1	Peak	845.869	17.69	-13	N/A	5000
1000	10000	1	Peak	8806.953	-32.52	-13	Pass	9000




Document No: BL-SZ1840014 Page 22 of 70



8. LTE_Band5

8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detecto r	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdic t	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.42	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.54	-13	Pass	2985
30	814	0.1	Peak	813.6	-52.01	-13	Pass	7840
814	860	0.1	Peak	824.322	24.9	60	Pass	460
860	1000	0.1	Peak	931.651	-53.36	-13	Pass	1400
1000	3000	1	Peak	2911.956	-37.77	-13	Pass	2000
3000	10000	1	Peak	8250.75	-32.82	-13	Pass	7000
30 - 20 - 10 -								




Document No: BL-SZ1840014 Page 23 of 70



8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.63	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.2	-13	Pass	2985
30	814	0.1	Peak	812	-52.69	-13	Pass	7840
814	860	0.1	Peak	824.322	25.64	60	Pass	460
860	1000	0.1	Peak	977.184	-52.81	-13	Pass	1400
1000	3000	1	Peak	2978.989	-37.48	-13	Pass	2000
3000	10000	1	Peak	7758.68	-32.53	-13	Pass	7000
35-								




Document No: BL-SZ1840014 Page 24 of 70



8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.76	-13	Pass	401
0.15	30	0.01	Peak	5.462	-64.25	-13	Pass	2985
30	814	0.1	Peak	692.184	-52.99	-13	Pass	7840
814	860	0.1	Peak	835.948	25.74	60	Pass	460
860	1000	0.1	Peak	865.104	-53.05	-13	Pass	1400
1000	3000	1	Peak	2879.94	-37.34	-13	Pass	2000
3000	10000	1	Peak	8783.826	-32.39	-13	Pass	7000
35 - 25 -								




Document No: BL-SZ1840014 Page 25 of 70



8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.59	-13	Pass	401
0.15	30	0.01	Peak	13.865	-64.17	-13	Pass	2985
30	814	0.1	Peak	757.093	-53.34	-13	Pass	7840
814	860	0.1	Peak	836.048	25.39	60	Pass	460
860	1000	0.1	Peak	869.507	-53.05	-13	Pass	1400
1000	3000	1	Peak	2854.927	-38.01	-13	Pass	2000
3000	10000	1	Peak	7752.679	-32.83	-13	Pass	7000
35-								




Document No: BL-SZ1840014 Page 26 of 70



8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.83	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.51	-13	Pass	2985
30	814	0.1	Peak	486.258	-53.05	-13	Pass	7840
814	860	0.1	Peak	847.773	24.82	60	Pass	460
860	1000	0.1	Peak	876.011	-53.1	-13	Pass	1400
1000	3000	1	Peak	2868.934	-37.3	-13	Pass	2000
3000	10000	1	Peak	9628.947	-32.88	-13	Pass	7000
30 - 20 - 10 - 0 -								



Document No: BL-SZ1840014 Page 27 of 70



8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.9	-13	Pass	401
0.15	30	0.01	Peak	2.061	-65.05	-13	Pass	2985
30	814	0.1	Peak	660.78	-52.44	-13	Pass	7840
814	860	0.1	Peak	847.874	25.27	60	Pass	460
860	1000	0.1	Peak	969.378	-53.64	-13	Pass	1400
1000	3000	1	Peak	2835.918	-37.56	-13	Pass	2000
3000	10000	1	Peak	8817.831	-33.1	-13	Pass	7000
25- 0- (mgp) -25- -50- -75- -90- 0.009	1000 2000	3000	4000	5000 6000 iency(MHz)	7000	8000	9000	10000



-75-

-90-0.009

1000

2000

3000

4000

5000

Frequency(MHz)

6000

7000

8000

9000

10000


8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.46	-13	Pass	401
0.15	30	0.01	Peak	6.922	-64.44	-13	Pass	2985
30	814	0.1	Peak	813.6	-52.68	-13	Pass	7840
814	860	0.1	Peak	824.222	25.17	60	Pass	460
860	1000	0.1	Peak	968.778	-52.87	-13	Pass	1400
1000	3000	1	Peak	2952.976	-37.57	-13	Pass	2000
3000	10000	1	Peak	7724.675	-32.7	-13	Pass	7000
25-								
-25- -50-		and the same of th			negang kebuju dalah		ngidal ^{ik} ngidil	intinovdad



8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.81	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.94	-13	Pass	2985
30	814	0.1	Peak	511.561	-52.84	-13	Pass	7840
814	860	0.1	Peak	824.222	24.55	60	Pass	460
860	1000	0.1	Peak	906.833	-53.69	-13	Pass	1400
1000	3000	1	Peak	2859.93	-38.26	-13	Pass	2000
3000	10000	1	Peak	7186.598	-33.02	-13	Pass	7000
30- 20- 10- 0-								



Document No: BL-SZ1840014 Page 30 of 70



-90-0.009

Frequency(MHz)

8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

0.15 30 0.01 Peak 0.26 -64.7 -13 Pass 29 30 814 0.1 Peak 716.588 -53.8 -13 Pass 78 814 860 0.1 Peak 835.246 25.82 60 Pass 4 860 1000 0.1 Peak 861.301 -52.62 -13 Pass 14 1000 3000 1 Peak 2835.918 -37.34 -13 Pass 20	Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30 814 0.1 Peak 716.588 -53.8 -13 Pass 78 814 860 0.1 Peak 835.246 25.82 60 Pass 2 860 1000 0.1 Peak 861.301 -52.62 -13 Pass 14 1000 3000 1 Peak 2835.918 -37.34 -13 Pass 20 3000 10000 1 Peak 9419.917 -32.62 -13 Pass 70 35-25-	0.009	0.15	0.001	Peak	0.011	-63.99	-13	Pass	401
814 860 0.1 Peak 835.246 25.82 60 Pass 24 860 1000 0.1 Peak 861.301 -52.62 -13 Pass 14 1000 3000 1 Peak 2835.918 -37.34 -13 Pass 20 3000 10000 1 Peak 9419.917 -32.62 -13 Pass 70 25 - 25 - 25 - 25 - 25 - 25 - 25 - 25	0.15	30	0.01	Peak	0.26	-64.7	-13	Pass	2985
860 1000 0.1 Peak 861.301 -52.62 -13 Pass 14 1000 3000 1 Peak 2835.918 -37.34 -13 Pass 20 3000 10000 1 Peak 9419.917 -32.62 -13 Pass 70 35- 25- 0- 0- EB -25-	30	814	0.1	Peak	716.588	-53.8	-13	Pass	7840
1000 3000 1 Peak 2835.918 -37.34 -13 Pass 20 3000 10000 1 Peak 9419.917 -32.62 -13 Pass 70 35- 25- 0- 0- (E) -25-	814	860	0.1	Peak	835.246	25.82	60	Pass	460
3000 10000 1 Peak 9419.917 -32.62 -13 Pass 70	860	1000	0.1	Peak	861.301	-52.62	-13	Pass	1400
35- 25- 0- (Eg) -25-	1000	3000	1	Peak	2835.918	-37.34	-13	Pass	2000
25- 0- (Mg) -25-	3000	10000	1	Peak	9419.917	-32.62	-13	Pass	7000
	0- -25-								




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.95	-13	Pass	401
0.15	30	0.01	Peak	5.522	-65.93	-13	Pass	2985
30	814	0.1	Peak	715.687	-53.49	-13	Pass	7840
814	860	0.1	Peak	835.246	26.42	60	Pass	460
860	1000	0.1	Peak	995.197	-53.8	-13	Pass	1400
1000	3000	1	Peak	2845.923	-38.44	-13	Pass	2000
3000	10000	1	Peak	7111.587	-32.29	-13	Pass	7000
25- 0- (mgp) -25- -50- -75- -90- 0.009	1000 2000	3000	4000	5000 6000 iency(MHz)	7000	8000	9000	10000



8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.65	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.08	-13	Pass	2985
30	814	0.1	Peak	573.269	-53.55	-13	Pass	7840
814	860	0.1	Peak	846.17	25.04	60	Pass	460
860	1000	0.1	Peak	889.721	-53.92	-13	Pass	1400
1000	3000	1	Peak	2857.929	-38.2	-13	Pass	2000
3000	10000	1	Peak	8014.716	-32.87	-13	Pass	7000
35-								



Document No: BL-SZ1840014 Page 33 of 70



8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.76	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.8	-13	Pass	2985
30	814	0.1	Peak	738.49	-53.33	-13	Pass	7840
814	860	0.1	Peak	846.27	25.11	60	Pass	460
860	1000	0.1	Peak	878.113	-53.36	-13	Pass	1400
1000	3000	1	Peak	2903.952	-38.5	-13	Pass	2000
3000	10000	1	Peak	7737.677	-31.96	-13	Pass	7000
25- 0- (EMB) -25- -50- -75- -90- 0.009	1000 2000	3000	4000	5000 6000 iency(MHz)	7000	8000	9000	10000



8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.79	-13	Pass	2985
30	814	0.1	Peak	813.6	-53.12	-13	Pass	7840
814	860	0.1	Peak	824.322	25.25	60	Pass	460
860	1000	0.1	Peak	911.036	-53.76	-13	Pass	1400
1000	3000	1	Peak	2827.914	-37.54	-13	Pass	2000
3000	10000	1	Peak	7223.603	-32.82	-13	Pass	7000
25- 0- (Egp) -25- -50- -75- -90- 0.009	1000 2000	3000	4000	5000 6000 iency(MHz)	7000	8000	9000	10000

Document No: BL-SZ1840014 Page 35 of 70



8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.6	-13	Pass	401
0.15	30	0.01	Peak	0.41	-63.41	-13	Pass	2985
30	814	0.1	Peak	814	-52.1	-13	Pass	7840
814	860	0.1	Peak	824.322	25.33	60	Pass	460
860	1000	0.1	Peak	967.577	-52.77	-13	Pass	1400
1000	3000	1	Peak	2941.971	-37.59	-13	Pass	2000
3000	10000	1	Peak	7949.707	-32.35	-13	Pass	7000
35 - 20 - 10 - 0 -								



Document No: BL-SZ1840014 Page 36 of 70



8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.38	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.95	-13	Pass	2985
30	814	0.1	Peak	467.956	-53.64	-13	Pass	7840
814	860	0.1	Peak	834.344	25.65	60	Pass	460
860	1000	0.1	Peak	876.912	-53.62	-13	Pass	1400
1000	3000	1	Peak	1669.335	-37.45	-13	Pass	2000
3000	10000	1	Peak	8817.831	-32.34	-13	Pass	7000
0- -25-		a design	I le like en en gang til t	والمرابع المرابع المرابع المرابع	at one plant of the last		مادري والادراء	استحاد
-50-								
-90 - 0.009	1000 2000	3000	4000	5000 6000	7000	8000	9000	10000

Document No: BL-SZ1840014 Page 37 of 70

Frequency(MHz)




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

0.009 0.15 30 814 860 1000 3000	0.15 30 814 860 1000 3000 10000	0.001 0.01 0.1 0.1 0.1 1	Peak Peak Peak Peak Peak Peak Peak Peak	0.011 0.34 763.094 834.344 886.419 2851.926	-64.8 -63.67 -52.66 25.99 -52.55 -37.76	-13 -13 -13 60 -13	Pass Pass Pass Pass Pass	401 2985 7840 460
30 814 860 1000	814 860 1000 3000	0.1 0.1 0.1 1	Peak Peak Peak Peak	763.094 834.344 886.419	-52.66 25.99 -52.55	-13 60	Pass Pass	7840 460
814 860 1000	860 1000 3000	0.1 0.1 1	Peak Peak Peak	834.344 886.419	25.99 -52.55	60	Pass	460
860 1000	1000 3000	0.1	Peak Peak	886.419	-52.55			
1000	3000	1	Peak			-13	Pass	4.400
				2851.926	27.76		. 400	1400
3000	10000	1	Dook		-37.70	-13	Pass	2000
			reak	8774.825	-31.96	-13	Pass	7000
25- 0- (Egp) -25- -50- -75- -90- 0.009 10	000 2000	3000	4000	5000 6000 iency(MHz)	7000	8000	9000	10000



8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-68.41	-13	Pass	401
0.15	30	0.01	Peak	8.043	-65.73	-13	Pass	2985
30	814	0.1	Peak	367.843	-52.81	-13	Pass	7840
814	860	0.1	Peak	844.266	25.03	60	Pass	460
860	1000	0.1	Peak	914.039	-54.23	-13	Pass	1400
1000	3000	1	Peak	2893.947	-38.03	-13	Pass	2000
3000	10000	1	Peak	8835.834	-32.76	-13	Pass	7000
20-								




Document No: BL-SZ1840014 Page 39 of 70



8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.33	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.98	-13	Pass	2985
30	814	0.1	Peak	743.491	-53.42	-13	Pass	7840
814	860	0.1	Peak	844.266	25.85	60	Pass	460
860	1000	0.1	Peak	924.546	-53.15	-13	Pass	1400
1000	3000	1	Peak	2856.928	-37.69	-13	Pass	2000
3000	10000	1	Peak	8984.855	-32.61	-13	Pass	7000
20-								




Document No: BL-SZ1840014 Page 40 of 70



8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.23	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.11	-13	Pass	2985
30	814	0.1	Peak	775.395	-52.18	-13	Pass	7840
814	860	0.1	Peak	824.623	25.35	60	Pass	460
860	1000	0.1	Peak	913.939	-52.72	-13	Pass	1400
1000	3000	1	Peak	2857.929	-38.12	-13	Pass	2000
3000	10000	1	Peak	9034.862	-32.24	-13	Pass	7000
35-								




Document No: BL-SZ1840014 Page 41 of 70



8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.36	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.31	-13	Pass	2985
30	814	0.1	Peak	813.9	-51.1	-13	Pass	7840
814	860	0.1	Peak	824.623	24.98	60	Pass	460
860	1000	0.1	Peak	971.98	-53.99	-13	Pass	1400
1000	3000	1	Peak	2873.937	-38.22	-13	Pass	2000
3000	10000	1	Peak	8002.715	-32.83	-13	Pass	7000
30- 20- 10- 0-								



Document No: BL-SZ1840014 Page 42 of 70



8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




Document No: BL-SZ1840014 Page 43 of 70



8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.85	-13	Pass	401
0.15	30	0.01	Peak	0.37	-64.12	-13	Pass	2985
30	814	0.1	Peak	586.571	-53.37	-13	Pass	7840
814	860	0.1	Peak	832.039	25.42	60	Pass	460
860	1000	0.1	Peak	879.814	-52.72	-13	Pass	1400
1000	3000	1	Peak	2732.866	-38.38	-13	Pass	2000
3000	10000	1	Peak	7690.67	-32.78	-13	Pass	7000
35 - 20 - 10 - 0 -								




Document No: BL-SZ1840014 Page 44 of 70



8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

i ositioni.Lo	,							
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.94	-13	Pass	401
0.15	30	0.01	Peak	0.28	-65.15	-13	Pass	2985
30	814	0.1	Peak	314.336	-53.78	-13	Pass	7840
814	860	0.1	Peak	839.556	25.56	60	Pass	460
860	1000	0.1	Peak	865.704	-54.13	-13	Pass	1400
1000	3000	1	Peak	2842.921	-37.7	-13	Pass	2000
3000	10000	1	Peak	8825.832	-33.22	-13	Pass	7000
35- 25- 0-								




Document No: BL-SZ1840014 Page 45 of 70



8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

				·		·		,
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.22	-13	Pass	401
0.15	30	0.01	Peak	0.4	-65.31	-13	Pass	2985
30	814	0.1	Peak	600.973	-53.28	-13	Pass	7840
814	860	0.1	Peak	839.556	25.61	60	Pass	460
860	1000	0.1	Peak	991.094	-53.84	-13	Pass	1400
1000	3000	1	Peak	2857.929	-37.45	-13	Pass	2000
3000	10000	1	Peak	8000.714	-32.57	-13	Pass	7000
35- - 20- 10- 0-								



Document No: BL-SZ1840014 Page 46 of 70



9. LTE_Band7

9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-25	Pass	2985
30	1000	0.1	RMS	995.995	-63.25	-25	Pass	9699
1000	2490	1	RMS	2490	-50.13	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.21	60	Pass	401
2580	3000	1	RMS	2847.637	-49.07	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.48	-25	Pass	9000
12000	26500	1	RMS	25872.901	-29.1	-25	Pass	14500
20- 10- 0- -10- (-20- (-20- -30- -40- -50- -60- -70- -80- -90- 0.009	2500 5000	7500	10000 12	500 15000	17500 2	0000 22	2500	26500

Frequency(MHz)




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.83	-25	Pass	2985
30	1000	0.1	RMS	829.698	-62.53	-25	Pass	9699
1000	2490	1	RMS	2490	-50.24	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.59	60	Pass	401
2580	3000	1	RMS	2849.642	-49	-25	Pass	420
3000	12000	1	RMS	11753.695	-43.56	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.04	-25	Pass	14500
20- 10- 0- -10- (EBP) -30- -30- -50- -50- -60- -70- -80- -90-						M		
0.009	2500 5000	7500		500 15000 iency(MHz)	17500 2	0000 22	500	26500



9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.2	-25	Pass	2985
30	1000	0.1	RMS	997.797	-63.61	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.2	-25	Pass	1490
2490	2580	1	RMS	2532.75	23.41	60	Pass	401
2580	3000	1	RMS	2846.635	-49.03	-25	Pass	420
3000	12000	1	RMS	11753.695	-43.43	-25	Pass	9000
12000	26500	1	RMS	25902.905	-29.02	-25	Pass	14500
30-								



Document No: BL-SZ1840014 Page 49 of 70



9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.71	-25	Pass	2985
30	1000	0.1	RMS	869.026	-63.56	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.25	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.55	60	Pass	401
2580	3000	1	RMS	2842.625	-49.04	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.59	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.14	-25	Pass	14500
20- 10- 0- -10- (mgp) -30- -30- -50- -60- -70- -80- -90- 0.009	2500 5000	7500	10000 12	500 15000	17500 2	0000 22	2500	26500


Document No: BL-SZ1840014 Page 50 of 70

Frequency(MHz)



9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.83	-25	Pass	2985
30	1000	0.1	RMS	604.67	-63.05	-25	Pass	9699
1000	2490	1	RMS	2490	-51.32	-25	Pass	1490
2490	2580	1	RMS	2565.375	23.27	60	Pass	401
2580	3000	1	RMS	2848.64	-49.13	-25	Pass	420
3000	12000	1	RMS	11755.698	-43.6	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.08	-25	Pass	14500
0-								



Document No: BL-SZ1840014 Page 51 of 70



9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen (MHz)	_	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.	009	0.15	0.001	RMS	0.015	-69.76	-25	Pass	401
C).15	30	0.01	RMS	0.18	-69.84	-25	Pass	2985
	30	1000	0.1	RMS	961.849	-62.77	-25	Pass	9699
1	000	2490	1	RMS	2488.999	-51.15	-25	Pass	1490
2	490	2580	1	RMS	2565.375	22.51	60	Pass	401
2	580	3000	1	RMS	2849.642	-49.04	-25	Pass	420
	000	12000	1	RMS	11751.693	-43.51	-25	Pass	9000
30-	000	26500	1	RMS	25900.905	-28.84	-25	Pass	14500
20- 10- 0- -10- (wgp)-30- -30- -50- -50- -60- -70- -80-									
0.009	9 2	2500 5000	7500		500 15000 iency(MHz)	17500 2	0000 22	500	26500

Document No: BL-SZ1840014 Page 52 of 70



9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.84	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.59	-25	Pass	2985
30	1000	0.1	RMS	869.327	-62.36	-25	Pass	9699
1000	2490	1	RMS	2490	-49.74	-25	Pass	1490
2490	2580	1	RMS	2500.575	23.55	60	Pass	401
2580	3000	1	RMS	2847.637	-49.05	-25	Pass	420
3000	12000	1	RMS	11766.711	-43.41	-25	Pass	9000
12000	26500	1	RMS	25898.905	-29.1	-25	Pass	14500
20- 10- 0- -10- (EMP) -30- -30- -50- -50- -70- -80- -90-								
0.009	2500 5000	7500		500 15000 iency(MHz)	17500 2	0000 22	2500	26500



9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequen (MHz)	-	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.0	011	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0	.16	-71.89	-25	Pass	2985
30	1000	0.1	RMS	900.0	067	-62.21	-25	Pass	9699
1000	2490	1	RMS	24	490	-50.05	-25	Pass	1490
2490	2580	1	RMS	2500.	575	22.42	60	Pass	401
2580	3000	1	RMS	2848	3.64	-48.95	-25	Pass	420
3000	12000	1	RMS	11776.7	724	-43.55	-25	Pass	9000
12000	26500	1	RMS	25899.9	905	-29.01	-25	Pass	14500
10- 0- -10- -20- -30- -30- -50- -60- -70- -80- -90-							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		



9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-25	Pass	2985
30	1000	0.1	RMS	993.992	-62.1	-25	Pass	9699
1000	2490	1	RMS	2490	-51.1	-25	Pass	1490
2490	2580	1	RMS	2530.5	23.54	60	Pass	401
2580	3000	1	RMS	2848.64	-48.92	-25	Pass	420
3000	12000	1	RMS	11764.709	-43.52	-25	Pass	9000
12000 30-	26500	1	RMS	25877.901	-29.02	-25	Pass	14500
20- 10- 0- -10- (wgp)-30- -30- -50- -50- -70- -80- -90-								
0.009	2500 5000	7500		500 15000 iency(MHz)	17500 2	0000 22	500	26500



9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequen (MHz)	су	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.0)19	-71.02	-25	Pass	401
0.15	30	0.01	RMS	0	.26	-71.4	-25	Pass	2985
30	1000	0.1	RMS	922.8	398	-63.92	-25	Pass	9699
1000	2490	1	RMS	2486.9	98	-51.26	-25	Pass	1490
2490	2580	1	RMS	253	0.5	22.47	60	Pass	401
2580	3000	1	RMS	2850.6	644	-49.03	-25	Pass	420
3000	12000	1	RMS	11744.6	84	-43.56	-25	Pass	9000
12000	26500	1	RMS	25901.9	905	-29.09	-25	Pass	14500
10- 0- -10- (mgg) -30- -30- -40- -50- -60- -70- -80- -90- 0.009	2500 5000	7500	10000 12	500 1500		17500 2	0000 22	2500	26500



9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.04	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.45	-25	Pass	2985
30	1000	0.1	RMS	729.485	-63.68	-25	Pass	9699
1000	2490	1	RMS	2490	-51.33	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.18	60	Pass	401
2580	3000	1	RMS	2947.876	-49	-25	Pass	420
3000	12000	1	RMS	11759.703	-43.6	-25	Pass	9000
12000 30-	26500	1	RMS	25895.904	-29.05	-25	Pass	14500
20- 10- 0- -10- (\tilde{\tilde{\tilde{BP}}} -30- -30- -50- -60- -70- -80- -90-					47500	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
0.009	2500 5000	7500		500 15000 ency(MHz)	17500 2	0000 22	2500	26500



9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-25	Pass	2985
30	1000	0.1	RMS	762.289	-63.85	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.25	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.09	60	Pass	401
2580	3000	1	RMS	2849.642	-49.06	-25	Pass	420
3000	12000	1	RMS	11848.813	-43.68	-25	Pass	9000
12000	26500	1	RMS	25901.905	-28.92	-25	Pass	14500
10- 0- -10- (mg/g) -30- -30- -50- -50- -60- -70- -80- -90-								

Document No: BL-SZ1840014 Page 58 of 70



9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-25	Pass	2985
30	1000	0.1	RMS	330.137	-63.25	-25	Pass	9699
1000	2490	1	RMS	2486.998	-49.06	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.68	60	Pass	401
2580	3000	1	RMS	2848.64	-48.97	-25	Pass	420
3000	12000	1	RMS	11755.698	-43.54	-25	Pass	9000
12000 30-	26500	1	RMS	25887.903	-29.05	-25	Pass	14500
20- 10- 0- -10- (wgp) -30- -30- -50- -60- -70- -80- -90-								
0.009	2500 5000	7500		500 15000 iency(MHz)	17500 2	0000 22	2500	26500



9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

0.15 30 0.01 RMS 8.543 -71.01 -25 Pass 2985 30 1000 0.1 RMS 730.786 -62.62 -25 Pass 9695 1000 2490 1 RMS 2487.999 -50 -25 Pass 1490 2490 2580 1 RMS 2500.8 22.35 60 Pass 401 2580 3000 1 RMS 2851.647 -49.07 -25 Pass 9000 12000 1 RMS 11752.694 -43.39 -25 Pass 9000 12000 26500 1 RMS 25899.905 -29 -25 Pass 14500 30	Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30 1000 0.1 RMS 730.786 -62.62 -25 Pass 9698 1000 2490 1 RMS 2487.999 -50 -25 Pass 1490 2490 2580 1 RMS 2500.8 22.35 60 Pass 401 2580 3000 1 RMS 2851.647 -49.07 -25 Pass 9000 12000 1 RMS 11752.694 -43.39 -25 Pass 9000 12000 26500 1 RMS 25899.905 -29 -25 Pass 14500	0.009	0.15	0.001	RMS	0.019	-71.49	-25	Pass	401
1000	0.15	30	0.01	RMS	8.543	-71.01	-25	Pass	2985
2490	30	1000	0.1	RMS	730.786	-62.62	-25	Pass	9699
2580 3000 1 RMS 2851.647 -49.07 -25 Pass 420 3000 12000 1 RMS 11752.694 -43.39 -25 Pass 9000 12000 26500 1 RMS 25899.905 -29 -25 Pass 14500 20- 10- 01030405060708090-	1000	2490	1	RMS	2487.999	-50	-25	Pass	1490
3000 12000 1 RMS 11752.694 -43.39 -25 Pass 9000 12000 26500 1 RMS 25899.905 -29 -25 Pass 14500	2490	2580	1	RMS	2500.8	22.35	60	Pass	401
12000 26500 1 RMS 25899.905 -29 -25 Pass 14500	2580	3000	1	RMS	2851.647	-49.07	-25	Pass	420
30- 20- 10- 0- -10- -10- -20- -80- -80- -90-	3000	12000	1	RMS	11752.694	-43.39	-25	Pass	9000
20- 10- 0- -10- -20- -30- -30- -50- -60- -70- -80- -90-		26500	1	RMS	25899.905	-29	-25	Pass	14500
Frequency(MHz)	10- 0- -10- (\text{\$\ext{\$\text{\$\exititt{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\exititt{\$\text{\$\text{\$\tex{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$	2500 5000	7500			17500 2	0000 22	2500	26500

Document No: BL-SZ1840014 Page 60 of 70



9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.21	-25	Pass	2985
30	1000	0.1	RMS	500.457	-62.38	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.26	-25	Pass	1490
2490	2580	1	RMS	2528.25	23.83	60	Pass	401
2580	3000	1	RMS	2849.642	-49.09	-25	Pass	420
3000	12000	1	RMS	11747.688	-43.35	-25	Pass	9000
12000	26500	1	RMS	25898.905	-28.99	-25	Pass	14500
20- 10- 0- -10- (wgp) -30- -30- -50- -60- -70- -80- -90-								
0.009	2500 5000	7500		2500 15000 uency(MHz)	17500 2	0000 22	500	26500



9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.27	-25	Pass	401
0.15	30	0.01	RMS	22.137	-71.51	-25	Pass	2985
30	1000	0.1	RMS	354.64	-63.46	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.32	-25	Pass	1490
2490	2580	1	RMS	2528.25	23.36	60	Pass	401
2580	3000	1	RMS	2846.635	-48.99	-25	Pass	420
3000	12000	1	RMS	11764.709	-43.64	-25	Pass	9000
12000	26500	1	RMS	25903.906	-29.04	-25	Pass	14500
20- 10- 0- -10- (\text{wgp}) -30- -30- -50- -60- -70- -80- -90- 0.009	2500 5000	7500		500 15000	17500 2	0000 22	2500	26500
			Frequ	iency(MHz)				



9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.22	-25	Pass	401
0.15	30	0.01	RMS	0.33	-70.81	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.24	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.22	-25	Pass	1490
2490	2580	1	RMS	2555.925	23.63	60	Pass	401
2580	3000	1	RMS	2582.005	-47.15	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.63	-25	Pass	9000
12000 30-	26500	1	RMS	25888.903	-29.11	-25	Pass	14500
20- 10- 0- -10- (wgp)-30- -30- -50- -60- -70- -80- -90-								
0.009	2500 5000	7500		500 15000 iency(MHz)	17500 2	0000 22	2500	26500



9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.21	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.85	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.38	-25	Pass	1490
2490	2580	1	RMS	2555.925	22.67	60	Pass	401
2580	3000	1	RMS	2582.005	-47.46	-25	Pass	420
3000	12000	1	RMS	11776.724	-43.56	-25	Pass	9000
12000	26500	1	RMS	25895.904	-29.07	-25	Pass	14500
0-								



Document No: BL-SZ1840014 Page 64 of 70



9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Fr	Start requency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
	0.009	0.15	0.001	RMS	0.012	-71.7	-25	Pass	401
	0.15	30	0.01	RMS	0.2	-72.09	-25	Pass	2985
	30	1000	0.1	RMS	899.967	-63.56	-25	Pass	9699
	1000	2490	1	RMS	2490	-47.81	-25	Pass	1490
	2490	2580	1	RMS	2501.025	23.81	60	Pass	401
	2580	3000	1	RMS	2852.649	-49.13	-25	Pass	420
	3000	12000	1	RMS	11751.693	-43.62	-25	Pass	9000
	12000	26500	1	RMS	25884.902	-29.05	-25	Pass	14500
Level(dBm)	-25 -50 -75						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	-95-¦ 0.009	2500 5000	7500		500 15000 iency(MHz)	17500 2	0000 22	2500	26500



9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

				·		·		,
Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.88	-25	Pass	401
0.15	30	0.01	RMS	5.062	-71.72	-25	Pass	2985
30	1000	0.1	RMS	894.76	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-49.57	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.74	60	Pass	401
2580	3000	1	RMS	2845.632	-49.12	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.56	-25	Pass	9000
12000	26500	1	RMS	25888.903	-29.05	-25	Pass	14500
0-								



Document No: BL-SZ1840014 Page 66 of 70



9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.4	-25	Pass	401
0.15	30	0.01	RMS	26.249	-71.55	-25	Pass	2985
30	1000	0.1	RMS	887.15	-62.19	-25	Pass	9699
1000	2490	1	RMS	2490	-50.43	-25	Pass	1490
2490	2580	1	RMS	2526	23.64	60	Pass	401
2580	3000	1	RMS	2850.644	-49	-25	Pass	420
3000	12000	1	RMS	11755.698	-43.41	-25	Pass	9000
12000 30-	26500	1	RMS	25874.901	-29	-25	Pass	14500
20- 10- 0- -10- (wg/g) -30- -30- -50- -60- -70- -80- -90-								
	2500 5000	7500		500 15000 iency(MHz)	17500 2	0000 22	2500	26500



9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-25	Pass	2985
30	1000	0.1	RMS	455.452	-62.94	-25	Pass	9699
1000	2490	1	RMS	2490	-50.19	-25	Pass	1490
2490	2580	1	RMS	2526	23.02	60	Pass	401
2580	3000	1	RMS	2849.642	-48.95	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.41	-25	Pass	9000
12000	26500	1	RMS	25901.905	-28.98	-25	Pass	14500
20- 10- 0- -10- -20- -30- -30- -50- -60- -70- -80-						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.33	-71.62	-25	Pass	2985
30	1000	0.1	RMS	590.368	-63.26	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.31	-25	Pass	1490
2490	2580	1	RMS	2551.2	23.88	60	Pass	401
2580	3000	1	RMS	2587.017	-47.75	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.63	-25	Pass	9000
12000 30-	26500	1	RMS	25902.905	-29.1	-25	Pass	14500
20- 10- 0- -10- (wgp) -30- -30- -50- -60- -70- -80- -90-	2500 5000	7500	10000 10		17500 3			25500
0.009	2500 5000	7500		500 15000 iency(MHz)	17500 2	0000 22	2500	26500



9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.32	-71.72	-25	Pass	2985
30	1000	0.1	RMS	590.368	-63.21	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.32	-25	Pass	1490
2490	2580	1	RMS	2551.2	23.17	60	Pass	401
2580	3000	1	RMS	2587.017	-48.17	-25	Pass	420
3000	12000	1	RMS	11771.717	-43.62	-25	Pass	9000
12000	26500	1	RMS	25890.903	-29.03	-25	Pass	14500
0-								



Document No: BL-SZ1840014 Page 70 of 70