





# ISO/IEC17025 Accredited Lab.

Report No: FCC0804165 File reference No: 2008-05-26

Applicant: SSHENG ELETRONIC TECHNOLOGY CO., LTD.

Product: Audio Receiver Launchers

Model No: SS7101E-UGC

Brand Name: N/A

Test Standards: FCC Part 15 Subpart C, Paragraph 15.249

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.4&FCC Part 15 Subpart C, Paragraph 15.249 regulations for the evaluation of

electromagnetic compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated: May 26, 2008

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

# SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao, FuTian District, Shenzhen, CHINA.

Tel (755) 83448688 Fax (755) 83442996

Report No: 0804165 Page 2 of 28

Date: 2008-05-26



# **Special Statement:**

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAL. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

# **CNAL-LAB Code: L2292**

The EMC Laboratory has been assessed and in compliance with CNAL/AC01:2002 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:1999 General Requirements) for the Competence of testing Laboratories.

# FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

# IC- Registration No.: IC5205A-01

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-01.

Page 3 of 28

Report No: 0804165 Date: 2008-05-26



# **Test Report Conclusion** Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	4
1.5	Test Duration	4
1.6	Test Uncertainty	5
1.7	Test By	5
2.0	List of Measurement Equipment	5
3.0	Technical Details	7
3.1	Summary of Test Results	7
3.2	Test Standards	7
4.0	EUT Modification	7
5.0	Power Line Conducted Emission Test.	8
5.1	Schematics of the Test.	8
5.2	Test Method and Test Procedure	8
5.3	Configuration of the EUT	8
5.4	EUT Operating Condition.	9
5.5	Conducted Emission Limit.	9
5.6	Test Result	9
6.0	Radiated Emission test	10
6.1	Test Method and Test Procedure	10
6.2	Configuration of the EUT	10
6.3	EUT Operation Condition	10
6.4	Radiated Emission Limit.	11
6.5	Test Result	12
7.0	Band Edge	17
8.0	20dB Bandwidth Test	19
9.0	Antenna Requirement	20
10.0	FCC ID Label	21
11.0	Photo of Test Setup and EUT View.	22

Date: 2008-05-26



# 1.0 General Details

## 1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO LTD

Address: 5/F,Block 4, Anhua Industrial Zone.,No.8 TaiRan Rd.CheGongMiao,FuTian District,

Shenzhen, CHINA.

Telephone: (755) 83448688 Fax: (755) 83442996

Site on File with the Federal Communications Commission – United Sates

Registration Number: 899988

For 3m & 10 m OATS

Site Listed with Industry Canada of Ottawa, Canada

Registration Number: IC: 5205A-01

For 3m & 10 m OATS

# 1.2 Applicant Details

Applicant: SSHENG ELCTRONIC TECHNOLOGY CO., LTD.

Address: Shida Road No.243. Quantang Management District, Dongguan City. Guangdong Province

Telephone: +86 769 88900369 Fax: +86 769 88900372

# 1.3 Description of EUT

Product: Audio Receiver Launchers

Manufacturer: SSHENG ELCTRONIC TECHNOLOGY CO., LTD.

Brand Name: N/A

Model Number: SS7101E-UGC

Additional Model Name N/A
Additional Trade Name N/A
Rating: DC3.0V
Modulation Type: FM
Operation Frequency 914MHz

Number of Channel 1

Antenna Designation A permanent fixed antenna, which is built-in, designed as an indispensable part of

the EUT.

# 1.4 Submitted Sample

2 Sample

# 1.5 Test Duration

2008-05-04 to 2008-05-26

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co .,Ltd reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 5 of 28

Report No: 0804165 Date: 2008-05-26



1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB

Test Engineer 1.7

The sample tested by

Print Name: Terry Tang

2.0	.0 Test Equipments					
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date	
ESPI Test Receiver	ROHDE&SCHWARZ	ESPI 3	100379	2007-12-05	2008-12-04	
Absorbing Clamp	ROHDE&SCHWARZ	MDS-21	100126	2007-12-05	2008-12-04	
TWO Line-V-NETW	ROHDE&SCHWARZ	EZH3-Z5	100294	2007-12-05	2008-12-04	
TWO Line-V-NETW	ROHDE&SCHWARZ	EZH3-Z5	100253	2007-12-05	2008-12-04	
Ultra Broadband ANT	ROHDE&SCHWARZ	HL562	100157	2007-12-05	2008-12-04	
ESDV Test Receiver	ROHDE&SCHWARZ	ESDV	100008	2007-03-30	2008-03-29	
4-WIRE ISN	ROHDE&SCHWARZ	ENY 41	830663/044	2008-02-18	2009-02-17	
GG ENY22 Double 2-Wire ISN	ROHDE&SCHWARZ	ENY22	83066/016	2008-02-18	2009-02-17	
Impuls-Begrenzer	ROHDE&SCHWARZ	ESH3-Z2	100281	2008-02-18	2009-02-17	
System Controller	CT	SC100	-	2008-02-18	2009-02-17	
Printer	EPSON	РНОТО ЕХЗ	CFNH234850	2008-02-18	2009-02-17	
FM-AM Signal Generator	JUNGJIN	SG-150M	389911177	2008-02-18	2009-02-17	
Color TV Pattern Generator	PHILIPS	PM5418	LO621747	2008-02-18	2009-02-17	
Computer	IBM	8434	1S8434KCE99BLX LO*	-	-	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The Shenzhen Timeway Technology Consulting co .,Ltd reserves the rights to withdraw it and to

Page 6 of 28

Oscillator	KENWOOD	AG-203D	3070002	2008-02-18	2009-02-17		
Spectrum Analyzer	HAMEG	HM5012	-	-	-		
Power Supply	LW	APS1502	-	-	-		
5K VA AC Power Source	California Instruments	5001iX	56060	2008-02-18	2009-02-17		
CDN	EM TEST	CDN M2/M3	-	2008-02-18	2009-02-17		
Attenuation	EM TEST	ATT6/75	-	2008-02-18	2009-02-17		
Resistance	EM TEST	R100	-	2008-02-18	2009-02-17		
Electromagnetic Injection Clamp	LITTHI	EM101	35708	2008-02-18	2009-02-17		
Signal Generator	ROHDE&SCHWARZ	SMT03	100029	2008-02-18	2009-02-17		
Power Amplifier	AR	150W1000	300999	2008-02-18	2009-02-17		
Field probe	Holaday	HI-6005	105152	2008-02-18	2009-02-17		
Bilog Antenna	Chase	CBL6111C	2576	2008-02-18	2009-02-17		
ESPI Test Receiver	ROHDE&SCHWARZ	ESI26	838786/013	2008-02-18	2009-02-17		
3m OATS			N/A	2008-02-18	2009-02-17		
Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA9170265	2007-08-16	2008-08-15		
Horn Antenna	SCHWARZBECK	BBHA 9120D	9120D-631	2007-07-03	2008-07-02		

Page 7 of 28

Report No: 0804165 Date: 2008-05-26



#### 3.0 **Technical Details**

#### 3.1 **Summary of test results**

The EUT has been	n tested accordin	g to the following	specifications:
		A	, 50000

Standard	Test Type	Result	Notes
FCC Part 15, Paragraph 15.207	Conducted Emission Test	N/A	Not Applicable
FCC Part 15 Subpart C Paragraph 15.249(a) & 15.249(b) Limit	Field Strength of Fundamental	PASS	Complies
FCC Part 15, Paragraph 15.209	Radiated Emission Test	PASS	Complies
FCC Part 15 Subpart C Paragraph 15.249(d) Limit	Band Edge Test	PASS	Complies

#### 3.2 **Test Standards**

FCC Part 15 Subpart C, Paragraph 15.249

#### 4.0 **EUT Modification**


No modification by Shenzhen Timeway Technology Consulting Co.,Ltd

Report No: 0804165 Date: 2008-05-26



# 5. Power Line Conducted Emission Test

## 5.1 Schematics of the test




**EUT: Equipment Under Test** 

# 5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003.

# Block diagram of Test setup



# 5.3 Configuration of The EUT

The EUT was configured according to ANSI C63.4-2003. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

One channels are provided to the EUT

# A. EUT

	De	vice	Manufacturer	Model	FCC ID
	Audio	Receiver	SSHENG ELCTRONIC TECHNOLOGY	SS7101E-UGC	WBRSS7101E-UGC
Launchers		's	CO., LTD.		

# B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 9 of 28

Report No: 0804165 Date: 2008-05-26



# C. Peripherals

Device	Manufacturer	Model	FCC ID/DOC	Cable
MP3 Player	I POD		DOC	

# 5.4 EUT Operating Condition

Operating condition is according to ANSI C63.4 -2003.

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

# 5.5 Power line conducted Emission Limit according to Paragraph 15.207

Eraguanay (MHz)	Class A Lir	nits (dB µ V)	Class B Limits (dB $\mu$ V)	
Frequency(MHz)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level
$0.15 \sim 0.50$	79.0	66.0	66.0~56.0*	56.0~46.0*
$0.50 \sim 5.00$	73.0	60.0	56.0	46.0
$5.00 \sim 30.00$	73.0	60.0	60.0	50.0

Notes:

- 1. \*Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

# 5.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Note: Due to DC operation, this test item no applicable

Page 10 of 28

Report No: 0804165 Date: 2008-05-26



# 6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.4 –2003. The radiated test was performed at Timeway Laboratory. This site is on file with the FCC laboratory division, Registration No.899988
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.4-2001.
- (3) The frequency spectrum from 30 MHz to 1 GHz was investigated. All readings from 30 MHz to 1 GHz are quasi-peak values with a resolution bandwidth of 120 kHz. All readings are above 1 GHz, peak values with a resolution bandwidth of 1 MHz. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a "QP" in the data table.
- (6) The antenna polarization : Vertical polarization and Horizontal polarization.

# Block diagram of Test setup Distance = 3m Computer Pre -Amplifier EUT Turn-table Receiver

- 6.2 Configuration of The EUT

  Same as section 5.3 of this report
- 6.3 EUT Operating Condition
  Same as section 5.4 of this report.

Page 11 of 28

Report No: 0804165 Date: 2008-05-26



# 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

# A FCC Part 15 Subpart C Paragraph 15.249(a) Limit

Fundamental Frequency	Field Stre	ength of Fundame	ntal (3m)	Field S	trength of Harmo	onics (3m)
(MHz)	mV/m	dBuV/m		uV/m	dBu	V/m
902-928	50	94 (Average)	114 (Peak)	500	54 (Average)	74 (Peak)

Note:

- 1. RF Field Strength  $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2.Distance refers to the distance in meters between the measuring instrument antenna and the closed point of any part of the device or system.
- 3. The emission limit in this paragraph is based on measurement instrumentation employing an average detector.

# B. Frequencies in restricted band are complied to limit on Paragraph 15.209.

Frequency Range (MHz)	Distance (m)	Field strength (dB µ V/m)
30-88	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note:

- 1. RF Voltage  $(dBuV) = 20 \log RF \text{ Voltage } (uV)$
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT

Report No: 0804165 Page 12 of 28

Date: 2008-05-26



#### 6.5 Test result

#### $\mathbf{A}$ **Fundamental & Harmonics Radiated Emission Data**

Product:	Audio Receiver Launchers	Test Mode:	Keep Tx Transmitting
Test Item:	Fundamental Radiated Emission Data	Temperature:	25℃
Test Voltage:	3VDC	Humidity:	56%
Test Result:	Pass		


Frequency	Emission PK/AV	Horiz /	Limits PK/AV	Margin
(MHz)	(dBuV/m)	Vert	(dBuV/m)	(dB)
914	87.23/86.16	Н	114/94	-26.77/-7.84
914	84.55/83.07	V	114/94	-29.45/-10.93
1828	52.8/52.0	Н	74/54	
1828	51.4/50.7	V	74/54	
2742	47.6/45.9	Н	74/54	
2742	51.6/50.4	V	74/54	
3656	49.7/47.1	Н	74/54	
3656	47.7/44.7	V	74/54	
4570	49.5/46.6	Н	74/54	
4570	49.1/46.3	V	74/54	
5484		H/V	74/54	
6398		H/V	74/54	
7312		H/V	74/54	
8226		H/V	74/54	
9140		H/V	74/54	

Report No: 0804165 Date: 2008-05-26



# Test Figure above 1G

Low Channel Horizontal




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: 0804165 Date: 2008-05-26



# **Low Channel**



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co.,Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co.,Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co.,Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 15 of 28

Report No: 0804165 Date: 2008-05-26



# 3. General Radiated Emission Data Radiated Emission In Horizontal (30MHz----1000MHz)


EUT set Condition: Keep Tx transmitting

Mode: Low Channel

**Results:** Pass

Please refer to following diagram for individual

# **Radiated Emission Measurement**



Report No: 0804165 Page 16 of 28

Date: 2008-05-26



# Radiated Emission In Horizontal (30MHz----1000MHz)


EUT set Condition: Keep Tx transmitting

Mode: Low Channel

**Results:** Pass

Please refer to following diagram for individual

# **Radiated Emission Measurement**



Report No: 0804165 Page 17 of 28

Date: 2008-05-26



# 7. Band Edge

# **Band Edge Limit**

In any 100kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 50dB below that in the 100kHz, bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

Page 18 of 28

Report No: 0804165 Date: 2008-05-26



# Band Edge Test Result


Product:	Audio Receiver Launchers	Test Mode:	Keep Tx Transmitting
Test Item:	Band edge	Temperature:	25℃
Test Voltage:	3VDC	Humidity:	56%
Test Result:	Pass	Detector	PK

# **Test Figure:**



1 PK MAXH \*RBW 100 kHz Marker 1 [T1 ]

\*VBW 100 kHz -28.20 dBm



Date: 26.MAY.2008 16:14:01

Page 19 of 28


Report No: 0804165 Date: 2008-05-26



# **8.0** 20dB Bandwidth Test Result

Product:	Audio Receiver Launchers	Test Mode:	Keep Tx Transmitting
Test Item:	20dB Bandwidth	Temperature:	25℃
Test Voltage:	3VDC	Humidity:	56%
Test Result:	Pass	Detector	PK

# **Test Figure:**



Date: 08.MAY 2008 12:43:03

Report No: 0804165 Page 20 of 28

Date: 2008-05-26



# 9.0 Antenna Requirement

# **Applicable Standard**

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section.

This product has a PCB permanent antenna, fulfill the requirement of this section.

Test Result: Pass

Page 21 of 28

Report No: 0804165 Date: 2008-05-26




# 10.0 FCC ID Label

# FCC ID: WBRSS7101E-UGC

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

# Mark Location:



Page 22 of 28

Report No: 0804165 Date: 2008-05-26




#### 11.0 **Photo of testing**

11.1 Conducted test View--

N/A

11.2 Radiated emission test view



Page 23 of 28

Report No: 0804165 Date: 2008-05-26




# 11.3 Photo for the EUT



Page 24 of 28





Page 25 of 28






Page 26 of 28





Page 27 of 28






Page 28 of 28

Report No: 0804165 Date: 2008-05-26



Interior View



# -- End of the report--