


Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0090





Report No.: 07292591  
Talk Mode  
PC's AC Mains

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15000	46.4	66.0	-19.6
0.38000	42.3	58.3	-16.0
0.46500	35.4	56.6	-21.2
0.75500	35.7	56.0	-20.3
1.06000	31.2	56.0	-24.8
2.99000	33.3	56.0	-22.7
7.92500	40.0	60.0	-20.0
14.27500	43.0	60.0	-17.0
16.23000	48.8	60.0	-11.2
21.66500	42.3	60.0	-17.7

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.15000	38.6	56.0	-17.4
0.22000	33.1	52.9	-19.8
0.38000	41.3	48.3	-7.0
0.45500	31.6	46.8	-15.2
0.76000	34.5	46.0	-11.5
1.07000	29.0	46.0	-17.0
5.23500	32.5	50.0	-17.5
7.92500	36.2	50.0	-13.8
8.72000	32.7	50.0	-17.3
14.27500	39.8	50.0	-10.2
16.23000	45.6	50.0	-4.4
21.66500	38.9	50.0	-11.1


\* limit exceeded

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0090





Report No.: 07292591  
Speakerphone Mode  
PC's AC Mains

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15500	43.8	65.7	-21.9
0.38000	42.3	58.3	-16.0
0.46500	35.2	56.6	-21.4
0.73000	33.4	56.0	-22.6
1.06500	35.2	56.0	-20.8
3.00000	34.3	56.0	-21.7
4.80500	32.2	56.0	-23.8
7.92500	40.4	60.0	-19.6
14.21500	43.3	60.0	-16.7
16.23000	48.9	60.0	-11.1
21.66500	41.9	60.0	-18.1

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.16500	38.9	55.2	-16.3
0.38000	41.2	48.3	-7.1
0.45500	31.3	46.8	-15.5
0.76000	34.5	46.0	-11.5
1.07000	29.3	46.0	-16.7
2.66500	25.3	46.0	-20.7
5.23500	33.6	50.0	-16.4
7.92500	36.6	50.0	-13.4
7.98500	33.1	50.0	-16.9
14.21500	40.1	50.0	-9.9
16.23000	45.6	50.0	-4.4
21.66500	38.5	50.0	-11.5


\* limit exceeded

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0090





Report No.: 07292591  
Ringing Mode  
PC's AC Mains

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15000	45.5	66.0	-20.5
0.27500	33.8	61.0	-27.2
0.38000	42.5	58.3	-15.8
0.47000	32.3	56.5	-24.2
0.72500	26.4	56.0	-29.6
1.06500	35.5	56.0	-20.5
3.00000	34.5	56.0	-21.5
4.41000	32.6	56.0	-23.4
7.92500	40.3	60.0	-19.7
14.27500	43.2	60.0	-16.8
16.23000	48.9	60.0	-11.1
21.66500	41.5	60.0	-18.5

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.16000	39.1	55.5	-16.4
0.38000	41.5	48.3	-6.8
0.45500	31.2	46.8	-15.6
0.76000	35.0	46.0	-11.0
1.07000	28.7	46.0	-17.3
5.23500	33.7	50.0	-16.3
7.92500	36.6	50.0	-13.4
8.72000	32.8	50.0	-17.2
14.21500	40.1	50.0	-9.9
16.23000	45.6	50.0	-4.4
21.66500	38.1	50.0	-11.9


\* limit exceeded

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0090





Report No.: 07292591  
Talk Mode  
AC Mains

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.17000	49.6	65.0	-15.4
0.23000	42.2	62.4	-20.2
5.23500	39.7	60.0	-20.3
13.42000	39.7	60.0	-20.3
20.26000	46.9	60.0	-13.1
29.23500	47.8	60.0	-12.2

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.17000	39.8	55.0	-15.2
0.40000	32.0	47.8	-15.8
0.51500	27.0	46.0	-19.0
1.31500	26.5	46.0	-19.5
2.17500	27.2	46.0	-18.8
5.23500	36.0	50.0	-14.0
5.91000	31.5	50.0	-18.5
8.71500	31.8	50.0	-18.2
13.42000	36.5	50.0	-13.5
20.26000	43.3	50.0	-6.7
29.23500	44.3	50.0	-5.7

\* limit exceeded




Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO LN	OFF 60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0090





Report No.: 07292591  
Speakerphone Mode  
AC Mains

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.17500	49.0	64.7	-15.7
0.24000	36.8	62.1	-25.3
5.23500	39.7	60.0	-20.3
13.42000	39.7	60.0	-20.3
20.26000	46.9	60.0	-13.1
29.23500	45.7	60.0	-14.3

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.17500	10.8	54.7	-43.9
0.24000	11.0	52.1	-41.1
0.40500	6.5	47.8	-41.3
0.48500	4.7	46.3	-41.6
2.45000	12.2	46.0	-33.8
5.23500	36.1	50.0	-13.9
5.91000	31.5	50.0	-18.5
8.72000	31.5	50.0	-18.5
13.42000	36.3	50.0	-13.7
20.26000	43.2	50.0	-6.8
27.16000	42.7	50.0	-7.3

\* limit exceeded