

The Part electron of DS561BOM

| | | | | | Date:2008-05-03 | |
|-----|-----------|-------------------------|----------------------|--------------------|---------------------------|------|
| S/N | Component | Material Name | Darling Material P/N | Manufacturee Model | Spec,Package, Description | Unit |
| 1 | COB Board | Chip Resistance | | RC0603JR-070R | 0Ω/0603/±5% | pc |
| 2 | | Chip Resistance | | RC0603JR-073R3 | 3.3Ω/0603/±5% | pc |
| 3 | | Chip Resistance | | RC0603JR-074R7 | 4.7Ω/0603/±5% | pc |
| 4 | | Chip Resistance | | RC0603JR-07150R | 150Ω/0603/±5% | pc |
| 5 | | Chip Resistance | | RC0603JR-0715R | 15Ω/0603/±1% | pc |
| 6 | | Chip Resistance | | RC0603JR-071K5 | 1.5KΩ/0603/±5% | pc |
| 7 | | Chip Resistance | | RC0603JR-071K | 1KΩ/0603/±5% | pc |
| 8 | | Chip Resistance | | RC0603JR-076K2 | 6.2KΩ/0603/±5% | pc |
| 9 | | Chip Resistance | | RC0603JR-0710K | 10KΩ/0603/±5% | pc |
| 10 | | Chip Resistance | | RC0603JR-071M | 1MΩ/0603/±5% | pc |
| 11 | | Chip Capacitor | | C0603MRX7R8BB104 | 0.1UF/0603/±20% | pc |
| 12 | | Chip Capacitor | | C0603MRX7R7BB105 | 1UF/0603/±20% | pc |
| 13 | | Chip Capacitor | | C0603CRNPO9BN3R0 | 3PF/0603/±20% | pc |
| 14 | | Chip Capacitor | | C0603JRNPO9BN100 | 10PF/0603/±20% | pc |
| 15 | | Chip Capacitor | | C1206MRX7R7BB106 | 10UF/1206/16V±20% | pc |
| 16 | | Chip Capacitor | | C1210MRX7R6BB226 | 22UF/1210/10V±20% | pc |
| 17 | | Chip Tantalum Capacitor | | TAJC107M006TNJ | 100UF/6.3V/C model ±20% | pc |
| 18 | | Chip Inductor | | JWGB1608D6R8 | 6.8UH/0603 | pc |
| 19 | | Chip Bead | | JWGB2012 | 0805 | pc |
| 20 | | Chip Inductor | | NL332522T-100J | 10uH/1210 | pc |
| 21 | | SMD LED | | SL-S170URC-1 | LED/RED/0805 | pc |
| 22 | | Chip Diode | | 1N4148 | 1206/cylinder | pc |
| 23 | | Chip MOS Pipe | | SI2301DS | SOT-23 | pc |
| 24 | | Chip Transistor | | SE1200049SMD | 12M/49S-SMD | pc |
| 25 | | Chip LDO | | AME8805AEFTZ | 3.3V/SOT-89/500mA or over | pc |
| 26 | | Chip LDO | | S-1206B18-U3T1G | 1.8V/SOT-89 | pc |
| 27 | | Chip IC | | OV550 | BGA49 | pc |
| 28 | | Chip IC | | AT24LC64 | 8-PIN SOIC | pc |
| 29 | | Chip IC | | OV5610 | CLCC-48 | pc |
| 30 | | Chip IC | | RT9361BPE | SOT-23-6 | pc |
| 31 | | Backlight | | P9M00006 | 3.3V/45mA | pc |
| 32 | | Lens | | 385B | | pc |
| 33 | | Lens Mount | | SA125-A1600M14 | | pc |

| | | | | | | |
|----|------------|-----------------------|----------------|-----------------|---------------------------|-------|
| 34 | Attachment | Input Terminal Block | | 2417SJ-02 | 2PIN Terminal/2.0mm space | pc |
| 35 | | Input Terminal Block | | 2417SJ-05 | 5PIN Terminal/2.0mm space | pc |
| 36 | | MINI USB Socket | | 5075BMR-05-SM2 | | pc |
| 37 | | Keyswitch | | MIC-KAN-04 | | pc |
| 38 | | 2P Terminal | | 2418HJ-02-L140 | | piece |
| 39 | | 5P Terminal | | A-HSHS-38FG-S01 | | piece |
| 40 | | USB Cable | | A-AMM5-3812-S01 | | piece |
| 41 | | Color Box | | | 129x129x285mm | pc |
| 42 | | Color Box Sleeve | | | 132x132x286mm | pc |
| 43 | | PE Bag of Brush | | | Green and Wearable | pc |
| 44 | | PE Bag of Main body | | | Green and Wearable | pc |
| 45 | | PE Bag of Film holder | | | Green and Wearable | pc |
| 46 | | Label 1 | | | Silver/40x20mm | pc |
| 47 | | Label 2 | | | Black/55x8mm | pc |
| 48 | | CD | | | | pc |
| 49 | | User Manual | | | | pc |
| 50 | | Packing Case | | | 680x275x295mm | pc |
| 51 | | PCB Board | DS561M REV2.02 | DS561M REV2.02 | | piece |
| 52 | | PCB Board | DS561K REV1.0 | DS561K REV1.0 | | piece |
| 53 | | PCB Board | DS561U REV2.0 | DS561U REV2.0 | | piece |

[illegible]

[illegible]

