JL-v2学生机整机物料清单

编码	类别	厂家型号	内容描述
22610003		/ X-1 V	VZ字生机(教师机) 制风似
31034077	接插件	图纸号V2TS-M005	两芯电源连接线
32653001	塑胶件	图号: V2ST-P001	面壳(s), ABS, 浅黄
32653002	塑料件	图号: V2ST-P002	底壳(s), ABS, 灰白
32653003	塑胶件	图号: V2ST-P003	镜片, PMMA加硬, 灰底黑字
32653004	塑胶件	图号: V2ST-P004	五向键(s), ABS, 银灰
32653005	塑胶件	图号: V2ST-P005	功能键(s), ABS, 银灰
32653006	塑胶件	图号: V2ST-P006	数字键(s), ABS, 银灰
32653007	塑胶件	图号: V2ST-P007	开关拨钮(s), ABS, 银灰
32653009	塑胶件	图号: V2ST-P009	电池门(s), ABS, 灰白
32653021	塑料制品	图号: V2TS- A031,尺寸: 25*37*1MM	EVA海棉,(单面背3M胶)
32690004	金属件	V2TS-M001	电池正极弹片
32690005	金属件	V2TS-M002	电池负极弹片
32690006	金属件	图号: V2TS-M004	V2左电池正负极连片,铁片镀镍
32690007	金属件	图纸写: V215-	V2右电池正负极连片,铁片镀镍
32698001	紧固件	Ф2.6*6РА	自攻螺钉,镀镍
42604008	标签		V2学生机序号标贴

JL-v2学生机制成板物料清单

编码	类别	厂家型号	内容描述	单位	数量	替代产品	位号
22601001	专用芯片		V2字生机(教师机)を用心力 V1 001	PCS	1		U1
30408101	二极管	MA729-2B	肖特基二极管,小于0.3V	PCS	1		D1
30903025	贴片IC	S-1167B33	150Ma, 3.3V线性LDO(SOT-23-5) ROHS	PCS	2		U3, U6
	贴片电感		1206-15UH 精度±10%(ROHS)	PCS	1		L1
30907004	炖月 — 恢 签	1N4148	4148贴片二极管(圆柱形)ROHS	PCS	1		D3

C7, C8, C9, C10, C11, C12, C13, C14, C15							
30915005 恒电容	30914027	贴片电容	C2012Y5V1H105Z	0805-1UF, +80-20%精度(ROHS)	PCS	9	C9, C10, C11, C12, C13,
30915005 恒电容	30915004	钽电容	TAJA106K016RNJ	10UF/16V (A型) ±10%精度ROHS	PCS	2	
30919003 M片电容 C2012C0G1H330J 0805-NPO-50V-33PF±5%(ROHS) PCS 2 C4, C5	30915005	钽电容	TAJB226K016RNJ		PCS	1	C19
30919008 贴井电容 C2012X7R1H103K 0805-X7R-0.01UF±10%(ROHS) PCS 1 C17 C3, C6, C18, C20, C21, C27 C20, C21, C27 C23, C21, C27 C2	30919003	贴片电容	С2012С0G1Н330.J		PCS	2	C4, C5
Substitution				$0805-X7R-0.01UF \pm 10\%$ (ROHS)	PCS	1	C17
30923102 贴片电阻 RC0805JR-071K 0805-1KΩ±5%(ROHS) PCS 2 R1, R12 R2, R3, R4, R5, R6, R7, R8, R9, R13, R22 R1, R12 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R1, R12 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R1, R12 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R1, R12 R2, R3, R9, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R11, R18, R13, R22 R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R15 R2, R3, R3, R4, R5, R6, R7, R4, R5, R6, R7, R8, R9, R10, R11, R15 R2, R3, R3, R4, R5, R4, R5, R6, R7, R4, R5, R6, R7, R4, R5, R6, R7, R6, R7, R8, R9, R10, R11, R15 R2, R3, R3, R4, R5, R6, R7, R4, R5, R6, R7, R4, R5, R6, R7, R6, R7, R6, R7, R8, R9, R10, R11, R11, R18, R11, R18, R11, R18, R11, R18, R13, R22 R2, R3, R3, R4, R5, R6, R7, R6,	30919009	贴片电容	C2012Y5V1H104Z		PCS	8	C18, C20, C22, C23,
R4, R5, R6, R7, R8, R9, R10, R11, R18, R13, R22 R2, 4G, WM-5139-001-M00 R2 LCD上插式28PIN, 扁平电缆条形扣	30923102	贴片电阻	RC0805JR-071K	0805 –1K $\Omega \pm 5\%$ (ROHS)	PCS	2	
30931005 友射器	30923103	贴片电阻	-	0805–10К $\Omega \pm 5\%$ (ROHS)	PCS	13	R4, R5, R6, R7, R8, R9, R10, R11, R18,
30933002 贴片插座 0.5mm间距扣式连接器 LCD上插式28PIN,扁平电缆条形扣 PCS 1 J3 J3 30940001 晶振 3*8 22.1184MHZ 22.1184MHZ (3*9) ROHS PCS 1 X1 31034051 接插件 1124S 2PIN 2PIN插座,间距: 2.0,180度 PCS 1 J4 J4 31507001 四方一位 1N4004 IN4004 PCS 1 D2 32325512 贴片电阻 RC-05K512JT 0805-5.1KΩ, 精度5% ROHS PCS 1 R21 32326272 贴片电阻 RC0805FR-072K7 0805-2.7KΩ±1% (ROHS) PCS 1 R15 R15 32426332 贴片电阻 RC0805FR-073K3 0805-3K3±1%, ROHS PCS 1 R20 32603001 贴片IC T1064 驱动芯片T1064(SOP-8) PCS 1 U4	30931005	发射器		2.4G标准功率模块	PCS	1	Ј1
30940001 晶振 3*8 22.1184MHZ 22.1184MHZ (3*9) ROHS PCS 1 X1 X1 X1 X1 X1 X1 X1	30933001	贴片插座	MUB-2008	USB插座	PCS	1	Ј2
31034051 接插件 1124S 2PIN 2PIN插座,间距: 2.0, 180度 PCS 1 J4 31507001	30933002	贴片插座			PCS	1	Ј3
31507001 20	30940001	晶振	3*8 22.1184MHZ	22.1184MHZ(3*9) ROHS	PCS	1	X1
32325512 贴片电阻 RC-05K512JT 0805-5.1KΩ, 精度5% ROHS PCS 1 R21 32326272 贴片电阻 RC0805FR-072K7 0805-2.7KΩ±1% (ROHS) PCS 1 R15 32426332 贴片电阻 RC0805FR-073K3 0805-3K3±1%, ROHS PCS 1 R20 32603001 贴片IC T1064 驱动芯片T1064(SOP-8) PCS 1 U4	31034051	接插件	1124S 2PIN	2PIN插座, 间距: 2.0, 180度	PCS	1	J 4
32325512 贴片电阻 RC-05K512JT 0805-5.1KΩ, 精度5% ROHS PCS 1 R21 32326272 贴片电阻 RC0805FR-072K7 0805-2.7KΩ±1% (ROHS) PCS 1 R15 32426332 贴片电阻 RC0805FR-073K3 0805-3K3±1%, ROHS PCS 1 R20 32603001 贴片IC T1064 驱动芯片T1064(SOP-8) PCS 1 U4	31507001	炖 <u></u> 竺	1N4004	IN4004	PCS	1	D2
32426332 贴片电阻 RC0805FR-073K3 0805-3K3±1%, ROHS PCS 1 R20 32603001 贴片IC T1064 驱动芯片T1064(SOP-8) PCS 1 U4			RC-05K512JT	0805-5.1KΩ,精度5% ROHS	PCS	1	R21
32603001 贴片IC T1064 驱动芯片T1064(SOP-8) PCS 1 U4	32326272	贴片电阻	RC0805FR-072K7	$0805-2.7$ K Ω ± 1 % (ROHS)	PCS	1	R15
	32426332	贴片电阻	RC0805FR-073K3	$0805-3K3\pm1\%$, ROHS	PCS	1	R20
32609001 ^{购万二枚} LULIIC6015 LMBT5551LT1G(SOT-23) PCS 2 V1, V2	32603001	贴片IC	T1064	驱动芯片T1064(SOP-8)	PCS	1	U4
	32609001	<u> </u>	LULIIC6015	LMBT5551LT1G (SOT-23)	PCS	2	V1, V2

32615001	钽电容	TAJD107K016R	100UF/16V,精度+-10%(D型), ROHS	PCS	1	C1
32625362	贴片电阻	RC-0805JR-073K6	0805 –3. 6K $\Omega \pm 5\%$ (ROHS)	PCS	1	R16
32643001	色环电感	AL0410-2.2MH 1/2W	AL0410-2.2MH 1/2W色环电感	PCS	2	L2, L3
32645001	液晶屏LCD	HTG12864C	COG模式液晶显示模块	PCS	1	
32645002	背光源	EL背光片	EL背光片(兰色) 31MM*39MM	PCS	1	U5
32646001	拔动开关	MSK-12C02	拨动开关MSK-12C02	PCS	1	SW1
32653008	塑胶件	图号: V2ST-P008	LCD支架,,ABS,原色	PCS	1	
32653010	塑胶件	图号: V2ST-A001	EVA海棉,黑	PCS	1	
32660001	PCB板	JL-V2 V1.005	V2 学生机(教师机)PCB板 V1.005 ROHS	PCS	1	
32690001	金属件	XF1	锅仔片130克力Φ5mm x 7PCS	PCS	1	F2
32690002	金属件	XF2	锅仔片130克力Φ5mm x 3PCS	PCS	1	F1
32690003	金属件	XF3	锅仔片130克力Φ5mm x 14PCS	PCS	1	F3