


Test Date	2017/03/02	Temp./Hum.	24°C/56%
Mode	902 11 - JUIT20	UNII Band	II-2A
	802.11ac-VHT20	Frequency	TX 5260MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	










Test Date	2017/03/02	Temp./Hum.	24°C/56%
Mode 802.11ac-VHT20	902 11 - JUIT20	UNII Band	II-2A
	802.11ac-VH120	Frequency	TX 5300MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/02	Temp./Hum.	24°C/56%
Mode 80	902 11 VIIIT20	UNII Band	II-2A
	802.11ac-VHT20	Frequency	TX 5320MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	II-2C
		Frequency	TX 5500MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	II-2C
		Frequency	TX 5600MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	II-2C
		Frequency	TX 5700MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode 802.11ac-VF	902 11 - JUIT20	UNII Band	II-2C
	802.11ac-VH120	Frequency	TX 5720MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode 802.11ac-VH7	002.11 XIIIT20	UNII Band	III
	802.11ac-VH120	Frequency	TX 5745MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)			3










Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode 802.11	902 11 VIIT20	UNII Band	III
	802.11ac-VHT20	Frequency	TX 5785MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT20	UNII Band	III
		Frequency	TX 5825MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode 802.	002 11 - VIIIT40	UNII Band	I
	802.11ac-VHT40	Frequency	TX 5190MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)			3











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode 802.11ac-VHT40	002 11 371740	UNII Band	I
	802.11ac-VH140	Frequency	TX 5230MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)			3











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2A
		Frequency	TX 5270MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2A
Mode	802.11ac-VH140	Frequency	TX 5310MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2C
		Frequency	TX 5510MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2C
		Frequency	TX 5590MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	









Test Date	2017/03/03	Temp./Hum.	25°C/55%
Mode	802.11ac-VHT40	UNII Band	II-2C
		Frequency	TX 5670MHz
Cable Loss	4dB	Test Voltage	AC 120V, 60Hz (with Docking via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	

