




29 2:23 PM






29 2:24 PM





29 2:24 PM





29 2:24 PM





CONDITIONS  
1. THE DEVICE MUST NOT CAUSE HARMFUL  
INTERFERENCE TO ANY CAUSE  
2. THIS DEVICE MUST NOT ACCEPT ANY  
INTERFERENCE FROM ANY CAUSE  
UNLESS IT IS SPECIFICALLY  
DESIGNED TO DO SO  
TUNING INSTRUCTIONS  
1. LOCATE AN UN-USED FREQUENCY  
ABOVE 1000 MHz ON THE AM DIAL  
2. SET THE DIP SWITCH SO THAT THE  
ON SWITCH VALUES ADD UP TO THE  
CHOSEN FREQUENCY. SWITCH VALUES  
ARE AS FOLLOWS ON EACH  
101000 200000 300000 400000  
500000 600000 700000 800000  
3. TURN THE INDICATOR TO FIND A SPOT  
WHERE BOTH LEDS ILLUMINATE.  
4. TURN THE INDICATOR CW UNTIL THE  
RED LED EXTINGUISHES.  
CAUTION: OPERATING WITH THE RED LED  
ILLUMINATED IS IN VIOLATION OF FCC  
REGULATIONS.  
DISTRIBUTION  
FCC ID  
S/N  
MODEL Q-100A DATE  
MANUFACTURED BY GRAY INDUSTRIES



6 11942 03190 0





29 2:28 PM