



深圳市斯达特科技有限公司

Shenzhen PC-PEN Co.Ltd

Tel:+ 86-755-83995718 Fax:+ 86-755-83995708

Addu:12A01 Leizhen Building Funimg Rd,Shenzhen China

1. Run Starter pen Driver

Insert the starter pen Driver into your DVD/CD-ROM

Run “Setup .exe” from CD-ROM to install the driver and follow the steps on the screen until finish.

2. Plug the USB cable into the USB port of your computer.

When you plug the USB cable ,an icon as follow will appear at the right corner of the computer screen to indicate the pen working mode:

Mouse Mode



Press the icon then the pen will work in fully function of mouse.

Press the speed control button on the pen to choose the move speed of the mouse pen.

Pen Mode



Press the icon then the pen will work as a real pen.

Press the pen nib and you can write or draw on word ,excel, power point, outlook and other office 2003/2007 tools.

Press the speed control button on the pen to choose a suitable level from three different levers ,to change the writing speed and word size.

(If it's a wireless laser mouse pen, before use it, Please insert the pen into the pen stand to charge until the light on the pen stand turn green, then turn the power switch to “ON” position.)

Appending:

Please reinstall your office 2003 to “complete install” type if your system is Windows XP.

It is unnecessary to reinstall if you have complete installed your office 2003 .

1.This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received,

including interference that may cause undesired operation.

2 .Changes or modifications not expressly approved by the party responsible

for compliance

could void the user's authority to operate the equipment.

Other relevant information**System requirements**

| | |
|------------------|---|
| Operating system | Microsoft Windows 98SE/ME/2000/2003/XP/ Vista/Mac |
| CPU speed | Above Pentium III 1.0 GHZ |
| interface | Available USB2.0 port |
| memory | Above 256m memory |
| driver | CD-ROM /DVD-ROM (For installing driver software) |
| screen | Multicolor screen |

Specification

| | |
|-------------------------|--|
| type | PC-PEN (T-20) |
| Frequency | 2.4GHz (2408 - 2472 MHz; 9 channels) |
| Valid distance | Without obstacle:50M;with obstacle: 15M |
| resolution | 800DPI/400DPI/300DPI |
| Valid inspect angle | 30° -150° |
| Valid handwriting angle | 50° -90° |
| power | USB port (DV 5V) |
| Consumption power | Max:0.2W |
| Input power | Max:500mA |
| Battery | Li-Polymer DC3.7V, 300mA |
| Usage life | 5.5hours |
| Standby time | 26hours |
| size | 155mm (length) *26mm (diameter) *29mm (height) |
| weight | At most 50g (exclude USB wire) |
| Antenna | Built-in antenna 1.0dBi |
| RF modulation | GFSK |