Instruction

Components + Features / Functions

SD Card Slot
Motion Sensor
SW1- SW5
2 speakers
DC IN Slot
USB Slot
Power switch
Led for Power consumption indicator
Volume Controls
Brightness
Play Mode (Loop 1, Loop All, Loop None)

Operations:


- Once batteries are inserted and then slide the power switch to "on" position, a loading screen appears on the screen (it's a jpeg format, content depends on different client), approximately 2.5 seconds after the switch has been moved to the On position, AV0 automatically play, once the file is finished playing the unit goes immediately into standby mode for 30 seconds, then it goes into sleep mode until a chapter button is pressed or the motion sensor is being active.
- Once batteries are inserted and then slide the power switch to "on" position, a loading screen appears on the screen (it's a jpeg format, content depends on different client), approximately 2.5 seconds after the switch has been moved to the On position, the unit goes immediately into standby mode for 30 seconds if there is no motion sensor connected. then it goes into sleep mode until a chapter button is pressed or the motion sensor is being active.
- Motion Sensor Plays 0.AVI file only, it doesn't work during the playback and standby.

- The function of AV0 override via any chapter button.
- At any point in time while a video is playing, you may pause the playback for 30 seconds by simply pressing the
 current button once. To continue play back you can press the current button once. If the current button is not
 pressed again, the video will resume playback automatically in 30 seconds
- During the sleep mode, once a chapter button is pressed or the motion sensor is being active, the file plays.
 Once the file is finished playing the unit goes immediately into standby mode for 30 seconds, then it goes into sleep mode.
- SW1 SW5 switches Play 1.avi 5 .avi. IF the illuminated type is connected, the ports will flash 1 5 sequentially *SEE FLASHING FLOWCHART ON PAGE 4*
- The unit should be powered by 8D batteries and ideally match 12 volts.
- The unit include a battery level icon/indicator per the sample
- The unit include a counter option that counts how many time a chapter button has been pressed

FCC Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Button Flash Sequence



FCC information to the user

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving ante	nna.
--	------

- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.

Caution: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.