1 Annex A – Test setup


1.1 List of Pictures

Picture 1: EUT test setup radiated emission With pre-measurements was the worst case test setup determined (9kHz to 30MHz)	
Picture 2: EUT test setup radiated emission test at open site (30MHz to 1000MHz)	
Picture 3: Open site antenna view (30MHz to 1000MHz)	3
Picture 4: EUT test setup conducted emission test (front view)	3



EMV TESTHAUS GmbH Gustav-Hertz-Straße 35 94315 Straubing Germany Revision: 1.0 Elatec GmbH

RFID reader TWN4 Mifare NFC



Picture 1: EUT test setup radiated emission
With pre-measurements was the worst case test setup determined (9kHz to 30MHz)



Picture 2: EUT test setup radiated emission test at open site (30MHz to 1000MHz)



EMV TESTHAUS GmbH Gustav-Hertz-Straße 35 94315 Straubing Germany Revision: 1.0 Elatec GmbH

RFID reader TWN4 Mifare NFC

120072-AU02+W01 Annex A_V3

Page 2 of 3



Picture 3: Open site antenna view (30MHz to 1000MHz)



Picture 4: EUT test setup conducted emission test (front view)



EMV **TESTHAUS** GmbH Gustav-Hertz-Straße 35 94315 Straubing Germany Revision: 1.0 Elatec GmbH

RFID reader TWN4 Mifare NFC

120072-AU02+W01 Annex A_V3