

History

VER 1.0 2005/02/22

First formal release.

VER 1.1 2005/10/12

1. Changed R21 from 10K to 0 ohm.

2. Changed R25 from 1M to 20K.

VER 1.2 2006/08/17

1. Added chip version and schematic option table

2. Modify poly-fuse circuit

GL850A 48pin HUB chip version and schematic option

GL850A - 03	1.The down port must mount 15K resistor. (R17,R18,R19,R20,R23,R24,R26,R27) 2. must mount 1M resistor on the Crystal. (R6)
GL850A - 06	1. Remove R6,R17,R18,R19,R20,R23,R24,R26,R27



GENESYS LOGIC, INC.

Title

GL850A History

Size
B







Document Number

USB2.0 4-Port Hub Controller

Rev
1.2

Date: Friday, August 18, 2006






Sheet 1 of 3



Title		
GL850A LQFP 48		
Size	Document Number	Rev
B	USB 2.0 HUB	1.2
Date:	Friday, August 18, 2006	Sheet 2 of 3

POWER CIRCUIT

NOTE: PLEASE USE 5V POWER SWITCH ADAPTER



Title GL850A LQFP 48			
Size B	Document Number USB 2.0 HUB		Rev 1.2
Date:	Friday, August 18, 2006	Sheet 3 of 3	