#05 Right Cheek_GSM850 Ch128

DUT: 952506

Communication System: GSM850; Frequency: 824.2 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090701 Medium parameters used: f = 824.2 MHz; $\sigma = 0.907$ mho/m; $\epsilon_r = 41.8$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.4; Liquid Temperature: 21.2

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(6.26, 6.26, 6.26); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn778; Calibrated: 2008/9/22
- Phantom: SAM Front; Type: SAM; Serial: TP-1446
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch128/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.487 mW/g


Ch128/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.1 V/m; Power Drift = -0.145 dB

Peak SAR (extrapolated) = 0.575 W/kg

SAR(1 g) = 0.445 mW/g; SAR(10 g) = 0.303 mW/g

Maximum value of SAR (measured) = 0.481 mW/g



#05 Right Cheek_GSM850 Ch128_2D

DUT: 952506

Communication System: GSM850; Frequency: 824.2 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090701 Medium parameters used : f = 824.2 MHz; $\sigma = 0.907$ mho/m; $\epsilon_r = 41.8$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.4; Liquid Temperature: 21.2

DASY5 Configuration:

- Probe: ET3DV6 - SN1787; ConvF(6.26, 6.26, 6.26); Calibrated: 2009/5/26

- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn778; Calibrated: 2008/9/22
- Phantom: SAM Front; Type: SAM; Serial: TP-1446
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch128/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm


Maximum value of SAR (interpolated) = 0.487 mW/g

Ch128/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.1 V/m; Power Drift = -0.145 dB

Peak SAR (extrapolated) = 0.575 W/kg

SAR(1 g) = 0.445 mW/g; SAR(10 g) = 0.303 mW/gMaximum value of SAR (measured) = 0.481 mW/g



#02 Right Tilted_GSM850 Ch189

DUT: 952506

Communication System: GSM850; Frequency: 836.4 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090701 Medium parameters used: f = 836.4 MHz; $\sigma = 0.918$ mho/m; $\varepsilon_r = 41.7$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.3 ; Liquid Temperature: 21.2

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(6.26, 6.26, 6.26); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn778; Calibrated: 2008/9/22
- Phantom: SAM Front; Type: SAM; Serial: TP-1446
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch189/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.158 mW/g

Ch189/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.3 V/m; Power Drift = -0.095 dB

Peak SAR (extrapolated) = 0.183 W/kg

SAR(1 g) = 0.149 mW/g; SAR(10 g) = 0.109 mW/g

Maximum value of SAR (measured) = 0.158 mW/g


Ch189/Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.3 V/m; Power Drift = -0.095 dB

Peak SAR (extrapolated) = 0.179 W/kg

SAR(1 g) = 0.104 mW/g; SAR(10 g) = 0.065 mW/g

Maximum value of SAR (measured) = 0.128 mW/g



#03 Left Cheek_GSM850 Ch189

DUT: 952506

Communication System: GSM850; Frequency: 836.4 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090701 Medium parameters used: f = 836.4 MHz; $\sigma = 0.918$ mho/m; $\epsilon_r = 41.7$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.3; Liquid Temperature: 21.2

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(6.26, 6.26, 6.26); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn778; Calibrated: 2008/9/22
- Phantom: SAM Front; Type: SAM; Serial: TP-1446
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch189/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.413 mW/g


Ch189/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 9.51 V/m; Power Drift = -0.116 dB

Peak SAR (extrapolated) = 0.516 W/kg

SAR(1 g) = 0.391 mW/g; SAR(10 g) = 0.262 mW/g

Maximum value of SAR (measured) = 0.423 mW/g



#04 Left Tilted_GSM850 Ch189

DUT: 952506

Communication System: GSM850; Frequency: 836.4 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090701 Medium parameters used: f = 836.4 MHz; $\sigma = 0.918$ mho/m; $\varepsilon_r = 41.7$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.3; Liquid Temperature: 21.2

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(6.26, 6.26, 6.26); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn778; Calibrated: 2008/9/22
- Phantom: SAM Front; Type: SAM; Serial: TP-1446
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch189/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.138 mW/g

Ch189/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.5 V/m; Power Drift = -0.039 dB

Peak SAR (extrapolated) = 0.159 W/kg

SAR(1 g) = 0.128 mW/g; SAR(10 g) = 0.093 mW/g

Maximum value of SAR (measured) = 0.135 mW/g


Ch189/Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.5 V/m; Power Drift = -0.039 dB

Peak SAR (extrapolated) = 0.168 W/kg

SAR(1 g) = 0.085 mW/g; SAR(10 g) = 0.056 mW/g

Maximum value of SAR (measured) = 0.100 mW/g



#11 Right Cheek_GSM1900 Ch512

DUT: 952506

Communication System: PCS; Frequency: 1850.2 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090701 Medium parameters used: f = 1850.2 MHz; $\sigma = 1.41$ mho/m; $\epsilon_r = 38.2$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.3; Liquid Temperature: 21.4

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(5.12, 5.12, 5.12); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn778; Calibrated: 2008/9/22
- Phantom: SAM-Back; Type: QD 000 P40 C; Serial: TP-1383
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch512/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.190 mW/g


Ch512/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.9 V/m; Power Drift = -0.092 dB

Peak SAR (extrapolated) = 0.254 W/kg

SAR(1 g) = 0.166 mW/g; SAR(10 g) = 0.105 mW/g

Maximum value of SAR (measured) = 0.179 mW/g



#11 Right Cheek_GSM1900 Ch512_2D

DUT: 952506

Communication System: PCS; Frequency: 1850.2 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090701 Medium parameters used: f = 1850.2 MHz; $\sigma = 1.41$ mho/m; $\epsilon_r = 38.2$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.3; Liquid Temperature: 21.4

DASY5 Configuration:

- Probe: ET3DV6 - SN1787; ConvF(5.12, 5.12, 5.12); Calibrated: 2009/5/26

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE4 Sn778; Calibrated: 2008/9/22

- Phantom: SAM-Back; Type: QD 000 P40 C; Serial: TP-1383

- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125


Ch512/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.190 mW/g

Ch512/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.9 V/m; Power Drift = -0.092 dB

Peak SAR (extrapolated) = 0.254 W/kg

SAR(1 g) = 0.166 mW/g; SAR(10 g) = 0.105 mW/gMaximum value of SAR (measured) = 0.179 mW/g



#08 Right Tilted_GSM1900 Ch661

DUT: 952506

Communication System: PCS; Frequency: 1880 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090701 Medium parameters used: f = 1880 MHz; $\sigma = 1.44$ mho/m; $\epsilon_r = 38.1$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.5; Liquid Temperature: 21.4

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(5.12, 5.12, 5.12); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn778; Calibrated: 2008/9/22
- Phantom: SAM-Back; Type: QD 000 P40 C; Serial: TP-1383
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch661/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.089 mW/g


Ch661/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 5.31 V/m; Power Drift = 0.180 dB

Peak SAR (extrapolated) = 0.118 W/kg

SAR(1 g) = 0.082 mW/g; SAR(10 g) = 0.051 mW/g

Maximum value of SAR (measured) = 0.086 mW/g



#09 Left Cheek_GSM1900 Ch661

DUT: 952506

Communication System: PCS; Frequency: 1880 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090701 Medium parameters used: f = 1880 MHz; $\sigma = 1.44$ mho/m; $\epsilon_r = 38.1$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.4; Liquid Temperature: 21.4

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(5.12, 5.12, 5.12); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn778; Calibrated: 2008/9/22
- Phantom: SAM-Back; Type: QD 000 P40 C; Serial: TP-1383
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch661/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.148 mW/g

Ch661/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.76 V/m; Power Drift = 0.086 dB

Peak SAR (extrapolated) = 0.193 W/kg

SAR(1 g) = 0.123 mW/g; SAR(10 g) = 0.078 mW/g

Maximum value of SAR (measured) = 0.133 mW/g


Ch661/Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.76 V/m; Power Drift = 0.086 dB

Peak SAR (extrapolated) = 0.152 W/kg

SAR(1 g) = 0.096 mW/g; SAR(10 g) = 0.061 mW/g

Maximum value of SAR (measured) = 0.101 mW/g



#10 Left Tilted_GSM1900 Ch661

DUT: 952506

Communication System: PCS; Frequency: 1880 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090701 Medium parameters used: f = 1880 MHz; $\sigma = 1.44$ mho/m; $\epsilon_r = 38.1$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.5; Liquid Temperature: 21.4

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(5.12, 5.12, 5.12); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn778; Calibrated: 2008/9/22
- Phantom: SAM-Back; Type: QD 000 P40 C; Serial: TP-1383
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch661/Area Scan (51x141x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.082 mW/g

Ch661/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.33 V/m; Power Drift = 0.051 dB

Peak SAR (extrapolated) = 0.105 W/kg

SAR(1 g) = 0.073 mW/g; SAR(10 g) = 0.045 mW/g

Maximum value of SAR (measured) = 0.079 mW/g


Ch661/Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.33 V/m; Power Drift = 0.051 dB

Peak SAR (extrapolated) = 0.121 W/kg

SAR(1 g) = 0.061 mW/g; SAR(10 g) = 0.028 mW/g

Maximum value of SAR (measured) = 0.065 mW/g



#13 GSM850_GSM_Face_1.5cm_Ch189

DUT: 952506

Communication System: GSM850; Frequency: 836.4 MHz; Duty Cycle: 1:8.3

Medium: MSL_850_090701 Medium parameters used: f = 836.4 MHz; $\sigma = 0.98$ mho/m; $\epsilon_r = 52.6$; $\rho = 1000$

 kg/m^3


Ambient Temperature: 22.4; Liquid Temperature: 21.6

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(6.09, 6.09, 6.09); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2008/11/12
- Phantom: SAM Front; Type: SAM; Serial: TP-1446
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch189/Area Scan (51x81x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.191 mW/g

Ch189/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference Value = 14 V/m; Power Drift = -0.120 dB Peak SAR (extrapolated) = 0.231 W/kg SAR(1 g) = 0.180 mW/g; SAR(10 g) = 0.131 mW/g Maximum value of SAR (measured) = 0.190 mW/g



#16 GSM850_GSM_Bottom_1.5cm_Ch251

DUT: 952506

Communication System: GSM850; Frequency: 848.8 MHz; Duty Cycle: 1:8.3

Medium: MSL_850_090701 Medium parameters used: f = 849 MHz; $\sigma = 0.993$ mho/m; $\epsilon_r = 52.5$; $\rho = 1000$

 kg/m^3


Ambient Temperature: 22.6; Liquid Temperature: 21.6

DASY5 Configuration:

- Probe: ET3DV6 SN1787; ConvF(6.09, 6.09, 6.09); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2008/11/12
- Phantom: SAM Front; Type: SAM; Serial: TP-1446
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch251/Area Scan (51x81x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.548 mW/g

Ch251/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference Value = 21.4 V/m; Power Drift = -0.082 dB Peak SAR (extrapolated) = 0.703 W/kg SAR(1 g) = 0.483 mW/g; SAR(10 g) = 0.339 mW/g Maximum value of SAR (measured) = 0.506 mW/g



#16 GSM850_GSM_Bottom_1.5cm_Ch251_2D

DUT: 952506

Communication System: GSM850; Frequency: 848.8 MHz; Duty Cycle: 1:8.3

Medium: MSL_850_090701 Medium parameters used: f = 849 MHz; $\sigma = 0.993$ mho/m; $\epsilon_r = 52.5$; $\rho = 1000$

 kg/m^3

Ambient Temperature: 22.6; Liquid Temperature: 21.6

DASY5 Configuration:

- Probe: ET3DV6 - SN1787; ConvF(6.09, 6.09, 6.09); Calibrated: 2009/5/26

- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2008/11/12
- Phantom: SAM Front; Type: SAM; Serial: TP-1446
- Measurement SW: DASY5, V5.0 Build 125; SEMCAD X Version 13.4 Build 125

Ch251/Area Scan (51x81x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.548 mW/g


Ch251/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 21.4 V/m; Power Drift = -0.082 dB

Peak SAR (extrapolated) = 0.703 W/kg

SAR(1 g) = 0.483 mW/g; SAR(10 g) = 0.339 mW/g

Maximum value of SAR (measured) = 0.506 mW/g



#17 GSM1900_GSM_Face_1.5cm_Ch661

DUT: 952506

Communication System: PCS; Frequency: 1880 MHz; Duty Cycle: 1:8.3

Medium: MSL_1900_090702 Medium parameters used: f = 1880 MHz; $\sigma = 1.54$ mho/m; $\epsilon_r = 51.6$; ρ

Date: 2009/7/2

 $= 1000 \text{ kg/m}^3$

Ambient Temperature: 22.9; Liquid Temperature: 21.3

DASY4 Configuration:

- Probe: ET3DV6 SN1787; ConvF(4.49, 4.49, 4.49); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2008/11/12
- Phantom: SAM-Right; Type: QD 000 P40 C; Serial: TP-1383
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch661/Area Scan (51x81x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.147 mW/g


Ch661/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 3.75 V/m; Power Drift = -0.118 dB

Peak SAR (extrapolated) = 0.194 W/kg

SAR(1 g) = 0.135 mW/g; SAR(10 g) = 0.085 mW/g

Maximum value of SAR (measured) = 0.147 mW/g



#18 GSM1900_GSM_Bottom_1.5cm_Ch661

DUT: 952506

Communication System: PCS; Frequency: 1880 MHz; Duty Cycle: 1:8.3

Medium: MSL_1900_090702 Medium parameters used: f = 1880 MHz; σ = 1.54 mho/m; ϵ_r = 51.6; ρ

Date: 2009/7/2

 $= 1000 \text{ kg/m}^3$

Ambient Temperature: 22.9; Liquid Temperature: 21.3

DASY4 Configuration:

- Probe: ET3DV6 SN1787; ConvF(4.49, 4.49, 4.49); Calibrated: 2009/5/26
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2008/11/12
- Phantom: SAM-Right; Type: QD 000 P40 C; Serial: TP-1383
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch661/Area Scan (51x81x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.626 mW/g


Ch661/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 8.81 V/m; Power Drift = -0.041 dB

Peak SAR (extrapolated) = 0.836 W/kg

SAR(1 g) = 0.566 mW/g; SAR(10 g) = 0.332 mW/g

Maximum value of SAR (measured) = 0.626 mW/g



#18 GSM1900_GSM_Bottom_1.5cm_Ch661_2D

DUT: 952506

Communication System: PCS; Frequency: 1880 MHz; Duty Cycle: 1:8.3

Medium: MSL 1900 090702 Medium parameters used: f = 1880 MHz; $\sigma = 1.54$ mho/m; $\varepsilon_r = 51.6$;

Date: 2009/7/2

 $\rho = 1000 \text{ kg/m}^3$

Ambient Temperature: 22.9; Liquid Temperature: 21.3

DASY4 Configuration:

- Probe: ET3DV6 - SN1787; ConvF(4.49, 4.49, 4.49); Calibrated: 2009/5/26

- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn577; Calibrated: 2008/11/12
- Phantom: SAM-Right; Type: QD 000 P40 C; Serial: TP-1383
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch661/Area Scan (51x81x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.626 mW/g

Ch661/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm Reference Value = 8.81 V/m; Power Drift = -0.041 dB

Peak SAR (extrapolated) = 0.836 W/kg

SAR(1 g) = 0.566 mW/g; SAR(10 g) = 0.332 mW/gMaximum value of SAR (measured) = 0.626 mW/g

