#06 GSM850_Right Cheek_CH251

DUT: 951106

Communication System: GSM850; Frequency: 848.8 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090512 Medium parameters used: f = 849 MHz; $\sigma = 0.91$ mho/m; $\varepsilon_r = 41.1$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.4; Liquid Temperature: 21.4

DASY4 Configuration:

- Probe: ET3DV6 - SN1788; ConvF(6.55, 6.55, 6.55); Calibrated: 2008/9/23

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE4 Sn778; Calibrated: 2008/9/22

- Phantom: SAM-Right; Type: QD 000 P40 C; Serial: TP-1383

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch251/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.74 mW/g


Ch251/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 18.3 V/m; Power Drift = -0.007 dB

Peak SAR (extrapolated) = 1.93 W/kg

SAR(1 g) = 1.57 mW/g; SAR(10 g) = 1.11 mW/g

Maximum value of SAR (measured) = 1.65 mW/g



#06 GSM850_Right Cheek_CH251_2D

DUT: 951106

Communication System: GSM850; Frequency: 848.8 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090512 Medium parameters used: f = 849 MHz; $\sigma = 0.91$ mho/m; $\varepsilon_r = 41.1$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.4; Liquid Temperature: 21.4

DASY4 Configuration:

- Probe: ET3DV6 - SN1788; ConvF(6.55, 6.55, 6.55); Calibrated: 2008/9/23

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE4 Sn778; Calibrated: 2008/9/22

- Phantom: SAM-Right; Type: QD 000 P40 C; Serial: TP-1383

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch251/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm


Maximum value of SAR (interpolated) = 1.74 mW/g

Ch251/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 18.3 V/m; Power Drift = -0.007 dB

Peak SAR (extrapolated) = 1.93 W/kg

SAR(1 g) = 1.57 mW/g; SAR(10 g) = 1.11 mW/gMaximum value of SAR (measured) = 1.65 mW/g



#02 GSM850_Right Tilted_CH189

DUT: 951106

Communication System: GSM850; Frequency: 836.4 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090514 Medium parameters used: f = 836.4 MHz; $\sigma = 0.898$ mho/m; $\varepsilon_r = 41.3$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.6; Liquid Temperature: 21.4

DASY4 Configuration:

- Probe: ET3DV6 - SN1788; ConvF(6.55, 6.55, 6.55); Calibrated: 2008/9/23

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE4 Sn778; Calibrated: 2008/9/22

- Phantom: SAM-Right; Type: QD 000 P40 C; Serial: TP-1383

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch189/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.774 mW/g


Ch189/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 21.4 V/m; Power Drift = -0.155 dB

Peak SAR (extrapolated) = 0.890 W/kg

SAR(1 g) = 0.733 mW/g; SAR(10 g) = 0.531 mW/g

Maximum value of SAR (measured) = 0.775 mW/g



#08 GSM850_Left Cheek_CH251

DUT: 951106

Communication System: GSM850; Frequency: 848.8 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090514 Medium parameters used: f = 849 MHz; $\sigma = 0.91$ mho/m; $\varepsilon_r = 41.1$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.6; Liquid Temperature: 21.4

DASY4 Configuration:

- Probe: ET3DV6 - SN1788; ConvF(6.55, 6.55, 6.55); Calibrated: 2008/9/23

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE4 Sn778; Calibrated: 2008/9/22

- Phantom: SAM-Right; Type: QD 000 P40 C; Serial: TP-1383

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch251/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.64 mW/g


Ch251/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 18.1 V/m; Power Drift = -0.101 dB

Peak SAR (extrapolated) = 1.88 W/kg

SAR(1 g) = 1.52 mW/g; SAR(10 g) = 1.07 mW/g

Maximum value of SAR (measured) = 1.64 mW/g



#04 GSM850_Left Tilted_CH189

DUT: 951106

Communication System: GSM850; Frequency: 836.4 MHz; Duty Cycle: 1:8.3

Medium: HSL_850_090514 Medium parameters used: f = 836.4 MHz; $\sigma = 0.898$ mho/m; $\varepsilon_r = 41.3$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.5; Liquid Temperature: 21.4

DASY4 Configuration:

- Probe: ET3DV6 - SN1788; ConvF(6.55, 6.55, 6.55); Calibrated: 2008/9/23

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE4 Sn778; Calibrated: 2008/9/22

- Phantom: SAM-Right; Type: QD 000 P40 C; Serial: TP-1383

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch189/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.734 mW/g


Ch189/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 21.8 V/m; Power Drift = -0.025 dB

Peak SAR (extrapolated) = 0.847 W/kg

SAR(1 g) = 0.684 mW/g; SAR(10 g) = 0.494 mW/g

Maximum value of SAR (measured) = 0.736 mW/g



#14 GSM1900_Right Cheek_CH810

DUT: 951106

Communication System: PCS; Frequency: 1909.8 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090514 Medium parameters used: f = 1910 MHz; $\sigma = 1.44$ mho/m; $\varepsilon_r = 39$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.3 ; Liquid Temperature: 21.5

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(8.16, 8.16, 8.16); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: SAM-Left; Type: QD 000 P40 C; Serial: TP-1477

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch810/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.15 mW/g

Ch810/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 8.28 V/m; Power Drift = -0.085 dB

Peak SAR (extrapolated) = 2.03 W/kg

SAR(1 g) = 1.02 mW/g; SAR(10 g) = 0.485 mW/g

Maximum value of SAR (measured) = 1.14 mW/g


Ch810/Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 8.28 V/m; Power Drift = -0.085 dB

Peak SAR (extrapolated) = 1.63 W/kg

SAR(1 g) = 0.807 mW/g; SAR(10 g) = 0.419 mW/g

Maximum value of SAR (measured) = 0.886 mW/g



#10 GSM1900_Right Tilted_CH661

DUT: 951106

Communication System: PCS; Frequency: 1880 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090514 Medium parameters used: f = 1880 MHz; σ = 1.41 mho/m; $ε_r = 39.1$; ρ = 1000 kg/m³

Ambient Temperature: 22.3; Liquid Temperature: 21.5

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(8.16, 8.16, 8.16); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: SAM-Left; Type: QD 000 P40 C; Serial: TP-1477

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch661/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.277 mW/g


Ch661/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.4 V/m; Power Drift = -0.116 dB

Peak SAR (extrapolated) = 0.367 W/kg

SAR(1 g) = 0.231 mW/g; SAR(10 g) = 0.137 mW/g

Maximum value of SAR (measured) = 0.247 mW/g



#16 GSM1900_Left Cheek_CH810

DUT: 951106

Communication System: PCS; Frequency: 1909.8 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090514 Medium parameters used: f = 1910 MHz; $\sigma = 1.44$ mho/m; $\varepsilon_r = 39$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.3; Liquid Temperature: 21.5

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(8.16, 8.16, 8.16); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: SAM-Left; Type: QD 000 P40 C; Serial: TP-1477

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch810/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.10 mW/g

Ch810/Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 9.85 V/m; Power Drift = -0.079 dB

Peak SAR (extrapolated) = 2.11 W/kg

SAR(1 g) = 1.09 mW/g; SAR(10 g) = 0.560 mW/g

Maximum value of SAR (measured) = 1.25 mW/g


Ch810/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 9.85 V/m; Power Drift = -0.079 dB

Peak SAR (extrapolated) = 1.76 W/kg

SAR(1 g) = 1.03 mW/g; SAR(10 g) = 0.541 mW/g

Maximum value of SAR (measured) = 1.09 mW/g



#16 GSM1900_Left Cheek_CH810_2D

DUT: 951106

Communication System: PCS; Frequency: 1909.8 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090514 Medium parameters used: f = 1910 MHz; $\sigma = 1.44$ mho/m; $\varepsilon_r = 39$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.3; Liquid Temperature: 21.5

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(8.16, 8.16, 8.16); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: SAM-Left; Type: QD 000 P40 C; Serial: TP-1477

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch810/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 1.10 mW/g

Ch810/Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 9.85 V/m; Power Drift = -0.079 dB

Peak SAR (extrapolated) = 2.11 W/kg

SAR(1 g) = 1.09 mW/g; SAR(10 g) = 0.560 mW/g

Maximum value of SAR (measured) = 1.25 mW/g


Ch810/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 9.85 V/m; Power Drift = -0.079 dB

Peak SAR (extrapolated) = 1.76 W/kg

SAR(1 g) = 1.03 mW/g; SAR(10 g) = 0.541 mW/g

Maximum value of SAR (measured) = 1.09 mW/g



#12 GSM1900_Left Tilted_CH661

DUT: 951106

Communication System: PCS; Frequency: 1880 MHz; Duty Cycle: 1:8.3

Medium: HSL_1900_090514 Medium parameters used: f = 1880 MHz; σ = 1.41 mho/m; $ε_r = 39.1$; ρ = 1000 kg/m³

Ambient Temperature: 22.4; Liquid Temperature: 21.5

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(8.16, 8.16, 8.16); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: SAM-Left; Type: QD 000 P40 C; Serial: TP-1477

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch661/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.234 mW/g


Ch661/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.5 V/m; Power Drift = 0.011 dB

Peak SAR (extrapolated) = 0.319 W/kg

SAR(1 g) = 0.204 mW/g; SAR(10 g) = 0.121 mW/g

Maximum value of SAR (measured) = 0.215 mW/g



#22 GSM850_Face_15mm_CH189

DUT: 951106

Communication System: GSM850; Frequency: 836.4 MHz; Duty Cycle: 1:8.3

Medium: MSL_850_090519 Medium parameters used : f = 836.4 MHz; σ = 0.985 mho/m; $ε_r = 54.4$; ρ = 1000 kg/m³

Ambient Temperature: 22.4; Liquid Temperature: 21.7

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(9.41, 9.41, 9.41); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: SAM-Left; Type: QD 000 P40 C; Serial: TP-1477

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch189/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.700 mW/g


Ch189/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 13.5 V/m; Power Drift = 0.001 dB

Peak SAR (extrapolated) = 0.920 W/kg

SAR(1 g) = 0.664 mW/g; SAR(10 g) = 0.469 mW/g

Maximum value of SAR (measured) = 0.704 mW/g



#24 GSM850_Bottom_15mm_CH251

DUT: 951106

Communication System: GSM850; Frequency: 848.8 MHz; Duty Cycle: 1:8.3

Medium: MSL_850_090519 Medium parameters used: f = 849 MHz; $\sigma = 0.997$ mho/m; $\varepsilon_r = 54.3$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.4; Liquid Temperature: 21.7

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(9.41, 9.41, 9.41); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: SAM-Left; Type: QD 000 P40 C; Serial: TP-1477

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch251/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.839 mW/g


Ch251/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 13.2 V/m; Power Drift = -0.015 dB

Peak SAR (extrapolated) = 1.10 W/kg

SAR(1 g) = 0.786 mW/g; SAR(10 g) = 0.545 mW/g

Maximum value of SAR (measured) = 0.833 mW/g



#24 GSM850_Bottom_15mm_CH251_2D

DUT: 951106

Communication System: GSM850; Frequency: 848.8 MHz; Duty Cycle: 1:8.3

Medium: MSL_850_090519 Medium parameters used: f = 849 MHz; $\sigma = 0.997$ mho/m; $\varepsilon_r = 54.3$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.4; Liquid Temperature: 21.7

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(9.41, 9.41, 9.41); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: SAM-Left; Type: QD 000 P40 C; Serial: TP-1477

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch251/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.839 mW/g


Ch251/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 13.2 V/m; Power Drift = -0.015 dB

Peak SAR (extrapolated) = 1.10 W/kg

SAR(1 g) = 0.786 mW/g; SAR(10 g) = 0.545 mW/g

Maximum value of SAR (measured) = 0.833 mW/g



#20 GSM1900_Face_15mm_CH810

DUT: 951106

Communication System: PCS; Frequency: 1909.8 MHz; Duty Cycle: 1:8.3

Medium: MSL_1900_090519 Medium parameters used: f = 1910 MHz; $\sigma = 1.56$ mho/m; $\varepsilon_r = 52$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.8; Liquid Temperature: 21.2

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(8.18, 8.18, 8.18); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: ELI 4.0 Front; Type: QDOVA001BB; Serial: 1026

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch810/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.434 mW/g


Ch810/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 4.47 V/m; Power Drift = 0.059 dB

Peak SAR (extrapolated) = 0.705 W/kg

SAR(1 g) = 0.400 mW/g; SAR(10 g) = 0.217 mW/g

Maximum value of SAR (measured) = 0.449 mW/g



#20 GSM1900_Face_15mm_CH810_2D

DUT: 951106

Communication System: PCS; Frequency: 1909.8 MHz; Duty Cycle: 1:8.3

Medium: MSL_1900_090519 Medium parameters used: f = 1910 MHz; $\sigma = 1.56$ mho/m; $\varepsilon_r = 52$; $\rho = 1000$ kg/m³

Ambient Temperature: 22.8; Liquid Temperature: 21.2

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(8.18, 8.18, 8.18); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: ELI 4.0 Front; Type: QDOVA001BB; Serial: 1026

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch810/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.434 mW/g


Ch810/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 4.47 V/m; Power Drift = 0.059 dB

Peak SAR (extrapolated) = 0.705 W/kg

SAR(1 g) = 0.400 mW/g; SAR(10 g) = 0.217 mW/g

Maximum value of SAR (measured) = 0.449 mW/g



#17 GSM1900_Bottom_15mm_CH661

DUT: 951106

Communication System: PCS; Frequency: 1880 MHz; Duty Cycle: 1:8.3

Medium: MSL_1900_090519 Medium parameters used: f = 1880 MHz; σ = 1.53 mho/m; $ε_r = 52.2$; ρ = 1000 kg/m³

Ambient Temperature: 22.7; Liquid Temperature: 21.3

DASY4 Configuration:

- Probe: EX3DV3 - SN3514; ConvF(8.18, 8.18, 8.18); Calibrated: 2009/1/21

- Sensor-Surface: 4mm (Mechanical Surface Detection)

- Electronics: DAE3 Sn577; Calibrated: 2008/11/12

- Phantom: ELI 4.0 Front; Type: QDOVA001BB; Serial: 1026

- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Ch661/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (interpolated) = 0.346 mW/g

Ch661/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.30 V/m; Power Drift = 0.083 dB

Peak SAR (extrapolated) = 0.528 W/kg

SAR(1 g) = 0.310 mW/g; SAR(10 g) = 0.175 mW/g

Maximum value of SAR (measured) = 0.336 mW/g

Ch661/Zoom Scan (5x5x7)/Cube 1: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.30 V/m; Power Drift = 0.083 dB

Peak SAR (extrapolated) = 0.472 W/kg

SAR(1 g) = 0.269 mW/g; SAR(10 g) = 0.158 mW/g

Maximum value of SAR (measured) = 0.291 mW/g

