

Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 1 of 43

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H

OF

Product Name: CDMA TS005

FCC ID: WVS-CN10-J04

Report No.: EH/2010/70037

Issue Date: Aug. 09, 2010

FCC Rule Part: 2,22H

Prepared for: Toshiba Corporation, Mobile Communications

Co., Quality Management Division

1-1, Asahigaoka 3-Chome, Hino-Shi, Tokyo,

191-8555, Japan

Prepared by: SGS Taiwan Ltd.

Electronics & Communication Laboratory

No. 134, Wu Kung Rd., Wuku Industrial Zone,

Taipei County, Taiwan.



Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 2 of 43

CERTIFICATION OF COMPLIANCE

Applicant: Toshiba Corporation, Mobile Communications Co.,

Quality Management Division

1-1, Asahigaoka 3-Chome, Hino-Shi, Tokyo, 191-8555, Japan

Product Name: CDMA TS005 FCC ID: WVS-CN10-J04

Model No.: CN10-J04

File Number: EH/2010/70037

Date of test: Jul. 22, 2010~ Aug. 08, 2010

Date of EUT Received: Jul. 21, 2010

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-C-2004 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rule PART 22 subpart H

The test results of this report relate only to the tested sample identified in this report.

| Test By: | Jason Wie | Date: | Aug. 09, 2010 | |
|--------------|--|-------|---------------|--|
| Prepared By: | Jason Wu/Engineer | Date: | Aug. 09, 2010 | |
| Approved By: | Alex Chen/Project Engineer ALW HSieh Arno Hsieh / Asst. Supervisor | Date: | Aug. 09, 2010 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 3 of 43

Version

| Version No. | Date | Description |
|-------------|---------------|------------------------------|
| 00 | Aug. 09, 2010 | Initial creation of document |
| | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sgs.com



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 4 of 43

www.tw.sgs.com

Member of SGS Group

Table of Contents

| 1. | GEN | NERAL INFORMATION | 6 |
|----|-------|--|----|
| | Prod | luct Description | 6 |
| | 1.1 | Related Submittal(s) / Grant (s) | 8 |
| | 1.2 | Test Methodology | 8 |
| | 1.3 | Test Facility | 8 |
| | 1.4 | Special Accessories | 8 |
| | 1.5 | Equipment Modifications | 8 |
| 2. | SYS | STEM TEST CONFIGURATION | 9 |
| | 2.1 | EUT Configuration | 9 |
| | 2.2 | EUT Exercise | 9 |
| | 2.3 | Test Procedure | 9 |
| | 2.4 | Measurement Equipment Used: | 10 |
| | 2.5 | Configuration of Tested System | 12 |
| 3. | SUN | MMARY OF TEST RESULTS | 13 |
| 4. | DES | SCRIPTION OF TEST MODES | 14 |
| 5. | RF l | POWER OUTPUT MEASUREMENT | 15 |
| | 5.1 | Standard Applicable | 15 |
| | 5.2 | Test Set-up: | 15 |
| | 5.3 | Measurement Procedure | 15 |
| | 5.4 | Measurement Equipment Used: | 15 |
| | 5.5 | Measurement Result | 16 |
| 6. | ERF | P/EIRP MEASUREMENT | 17 |
| | 6.1 | Standard Applicable | 17 |
| | 6.2 | Test SET-UP (Block Diagram of Configuration) | 17 |
| | 6.3 | Measurement Procedure | 19 |
| | 6.4 | Measurement Equipment Used: | 19 |
| | 6.5 | Measurement Result | 19 |
| | 6.5.1 | 1. Measurement Result: | 20 |
| 7. | 99% | 6 OCCUPIED BANDWIDTH MEASUREMENT | 21 |
| | 7.1 | Standard Applicable | 21 |
| | 7.2 | Test Set-up: | 21 |
| | 7.3 | Measurement Procedure | 21 |
| | 7.4 | Measurement Equipment Used: | 21 |
| | 7.5 | Measurement Result: | 22 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Member of SGS Group

Page: 5 of 43

| 8. | OUT | OF BAND EMISSION AT ANTENNA TERMINALS | 25 |
|-----|--------|--|------------|
| | 8.1 | Standard Applicable | 25 |
| | 8.2 | Test SET-UP | 25 |
| | 8.3 | Measurement Procedure | 25 |
| | 8.4 | Measurement Equipment Used: | 26 |
| | 8.5. N | Measurement Result | 2 <i>6</i> |
| 9. | FIE | LD STRENGTH OF SPURIOUS RADIATION MEASUREMENT (TX) | 31 |
| | 9.1 | Standard Applicable | |
| | 9.2 | EUT Setup (Block Diagram of Configuration) | 31 |
| | 9.3 | Measurement Procedure | 33 |
| | 9.4 | Measurement Equipment Used: | 33 |
| | 9.5 | Measurement Result | 33 |
| 10. | FRE | QUENCY STABILITY V.S. TEMPERATURE MEASUREMENT | 40 |
| | 10.1 | Standard Applicable | |
| | 10.2 | Test Set-up: | 40 |
| | 10.3 | Measurement Procedure | 40 |
| | 10.4 | Measurement Equipment Used: | 40 |
| | 10.5 | Measurement Result | 41 |
| 11. | FRE | QUENCY STABILITY V.S. VOLTAGE MEASUREMENT | 42 |
| | 11.1 | Standard Applicable | |
| | 11.2 | Test Set-up: | 42 |
| | 11.3 | Measurement Procedure | 42 |
| | 11.4 | Measurement Equipment Used: | 42 |
| | 11.5 | Measurement Result | 43 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms. e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 6 of 43

GENERAL INFORMATION

Product Description

| .1 Product Description | | | | |
|-------------------------|---|--|--|--|
| Product Name: | CDMA TS005 | | | |
| Model Name: | CN10-J04 | | | |
| FCC ID: | WVS-CN10-J04 | | | |
| Software Version: | N/A | | | |
| Hardware Version: | Ver.2.0.0 | | | |
| Data Cable: | N/A | | | |
| Simple Hands-free (SHF) | N/A | | | |
| Downer Cumples | 3.7 Vdc re-chargeable battery | | | |
| Power Supply: | Battery: Model: 53TSUAA; Supplier: SANYO Electric | | | |

CDMA:

| | Operating Frequency | | | Rated Power | |
|---|---------------------|-----|-------------------|----------------|--|
| Cellular Phone Standards Frequency Range and | CDMA2000 Cellular | TX: | 824.70-848.31 MHz | 24.5 dBm | |
| Power: | CDMA2000 Centulal | RX: | 869.70-893.31 MHz | 24.3 dBiii | |
| MEID: | A10000070A0732 | | | | |

Final Amplifier Voltage and Current Information:

| Test Mode | DC voltage (V) | DC current (mA) | |
|---------------|----------------|-----------------|--|
| CDMA Cellular | 3.7Vdc | 630 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sgs.com



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 7 of 43

Bluetooth:

| Frequency Range: | 2402 – 2480MHz | |
|----------------------|---|--|
| Bluetooth Version: | V2.1 + EDR (GFSK + π /4DQPSK + 8DPSK) | |
| Channel number: | 79 channels | |
| Transmit Power: | 4.3 dBm (Peak) | |
| Modulation type: | Frequency Hopping Spread Spectrum | |
| Antenna Designation: | Monopole Antenna / antenna gain: 3.2dBi | |

The EUT is compliance with Bluetooth 2.1 + EDR Standard.

| FeliCa Receive Frequency: |
|---------------------------|
|---------------------------|

The FeliCa only support receiving function.

This report applies for Bluetooth 2.1 with EDR

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 8 of 43

1.2 Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for **FCC ID:** <u>WVS-CN10-J04</u> filing to comply with Section Part 22 subpart H of the FCC CFR 47 Rules.

1.3 Test Methodology

Both conducted and radiated testing were performed according to the procedures of FCC 47 CFR 2.1046, 2.1047, 2.1049, 2.1051, 2.1053, 2.1055, 2.1057.

1.4 Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2003. FCC Registration Number are: 990257 and 236194, Canada Registration Number: 4620A-4

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 29, Pau-Tou-Tsuo Valley Chia-Pau Tsuen, Linkou Hsiang, Taipei county, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 & 10 meters) and FCC Registration Number: 94644.

1.5 Special Accessories

Not available for this EUT intended for grant.

1.6 Equipment Modifications

Not available for this EUT intended for grant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 9 of 43

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The Toshiba CDMA cellular phone FCC ID: WVS-CN10-J04 was Tested With AC Adapter. The EUT was stayed in normal operation mode (RC3/SO55) with CMU200. The EUT (Transmitter) was operated in the engineering mode to fix the Tx frequency which was for the purpose of the measurements.

2.3 Test Procedure

2.3.1 Conducted Measurement at Antenna Port:

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP):

According to measurement procured TIA/EIA 603C. The EUT is placed on a turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max, emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes according to the requirements.

A standard antenna was used to replace the EUT and connect to the SG. Adjust the SG output level to reach the max emission level which were measured above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 10 of 43

2.4 Measurement Equipment Used:

| Conducted Emission Test Site | | | | | | |
|------------------------------|---------------|----------------------|-------------|------------|------------|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | |
| TYPE | | NUMBER | NUMBER | CAL. | | |
| Spectrum Analyzer | Agilent | E4446A | MY43360126 | 04/19/2010 | 04/18/2012 | |
| Spectrum Analyzer | Agilent | E4440A | US41160416 | 01/23/2010 | 01/22/2012 | |
| Radio Communication Analyzer | R&S | CMU200 | 102189 | 05/13/2010 | 05/13/2012 | |
| 800 – 1000MHz Filter | Micro-Tronics | BRM13462 | 001 | 01/05/2010 | 01/04/2011 | |
| 1800 – 2000MHz Filter | Micro-Tronics | BRM13463 | 001 | 01/05/2010 | 01/04/2011 | |
| Temperature Chamber | TERCHY | MHG-120LF | 911009 | 04/14/2010 | 04/13/2012 | |
| Temperature Chamber | GIANT FORCE | GTH-150-40- CP-AR | MAA0512-018 | 02/05/2010 | 02/04/2012 | |
| DC Block | Agilent | BLK-18 | 155452 | 07/05/2010 | 07/04/2011 | |
| Attenuator | Mini-Circuit | BW-S20W5 | N/A | 07/05/2010 | 07/04/2011 | |
| Attenuator | Mini-Circuit | BW-S10W5 | N/A | 07/05/2010 | 07/04/2011 | |
| Attenuator | Mini-Circuit | BW-S6W5 | N/A | 07/05/2010 | 07/04/2011 | |
| Splitter | Agilent | 11636B | N/A | 07/05/2010 | 07/04/2011 | |
| DC Power Supply | HP | 6038A | 2929A-07548 | 06/27/2009 | 06/26/2011 | |
| DC Power Supply | Chroma | 41901 | 777188 | 04/17/2010 | 04/16/2012 | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sgs.com



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 11 of 43

| ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber | | | | | | | |
|--|--------------|------------------------|------------|------------|------------|--|--|
| EQUIPMENT | MFR | MODEL | SERIAL | LAST | CAL DUE. | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | |
| Spectrum Analyzer | R&S | FSP 40 | 100034 | 02/12/2010 | 02/11/2011 | | |
| Bilog Antenna | SCHWAZBECK | VULB9160 | 3158 | 11/29/2009 | 11/28/2011 | | |
| Dipole Antenna | SCHWAZBECK | VHAP | 908/909 | 07/10/2010 | 07/09/2012 | | |
| Dipole Antenna | SCHWAZBECK | UHAP | 891/892 | 07/10/2010 | 07/09/2012 | | |
| Hor.n antenna | SCHWAZBECK | BBHA 9120D | 309 | 05/09/2010 | 05/10/2012 | | |
| Horn antenna | SCHWAZBECK | BBHA 9120D | 9120D-673 | 05/09/2010 | 05/08/2012 | | |
| Signal Generator | R&S | SMR40 | 100210 | 01/22/2010 | 01/21/2012 | | |
| Signal Generator | Agilent | E4438C | MY45093613 | 05/22/2010 | 05/21/2011 | | |
| Pre-Amplifier | Agilent | 8447D | 1937A02834 | 11/30/2009 | 11/29/2010 | | |
| Pre-Amplifier | Agilent | 8449B | 3008A01973 | 01/05/2010 | 01/04/2011 | | |
| Attenuator | Mini-Circuit | BW-S20W5 | 001 | 07/05/2010 | 07/04/2011 | | |
| Attenuator | Mini-Circuit | BW-S10W5 | 001 | 07/05/2010 | 07/04/2011 | | |
| Attenuator | Mini-Circuit | BW-S6W5 | 001 | 07/05/2010 | 07/04/2011 | | |
| Radio Communication Analyzer | R&S | CMU200 | 102189 | 05/13/2010 | 05/12/2012 | | |
| Turn Table | HD | DT420 | N/A | N.C.R | N.C.R | | |
| Antenna Tower | HD | MA240-N | 240/657 | N.C.R | N.C.R | | |
| Controller | HD | HD100 | N/A | N.C.R | N.C.R | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA-10M | 10m | 01/05/2010 | 01/04/2011 | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA-3M | 3m | 01/05/2010 | 01/04/2011 | | |
| 3m Site | SGS | 966 chamber | N/A | 11/08/2009 | 11/09/2010 | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號




Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 12 of 43

2.5 **Configuration of Tested System**

Fig. 2-1 Configuration of Tested System (Fixed Channel)



CMU200

Table 2-1 Equipment Used in Tested System

| Item | Equipment | Mfr/Brand | Model/ Type No. | Series No. | Data Cable | Power Cord |
|------|---|-----------|--------------------|------------|------------|-------------|
| 1. | Universal Radio Com- munication Tester | R&S | CMU200 | 102189 | shielded | Un-shielded |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sgs.com

台灣檢驗科技股份有限公司



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 13 of 43

3. SUMMARY OF TEST RESULTS

| FCC Rules | Description Of Test | Result |
|----------------------------|--|-----------|
| §2.1046(a) | RF Power Output | Compliant |
| §2.1046(a) | ERP/ EIRP measurement | Compliant |
| §22.913(a)(2) | ERI / EIRI measurement | Compilant |
| §2.1049(h) | 99% Occupied Bandwidth | Compliant |
| \$2.1051 \$22.917(a) | Out of Band Emissions at Antenna Terminals and Band Edge | Compliant |
| \$2.1053 \$22.917(a) | Field Strength of Spurious Radiation | Compliant |
| \$2.1055(a)(1) \$22.355 | Frequency Stability vs. Temperature | Compliant |
| \$2.1055(d)(2) \$22.355 | Frequency Stability vs. Voltage | Compliant |



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 14 of 43

DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition.

Set EUT power control "all up bits" for all test mode through base station.

Channel Low, Mid and High for each type of bands with rated data rate were chosen for full testing.

The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for CDMA2000 Cellular with power adaptor. The worst-case E1 mode of CDMA2000 Cellular band for channels Low, Mid and High were reported.

Max ERP measurement result:

| | dBm | | W |
|---------------|-------|-----|-------|
| CDMA2000 | 24.96 | ERP | 0.313 |
| Cellular Band | | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 15 of 43

RF POWER OUTPUT MEASUREMENT

5.1 Standard Applicable

According to FCC §2.1046.

FCC 22.913(a)(2) Mobile station are limited to 7W.

5.2 Test Set-up:



Note: Measurement setup for testing on Antenna connector

5.3 Measurement Procedure

The transmitter output was connected to a calibrated Communication Tester by a low lost RF cable. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the reading from tester.

5.4 Measurement Equipment Used:

| Conducted Emission Test Site | | | | | | | |
|------------------------------|--------------|--------------------|--------------|------------|------------|--|--|
| EQUIPMENT | MFR | MODEL | MODEL SERIAL | | CAL DUE. | | |
| TYPE | | NUMBER | NUMBER | CAL. | | | |
| Communication Test | R&S | CMU200 | 102189 | 05/13/2010 | 05/12/2011 | | |
| Low Loss Cable | HUBER+SUHNER | SUCOFLEX 104PEA | N/A | 02/13/2010 | 02/12/2011 | | |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 16 of 43

5.5 Measurement Result

| EUT Mode | Frequency (MHz) | СН | Peak Power (dBm) | Avg. Power (dBm) |
|-----------------------|-----------------|------|------------------|------------------|
| CDM 4 2000 | 824.70 | 1013 | 24.44 | 24.40 |
| CDMA 2000 Cellular | 836.52 | 384 | 24.83 | 24.81 |
| | 848.31 | 777 | 24.55 | 24.51 |

Offset: 1.7 dB for CDMA200 Cellular

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 17 of 43

ERP/EIRP MEASUREMENT


6.1 Standard Applicable

According to FCC §2.1046

FCC 22.913(a)(2) Mobile station are limited to 7W ERP.

6.2 Test SET-UP (Block Diagram of Configuration)

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sgs.com




Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 18 of 43

(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sgs.com



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 19 of 43

6.3 Measurement Procedure

The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.

During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated.

ERP in frequency band 824.2 –848.80.8MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

ERP = S.G. output (dBm) + Antenna Gain (dBd) – Cable Loss (dB)

6.4 Measurement Equipment Used:

Refer to section 2.4 in this report

6.5 Measurement Result

Refer to following pages for detail.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Member of SGS Group

Page: 20 of 43

6.5.1. Measurement Result:

| EUT Mode | Frequency (MHz) | СН | EUT Pol. | Antenna Pol. | SPA Reading (dBuV) | S.G. Output (dBm) | Antenna Gain (dBd) | Cable Loss (dB) | ERP (dBm) | Limit (dBm) |
|-------------|-----------------|------|-------------|-----------------|--------------------------|-------------------------|--------------------------|-----------------------|-----------|-------------|
| | | | ** | V | 121.85 | 35.49 | -7.88 | 3.63 | 23.98 | 38.45 |
| | | | Н | Н | 111.55 | 25.29 | -7.88 | 3.63 | 13.79 | 38.45 |
| | 004.70 | 1012 | E1 | V | 122.83 | 36.47 | -7.88 | 3.63 | 24.96 | 38.45 |
| | 824.70 | 1013 | 151 | Н | 122.56 | 36.30 | -7.88 | 3.63 | 24.80 | 38.45 |
| | | | E2 | V | 109.70 | 23.34 | -7.88 | 3.63 | 11.83 | 38.45 |
| | | | LL | Н | 122.01 | 35.75 | -7.88 | 3.63 | 24.25 | 38.45 |
| | | 384 | Н | V | 120.02 | 33.76 | -7.88 | 3.65 | 22.23 | 38.45 |
| | | | | Н | 109.67 | 23.44 | -7.88 | 3.65 | 11.91 | 38.45 |
| CDMA2000 | 026.52 | | E1 | V | 110.77 | 24.51 | -7.88 | 3.65 | 12.98 | 38.45 |
| Cellular | 836.52 | | | Н | 121.46 | 35.23 | -7.88 | 3.65 | 23.70 | 38.45 |
| | | | E2 | V | 107.91 | 21.65 | -7.88 | 3.65 | 10.12 | 38.45 |
| | | | E2 | Н | 120.61 | 34.38 | -7.88 | 3.65 | 22.85 | 38.45 |
| | | | Н | V | 118.93 | 32.78 | -7.88 | 3.67 | 21.23 | 38.45 |
| | | | 11 | Н | 107.97 | 21.77 | -7.88 | 3.67 | 10.22 | 38.45 |
| | 040.21 | 777 | E1 | V | 108.94 | 22.78 | -7.88 | 3.67 | 11.23 | 38.45 |
| | 848.31 | 777 | El | Н | 120.99 | 34.79 | -7.88 | 3.67 | 23.24 | 38.45 |
| | | | E2 | V | 107.23 | 21.08 | -7.88 | 3.67 | 9.53 | 38.45 |
| | | | | Н | 120.27 | 34.07 | -7.88 | 3.67 | 22.52 | 38.45 |

Remark:

(1) The RBW,VBW of SPA for frequency RBW=1.5MHz, VBW=4.5MHz,

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010


Page: 21 of 43

99% OCCUPIED BANDWIDTH MEASUREMENT

7.1 Standard Applicable

According to §FCC 2.1049.

7.2 Test Set-up:



Note: Measurement setup for testing on Antenna connector

7.3 Measurement Procedure

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW (10/30KHz) was set to about 1% of emission BW, VBW= 3 times RBW(30/100KHz), -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.

7.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tel ms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Member of SGS Group

Page: 22 of 43

7.5 Measurement Result:

| EUT Mode | Frequency (MHz) | СН | 99% Bandwidth (MHz) |
|----------------------|--------------------|------|------------------------|
| CDMA2000 Cellular | 824.70 | 1013 | 1.2762 |
| | 836.52 | 384 | 1.2738 |
| Cenulai | 848.31 | 777 | 1.2776 |



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 23 of 43

Figure 7-1: CDMA2000 Cellular Channel Low





Figure 7-2 CDMA2000 Cellular Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sqs.com

台灣檢驗科技股份有限公司


t (886-2) 2299-3279



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 24 of 43

Figure 7-3: CDMA2000 Cellular Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

 SGS Taiwan Ltd.
 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 t (886-2) 2299-3279
 f (886-2) 2298-0488
 www.tw.sgs.com



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 25 of 43


OUT OF BAND EMISSION AT ANTENNA TERMINALS

8.1 Standard Applicable

According to FCC §2.1051.

FCC §22.917(a),§24.238(a) the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

8.2 Test SET-UP



Note: Measurement setup for testing on Antenna connector

8.3 Measurement Procedure

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

For the out of band: Set the RBW, VBW = 1MHz, Start=30MHz, Stop= 10th harmonic. Limit = -13dBm

Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions. Limit, -13dBm.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com

台灣檢驗科技股份有限公司



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 26 of 43

8.4 Measurement Equipment Used:

Refer to section 2.4 in this report

8.5. Measurement Result

Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sgs.com


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 27 of 43

Figure 8-1: Out of Band emission at antenna terminals—Cellular Band Lowest Channel





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sgs.com

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 28 of 43

Figure 8-2: Out of Band emission at antenna terminals -Cellular Band Mid Channel





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sgs.com

台灣檢驗科技股份有限公司


t (886-2) 2299-3279




Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 29 of 43

Figure 8-3: Out of Band emission at antenna terminals-Cellular Band Highest Channel





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sgs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 30 of 43

Figure 8-4: Band edge emission at antenna terminals -Cellular Band Channel Lowest



Figure 8-5: Band edge emission at antenna terminals -Cellular Band Channel Highest



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 www.tw.sqs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 31 of 43

9. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT (TX)


9.1 Standard Applicable

According to FCC §2.1053,

FCC $\S22.917(a),\S24.238(a)$ the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than $43 + 10 \log$ (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm)

9.2 EUT Setup (Block Diagram of Configuration)

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

台灣檢驗科技股份有限公司

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路 134 號t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com


Member of SGS Group




Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 32 of 43

(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號 www.tw.sgs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 33 of 43

Measurement Procedure 9.3

The EUT was placed on a non-conductive, The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission were identified, the power of the emission was determined using the substitution method.

ERP in frequency band 824 -850MHz were measured using a substitution method. The EUT was replaced by dipole antenna connected, the S.G. output was recorded and ERP was calculated as follows:

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP = S.G. output (dBm) + Antenna Gain(dBd) - Cable Loss <math>(dB)

Measurement Equipment Used:

Refer to section 2.4 in this report

9.5 **Measurement Result**

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

www.tw.sqs.com



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 34 of 43

Radiated Spurious Emission Measurement Result: CDMA2000 Cellular Mode

Operation Mode : TX CH 1013 E1 Mode Test Date: Aug. 03, 2010

Fundamental Frequency : 824.70 MHz Test By: Jason Temperature Pol: Ver : 25°C

Humidity : 65%

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out- put (dBm) | Antenna Gain (dB/dBi) | Cable Loss (dB) | ERP/ EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|-----------------|--------------------------|-----------------------------|-----------------------|-----------------------|-------------|-------------------------|
| 30.00 | 44.52 | V | -60.18 | -7.34 | 0.95 | -68.47 | -13.00 | -55.47 |
| 67.83 | 42.55 | V | -69.14 | -0.95 | 1.14 | -71.23 | -13.00 | -58.23 |
| 101.78 | 50.86 | V | -50.90 | -7.76 | 1.37 | -60.02 | -13.00 | -47.02 |
| 169.68 | 34.63 | V | -64.43 | -7.82 | 1.64 | -73.88 | -13.00 | -60.88 |
| 533.43 | 33.94 | V | -59.10 | -7.75 | 2.91 | -69.75 | -13.00 | -56.75 |
| 678.93 | 33.24 | V | -55.98 | -7.84 | 3.24 | -67.06 | -13.00 | -54.06 |
| 824.00 | 78.20 | V | -8.19 | -7.87 | 3.62 | -19.69 | -13.00 | -6.69 |
| 1649.40 | 45.23 | V | -59.35 | 9.29 | 5.23 | -55.29 | -13.00 | -42.29 |
| 2474.10 | 54.43 | V | -46.57 | 10.08 | 6.53 | -43.02 | -13.00 | -30.02 |
| 3298.80 | 38.83 | V | -60.04 | 12.17 | 7.72 | -55.58 | -13.00 | -42.58 |
| 4123.50 | | V | | | | | -13.00 | |
| 4948.20 | | V | | | | | -13.00 | |
| 5772.90 | | V | | | | | -13.00 | |
| 6597.60 | | V | | | | | -13.00 | |
| 7422.30 | | V | | | | | -13.00 | |
| 8247.00 | | V | | | | | -13.00 | |

| | 30MHz - 80MHz: 5.04dB |
|-------------------------|------------------------|
| Measurement uncertainty | 80MHz -1000MHz: 3.76dB |
| | 1GHz - 13GHz: 4.45dB |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 www.tw.sgs.com



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 35 of 43

Radiated Spurious Emission Measurement Result: CDMA2000 Cellular Mode

Operation Mode : TX CH 1013 E1 Mode Test Date: Aug. 03, 2010

Fundamental Frequency : 824.70 MHz Test By: Jason **Temperature** Pol: Hor : 25°C

Humidity : 65%

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dB/dBi) | Cable Loss (dB) | ERP/ EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|-----------------|------------------|-----------------------------|-----------------------|-----------------------|-------------|-------------------------|
| 36.79 | 42.22 | Н | -61.58 | -4.16 | 0.91 | -66.64 | -13.00 | -53.64 |
| 70.74 | 40.02 | Н | -72.29 | -1.18 | 1.16 | -74.63 | -13.00 | -61.63 |
| 101.78 | 44.24 | Н | -58.57 | -7.76 | 1.37 | -67.70 | -13.00 | -54.70 |
| 441.28 | 32.97 | Н | -61.36 | -7.69 | 2.63 | -71.69 | -13.00 | -58.69 |
| 577.08 | 32.70 | Н | -58.47 | -7.78 | 3.00 | -69.24 | -13.00 | -56.24 |
| 712.88 | 34.05 | Н | -55.99 | -7.86 | 3.34 | -67.19 | -13.00 | -54.19 |
| 824.00 | 79.07 | Н | -7.20 | -7.87 | 3.62 | -18.70 | -13.00 | -5.70 |
| 1649.40 | 48.60 | Н | -55.80 | 9.29 | 5.23 | -51.74 | -13.00 | -38.74 |
| 2474.10 | 53.53 | Н | -47.37 | 10.08 | 6.53 | -43.83 | -13.00 | -30.83 |
| 3298.80 | | Н | | | | | -13.00 | |
| 4123.50 | | Н | | | | | -13.00 | |
| 4948.20 | | Н | | | | | -13.00 | |
| 5772.90 | | Н | | | | | -13.00 | |
| 6597.60 | | Н | | | | | -13.00 | |
| 7422.30 | | Н | | | | | -13.00 | |
| 8247.00 | | Н | | | | | -13.00 | |

| | 30MHz - 80MHz: 5.04dB |
|-------------------------|------------------------|
| Measurement uncertainty | 80MHz -1000MHz: 3.76dB |
| | 1GHz - 13GHz: 4.45dB |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 www.tw.sgs.com



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 36 of 43

Radiated Spurious Emission Measurement Result: CDMA2000 Cellular Mode

Operation Mode : TX CH 384 E1 Mode Test Date: Aug. 03, 2010

Fundamental Frequency: 836.52 MHz Test By: Jason Pol: Ver Temperature : 25℃

Humidity : 65%

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out- put (dBm) | Antenna Gain (dB/dBi) | Cable Loss (dB) | ERP/ EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|-----------------|--------------------------|-----------------------------|-----------------------|-----------------------|-------------|-------------------------|
| 30.00 | 46.39 | V | -58.31 | -7.34 | 0.95 | -66.60 | -13.00 | -53.60 |
| 67.83 | 42.98 | V | -68.71 | -0.95 | 1.14 | -70.80 | -13.00 | -57.80 |
| 90.14 | 47.62 | V | -55.56 | -7.75 | 1.27 | -64.58 | -13.00 | -51.58 |
| 101.78 | 50.16 | V | -51.60 | -7.76 | 1.37 | -60.72 | -13.00 | -47.72 |
| 153.19 | 33.09 | V | -64.49 | -7.80 | 1.60 | -73.89 | -13.00 | -60.89 |
| 696.39 | 34.25 | V | -55.15 | -7.86 | 3.28 | -66.29 | -13.00 | -53.29 |
| 1673.04 | 47.95 | V | -56.61 | 9.36 | 5.27 | -52.52 | -13.00 | -39.52 |
| 2509.56 | 49.10 | V | -51.68 | 10.09 | 6.58 | -48.18 | -13.00 | -35.18 |
| 3346.08 | 41.38 | V | -57.48 | 12.27 | 7.79 | -53.00 | -13.00 | -40.00 |
| 4182.60 | | V | | | | | -13.00 | |
| 5019.12 | | V | | | | | -13.00 | |
| 5855.64 | | V | | | | | -13.00 | |
| 6692.16 | | V | | | | | -13.00 | |
| 7528.68 | | V | | | | | -13.00 | |
| 8365.20 | | V | | | | | -13.00 | |

| | 30MHz - 80MHz: 5.04dB |
|-------------------------|------------------------|
| Measurement uncertainty | 80MHz -1000MHz: 3.76dB |
| | 1GHz - 13GHz: 4.45dB |

Remark:

- 1 The emission behaviors belongs to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Member of SGS Group

Page: 37 of 43

Radiated Spurious Emission Measurement Result: CDMA2000 Cellular Mode

Operation Mode : TX CH 384 E1 Mode Test Date: Aug. 03, 2010

Fundamental Frequency : 836.52 MHz Test By: Jason Temperature : 25° C Pol: Hor

Humidity : 65%

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out- put (dBm) | Antenna Gain (dB/dBi) | Cable Loss (dB) | ERP/ EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|-----------------|--------------------------|-----------------------------|-----------------------|-----------------------|-------------|-------------------------|
| 36.79 | 41.24 | Н | -62.56 | -4.16 | 0.91 | -67.62 | -13.00 | -54.62 |
| 70.74 | 39.55 | Н | -72.76 | -1.18 | 1.16 | -75.10 | -13.00 | -62.10 |
| 104.69 | 44.58 | Н | -57.93 | -7.76 | 1.38 | -67.07 | -13.00 | -54.07 |
| 155.13 | 32.61 | Н | -65.56 | -7.80 | 1.60 | -74.96 | -13.00 | -61.96 |
| 444.19 | 32.47 | Н | -61.72 | -7.70 | 2.64 | -72.05 | -13.00 | -59.05 |
| 698.33 | 33.67 | Н | -54.03 | -7.86 | 3.29 | -65.17 | -13.00 | -52.17 |
| 1673.04 | 52.32 | Н | -52.06 | 9.36 | 5.27 | -47.96 | -13.00 | -34.96 |
| 2509.56 | 51.58 | Н | -49.12 | 10.09 | 6.58 | -45.62 | -13.00 | -32.62 |
| 3346.08 | 38.24 | Н | -60.82 | 12.27 | 7.79 | -56.34 | -13.00 | -43.34 |
| 4182.60 | 36.88 | Н | -59.15 | 12.62 | 8.93 | -55.46 | -13.00 | -42.46 |
| 5019.12 | | Н | | | | | -13.00 | |
| 5855.64 | | Н | | | | | -13.00 | |
| 6692.16 | | Н | | | | | -13.00 | |
| 7528.68 | | Н | | | | | -13.00 | |
| 8365.20 | | Н | | | | | -13.00 | |

| | 30MHz - 80MHz: 5.04dB |
|-------------------------|------------------------|
| Measurement uncertainty | 80MHz -1000MHz: 3.76dB |
| | 1GHz - 13GHz: 4.45dB |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms
and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.

The document is issued by the Company subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.

The document is issued by the Company subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.

The document is issued by the Company subject to the Terms and Conditions for Electronic Documents at www.sgs.com/terms.

The document is issued by the Company subject to the Terms and Conditions for Electronic Documents at www.sgs.com/terms.

This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at www.sgs.com/terms.and-conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms.e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 38 of 43

Radiated Spurious Emission Measurement Result: CDMA2000 Cellular Mode

Operation Mode : TX CH 777 E1 Mode Test Date: Aug. 03, 2010

Fundamental Frequency: 848.31 MHz Test By: Jason Pol: Temperature Ver : 25°℃

Humidity : 65%

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Out- put (dBm) | Antenna Gain (dB/dBi) | Cable Loss (dB) | ERP/ EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|-----------------|--------------------------|-----------------------------|-----------------------|-----------------------|-------------|-------------------------|
| 36.79 | 43.49 | V | -59.24 | -4.16 | 0.91 | -64.31 | -13.00 | -51.31 |
| 67.83 | 43.28 | V | -68.41 | -0.95 | 1.14 | -70.50 | -13.00 | -57.50 |
| 90.14 | 48.06 | V | -55.12 | -7.75 | 1.27 | -64.14 | -13.00 | -51.14 |
| 101.78 | 50.07 | V | -51.69 | -7.76 | 1.37 | -60.81 | -13.00 | -47.81 |
| 381.14 | 32.01 | V | -64.29 | -7.65 | 2.45 | -74.40 | -13.00 | -61.40 |
| 594.54 | 32.43 | V | -57.46 | -7.79 | 3.02 | -68.27 | -13.00 | -55.27 |
| 849.00 | 78.15 | V | -7.97 | -7.88 | 3.68 | -19.53 | -13.00 | -6.53 |
| 1696.62 | 48.52 | V | -56.02 | 9.43 | 5.31 | -51.89 | -13.00 | -38.89 |
| 2544.93 | 45.94 | V | -54.71 | 10.19 | 6.63 | -51.15 | -13.00 | -38.15 |
| 3393.24 | 40.07 | V | -58.78 | 12.38 | 7.86 | -54.27 | -13.00 | -41.27 |
| 4241.55 | 36.67 | V | -59.00 | 12.63 | 9.00 | -55.37 | -13.00 | -42.37 |
| 5089.86 | | V | | | | | -13.00 | |
| 5938.17 | | V | | | | | -13.00 | |
| 6786.48 | | V | | | | | -13.00 | |
| 7634.79 | | V | | | | | -13.00 | |
| 8483.10 | | V | | | | | -13.00 | |

| | 30MHz - 80MHz: 5.04dB |
|-------------------------|------------------------|
| Measurement uncertainty | 80MHz -1000MHz: 3.76dB |
| | 1GHz - 13GHz: 4.45dB |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 www.tw.sgs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 39 of 43

Radiated Spurious Emission Measurement Result: CDMA2000 Cellular Mode

Operation Mode : TX CH 777 E1 Mode Test Date: Aug. 03, 2010

Fundamental Frequency: 848.31 MHz Test By: Jason Pol: Temperature Hor : 25°℃

Humidity : 65%

| Freq. (MHz) | SPA. Reading (dBuV) | Ant.Pol. H/V | S.G Output (dBm) | Antenna Gain (dB/dBi) | Cable Loss (dB) | ERP/ EIRP (dBm) | Limit (dBm) | Safe Margin (dBm) |
|-------------|---------------------|-----------------|------------------|-----------------------------|-----------------------|-----------------------|-------------|-------------------------|
| 38.73 | 40.95 | Н | -62.24 | -3.25 | 0.90 | -66.39 | -13.00 | -53.39 |
| 70.74 | 38.47 | Н | -73.84 | -1.18 | 1.16 | -76.18 | -13.00 | -63.18 |
| 101.78 | 43.13 | Н | -59.68 | -7.76 | 1.37 | -68.81 | -13.00 | -55.81 |
| 155.13 | 32.83 | Н | -65.34 | -7.80 | 1.60 | -74.74 | -13.00 | -61.74 |
| 402.48 | 32.69 | Н | -63.61 | -7.66 | 2.52 | -73.79 | -13.00 | -60.79 |
| 533.43 | 33.28 | Н | -59.01 | -7.75 | 2.91 | -69.67 | -13.00 | -56.67 |
| 849.00 | 79.74 | Н | -6.45 | -7.88 | 3.68 | -18.01 | -13.00 | -5.01 |
| 1696.62 | 51.71 | Н | -52.64 | 9.43 | 5.31 | -48.51 | -13.00 | -35.51 |
| 2544.93 | 48.64 | Н | -51.96 | 10.19 | 6.63 | -48.40 | -13.00 | -35.40 |
| 3393.24 | 38.50 | Н | -60.53 | 12.38 | 7.86 | -56.01 | -13.00 | -43.01 |
| 4241.55 | | Н | | | | | -13.00 | |
| 5089.86 | | Н | | | | | -13.00 | |
| 5938.17 | | Н | | | | | -13.00 | |
| 6786.48 | | Н | | | | | -13.00 | |
| 7634.79 | | Н | | | | | -13.00 | |
| 8483.10 | | Н | | | | | -13.00 | |

| | 30MHz - 80MHz: 5.04dB |
|-------------------------|------------------------|
| Measurement uncertainty | 80MHz -1000MHz: 3.76dB |
| | 1GHz - 13GHz: 4.45dB |

Remark:

- 1 The emission behaviors belong to narrowband spurious emission.
- 2 Remark"---" means that the emission level is too low to be measured
- 3 The result basic equation calculation is as follows:
- 4 ERP/EIRP (dBm) = SG Setting(dBm) + Antenna Gain (dB/dBi) Cable loss (dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com

Member of SGS Group

台灣檢驗科技股份有限公司



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 40 of 43

10. FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT


10.1 Standard Applicable

According to FCC §2.1055(a)(1)

Frequency Tolerance: +/- 2.5 ppm

10.2 Test Set-up:

Temperature Chamber



Variable Power Supply

Note: Measurement setup for testing on Antenna connector

10.3 Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

10.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan/台北縣五股工業區五工路 134 號 www.tw.sgs.com

Member of SGS Group



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 41 of 43

10.5 Measurement Result

| Reference Frequency: CDMA2000 Cellular Band Mid Channel 836.52 MHz @ 25℃ | | | | | | | | |
|--|-------------------------------|------------|------------|------------|--|--|--|--|
| | Limit: +/- 0.05 ppm = 2091 Hz | | | | | | | |
| Power Supply | Environment | Frequency | Dolto (Uz) | Limit (Hz) | | | | |
| Vdc | Temperature (°C) | (MHz) | Delta (Hz) | Limit (Hz) | | | | |
| 3.7 | -30 | 836.519996 | -3.00 | 2091 | | | | |
| 3.7 | -20 | 836.519997 | -2.00 | 2091 | | | | |
| 3.7 | -10 | 836.520000 | 1.00 | 2091 | | | | |
| 3.7 | 0 | 836.519998 | -1.00 | 2091 | | | | |
| 3.7 | 10 | 836.519996 | -3.00 | 2091 | | | | |
| 3.7 | 20 | 836.519999 | 0.00 | 2091 | | | | |
| 3.7 | 30 | 836.520001 | 2.00 | 2091 | | | | |
| 3.7 | 40 | 836.519998 | -1.00 | 2091 | | | | |
| 3.7 | 50 | 836.519995 | -4.00 | 2091 | | | | |

Note: The battery is rated 3.7V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: EH/2010/70037 Issue Date: Aug. 09, 2010

Page: 42 of 43


11. FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT

11.1 Standard Applicable

According to FCC §2.1055(d)(2)

Frequency Tolerance: +/- 2.5 ppm

11.2 Test Set-up:



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

11.3 Measurement Procedure

Set chamber temperature to 25° C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specified extreme voltage variation (+/- 15%) and endpoint, record the maximum frequency change.

11.4 Measurement Equipment Used:

Refer to section 2.4 in this report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms. e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

 SGS Taiwan Ltd.
 No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路 134 號台灣檢驗科技股份有限公司
 t (886-2) 2299-3279
 f (886-2) 2298-0488
 www.tw.sgs.com

Member of SGS Group



Report No.: EH/2010/70037 **Issue Date: Aug. 09, 2010**

Page: 43 of 43

11.5 Measurement Result

| Reference Frequency: CDMA2000 Cellular Band Mid Channel 836.52 MHz @ 25°C | | | | | | | | |
|---|---|--------------|------------|------------|--|--|--|--|
| | Limit: +/- 0.05 ppm = 2091 Hz | | | | | | | |
| Power Supply | Power Supply Environment Frequency Dalta (Ha) | | | | | | | |
| Vdc | Temperature ($^{\circ}$ C) | (MHz) | Delta (Hz) | Limit (Hz) | | | | |
| 4.200 | 25.00 | 836.519997 | -2.00 | 2091.00 | | | | |
| 3.700 | 25.00 | 836.519999 | 0.00 | 2091.00 | | | | |
| 3.500 | 25.00 | 836.519995 | -4.00 | 2091.00 | | | | |
| 2.900 | 25.00 | 00 < 71 0001 | 0.00 | 2001.00 | | | | |
| (End Point) | 25.00 | 836.519991 | -8.00 | 2091.00 | | | | |