


Rx & Charging Mode AC Mains "L"

Report No.:HK08101124-1 Scan Settings (1 Range) |------ Frequencies -----||----- Receiver Settings -----| Step IF BW Detector M-Time Atten Preamp OpRge 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB Start Stop 30M 150k

Transducer No. Start Stop Name
2 1 9k 30M EW0700
3 9k 30M EW2454
12 9k 30M EW0090 Final Measurement: x QP / + AV Meas Time: 1 s Subranges: 16 Acc Margin: 20dB





Rx & Charging Mode

AC Mains "L"

Report No.:HK08101124-1 Scan Settings (1 Range)

|------ Frequencies ------||----- Receiver Settings -----|

Start Stop Step IF BW Detector M-Time Atten Preamp OpRge 150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency QP Level QP Limit Delta

MHz dBuV dBuV dB

0.40200 37.4 57.8 -20.4

0.41100 39.7 57.6 -17.9

0.76650 27.9 56.0 -28.1

1.09050 33.2 56.0 -22.8

1.34700 36.9 56.0 -19.1

Frequency AV Level AV Limit Delta

MHz dBuV dBuV dB 0.40200 29.4 47.8 -18.4

0.41100 32.5 47.6 -15.1

^{*} limit exceeded



Rx & Charging Mode

AC Mains "N"

Report No.:HK08101124-1
Scan Settings (1 Range)


|------- Frequencies --------|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

 Final Measurement: x QP /+ AV
 Transducer No. Start
 Stop
 Name

 Meas Time:
 1 s
 2 1 9k 30M EW0700
 EW0700

 Subranges:
 16 3 9k 30M EW2454
 BW2454
 EW0900

 Acc Margin:
 20dB
 12 9k 30M EW0000
 EW0000





Rx & Charging Mode

AC Mains "N"

Report No.:HK08101124-1 Scan Settings (1 Range)

|------ Frequencies ------|

Start Stop Step IF BW Detector M-Time Atten Preamp OpRge 150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency QP Level QP Limit Delta

MHz dBuV dBuV dB

0.40200 37.7 57.8 -20.1

0.41100 40.3 57.6 -17.3

0.78450 29.1 56.0 -26.9

0.81600 29.5 56.0 -26.5

1.33800 34.1 56.0 -21.9

Frequency AV Level AV Limit Delta

MHz dBuV dBuV dB

0.41550 30.0 47.6 -17.6

^{*} limit exceeded