fi-John:



MPE CALCULATION

APPLICANT: Power-One Italy S.p.a.

Via San Giorgio, 642 – 52028 Terranuova Bracciolini (AR)

Italy

Tel. +39 055 91951

E-mail: federico.mastronardi@power-one.com

gianfranco.iannuzzi@power-one.com

EUT DESCRIPTION RADIO EQUIPMENT FOR INVERTER CHECK

EUT TRADEMARK Power-One

EUT MODEL PVI-DESKTOP-BT-US

DERIVED MODEL PVI-DESKTOP-US

REFERENCE STANDARDS: 47 CFR FCC part 15.249

47 CFR FCC part 1.1310

OET BULLETIN 65

TEST REPORT NUMBER MPETR 101468A-0

DATE OF ISSUE 10/03/2011

LABORATORY Prima Ricerca & Sviluppo S.r.l.

Via Campagna, 92 -22020 Faloppio (Co) -Italy

ISSUED BY Massimo Maltempi

The calculation results reported in this document shall refer only to Test Report above indicated and relevant tested sample



0. CONTENTS

			Page
0.	CC	ONTENTS	2
1.	EU	JT Technical Data	3
2.	Ass	sessment method	4
3.	ME	EASUREMENTS AND CALCULATION RESULTS	4
3	.1	Calculation Method	4
3	.2	Limits	5
3	.3	Calculation Results	6
4	FU	JT Photographic DOCUMENTATION	7



1. EUT Technical Data

Brand name: POWER-ONE

Manufacturer: POWER-ONE ITALY SPA

Equipment: Radio Equipment for inverter check

Serial number : Not present

Basic Model PVI-DESKTOP-BT-US

Derived Model: PVI-DESKTOP-US

FCC ID: X6W-DESKNOP

FCC class: 47 CFR FCC Part 15 Subpart C § 15.249

Radio type: Intentional radiators

Modulation: GFSK

Data Rate (Mbps): 50 Kbps

Frequency range: 902 – 928 MHz

Channel number: 63

Channel Band Width

(20dB):

334 KHz

radiated Output Power: 88.6 dBuV/m radiated

Channel space: 400KHz

Carrier Frequency: Channel No.1: 902,65 MHz Channel No.63: 927,45 MHz

Field Antenna: Antenna Type: wired integrated mod. 91531888100G

Gain: 0 dBi



2. Assessment method

EM reference level: Power flux density calculation in the Far Field region

3. MEASUREMENTS AND CALCULATION RESULTS

3.1 Calculation Method

Far Field Power flux Calculation model.

This model is applicable in the far-field region and over-estimates in the radiating near-field region. The far-field calculations are accurate when the distance, r, from an antenna of length D to a point of investigation is greater than

$$r = \frac{2D^2}{\lambda}$$

The Power Flux is

$$S = \frac{PG}{4\pi r^2} \quad \text{or equivalent} \quad S = \frac{EIRP}{4\pi r^2}$$

where

P = input power of the antenna

G = antenna gain relative to an isotropic antenna

r = distance from the antenna to the point of investigation.

EIRP = Effective Isotropic Radiated Power



3.2 Limits

The FCC's MPE limits for field strength and power density are given in Table 1 (and in47 CFR § 1.1310)

Table 1. LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

(A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time $ E ^2$, $ H ^2$ or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	$(900/f^2)*$	6
30-300	61.4	0.163	1.0	6
300-1500			f/300	6
1500-100,000			5	6

(B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time $ E ^2$, $ H ^2$ or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	$(180/f^2)*$	30
30-300	27.5	0.073	0.2	30
300-1500			f/1500	30
1500-100,000			1.0	30

f = frequency in MHz

^{*}Plane-wave equivalent power density



3.3 Calculation Results

Reference Test Report: FCCTR_101468-2 issued by Prima Ricerca&Sviluppo on 10/03/2011

Channel 1 (worst case)

	Conducted (Antenna Connector)		Radiated			
Power at the Antenna	wer at the Antenna n.a. (integrated antenna)			0.0000145 watts		
Antenna Gain in dB	0	dBi	n.a.			
Distance to the Area of Interest		6 feet metres	0.656 feet 0.1999 metres			
Frequency of Operation	902.65 MHz		902.65 MHz			
Are Ground reflections Calculated	Y	es	No			
Estimated RF Power Density			0.0001 mW/cm ²			
	Controlled Environment	Uncontrolled Environment	Controlled Environment	Uncontrolled Environment		
Maximum Permissible Exposure (MPE)			3.0117 mW/cm ²	0.6063 mW/cm ²		
Distance to Compliance			0.0506 feet	0.0514 feet		
From Centre of Antenna			0.0154 metres	0.0157 metres		
Does the Area of Interest Appear to be in Compliance			yes	yes		



4. EUT Photographic DOCUMENTATION

