









Summary Multiple Frequency		Multiple Cut	3D-View	Reserved	
Operator : Operator Name Customer : Customer Name Description : Test Descriptions	Date: 2010-11-29 Time: 오전 11:22:35	Antenna Type C Linear Polarization Type C Circular Polarization Type			
OD D 11 O 1					

3D Result Summary:

38		θ-Pol(H)					φ-Pol(V)					PwrSum				
No	Freq.[MHz]	Eff.[%]	Avg.[dBi]	Peak[dBi]	θ[deg]	φ[deg]	Eff.[%]	Avg.[dBi]	Peak[dBi]	θ[deg]	φ[deg]	Eff.[%]	Avg.[dBi]	Peak[dBi]	θ[deg]	φ[deg]
	2400.000	8.54	-10.68	-0.46	0.00	165.00	13.32	-8.76	-1.16	25.00	105.00	21.86	-6.60	0.36	0.00	0.00
2	2450.000	16.69	-7.78	0.38	40.00	10.00	20.85	-6.81	-0.46	35.00	105.00	37.54	-4.26	1.46	40.00	20.00
;	2485.000	20.40	-6.90	1.23	30.00	5.00	26.02	-5.85	0.44	40.00	60.00	46.42	-3.33	2.60	40.00	40.00
4	2500.000	22.16	-6.55	1.54	30.00	15.00	29.15	-5.35	1.10	55.00	60.00	51.31	-2.90	2.97	40.00	40.00

