Report No.: 1840308R-RFUSP02V00



RF Exposure Evaluation declaration

Product Name : Wireless Remote Control

Model No. : 883423

FCC ID : X96883423

Applicant : COMEUP INDUSTRIES INC.

Address : No.139, Jieyukeng Rd., Ruifang Dist., New Taipei City 22453, Taiwan

Date of Receipt : Apr 25, 2018

Date of Declaration: Aug 02, 2018

Report No. : 1840308R-RFUSP02V00

The test results relate only to the samples tested.

The test results shown in the test report are traceable to the national/international standard through the calibration report of the equipment and evaluated measurement uncertainty herein.

This report must not be used to claim product endorsement by TAF or any agency of the government.

The test report shall not be reproduced without the written approval of DEKRA Testing and Certification Co., Ltd.



Issued Date: Aug 02, 2018

Report No.: 1840308R-RFUSP02V00



Product Name	Wireless Remote Control			
Applicant	COMEUP INDUSTRIES INC.			
Address	No.139, Jieyukeng Rd., Ruifang Dist., New Taipei City 22453, Taiwan			
Manufacturer	COMEUP INDUSTRIES INC.			
Model No.	883423			
FCC ID.	X96883423			
EUT Rated Voltage	DC 8-24V			
EUT Test Voltage	DC 12V			
Trade Name	COMEUP			
Applicable Standard	FCC 47 CFR 1.1310			
Test Result	Complied			

Documented By	:	April Chen			
		(Adm. Specialist / April Chen)			
Tested By	:	Yun Che Chen			
		(Engineer / Yunche Chen)			
Approved By	:	Stands			
		(Director / Vincent Lin)			

Report No.: 1840308R-RFUSP02V00



1. Standard Applicable

According to 1.1307 (b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

2. Measurement Result:

According to KDB 447498 D01 Mobile Portable RF Exposure v06, Operation frequency = 2450MHz and antenna separation distance = 5mm, SAR Test Exclusion Threshold = 10mW

Frequency Band	Maximum output	t power	SAR Test
	Peak Gain: 0 dBi		Exclusion Threshold
	Conductive	EIRP (mW)	(mW)
	(dBm)		
2450MHz	-0.68	0.855	10

The SAR measurement is not necessary.