BioSensor Installation Guide

MODEL NUMBER: BS1000

INSTALLATION: This product MUST be installed by a Proxense authorized professional installer.

FCC STATEMENTS:

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRED OPERATION.

THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

DOCUMENT NUMBER: PX-9000-0002-00

Revision Log:
This log identifies those portions of this document, which have been revised since the initial release and the date of each revision.

Date	Version	Revisions
08/16/10	00	Initial Release

Introduction

This *Installation Guide* is written for a Proxense authorized installation professional. Only a Proxense authorized installation professional may install this product.

There are four steps to the installation:

- Before you start
- Connecting the BioSensor to the client
- Installing the ProxAccess client software
- Provisioning the BioSensor

Step 1: Before you start

To ensure that you have the most recent version of this guide, be sure to check our FTP site before you start the installation.

Package Contents

Your package includes the following items:

- This Guide (Your package maybe part of a master pack where only one copy of this guide will be provided.)
- One BioSensor
- One USB 2.0 cable, Type A to Mini-B

Minimum Requirements

- A Microsoft Windows ® Client PC with a minimum 1GHZ processor and 1GB RAM equipped with:
    - Windows XP Pro or later 32 / 64-bit OS with current service packs installed
    - 10/100/1000BaseT Ethernet Network Interface Card; TCP/IP Protocol
    - USB 2.0 port
    - Hard drive with 50MB of free space
- Proxense FTP account for downloading ProxAccess client. (Proxense DOES NOT provided any software on media (i.e. CD / DVD). Software is available only by FTP download.
- Broadband Internet access

Step 2: Connecting the BioSensor to the client

There are two connectors located on the rear panel of the BioSensor:

a. Mini USB-B: Connect the Type A end of the supplied USB cable to an available USB port on the client PC. Connect the other end of the USB cable to the Mini USB-B port of the BioSensor.
b. SMA: If the site survey determined that the BioSensor requires an external RX antenna. Then connect the SMA RF cable from the external antenna to the BioSensor.

Step 3: Installing the ProxAccess Client software

a. Run the ProxAccess client setup executable from either a network share or local drive of the client. The Welcome screen will appear.

b. Click the *Next* button to continue with the installation or Click the *Cancel* button to quit the setup program.

c. Select the default destination folder by clicking *Next* or click the browse button and select another folder.

d. Click the *Next* button to start the installation.

e. The *Installing ProxAccess Client* dialog screen will appear as the system is being updated and files are being copied to the hard drive.

f. When the *Successfully Installed* dialog screen appears click the **Close** button.

g. The ProxAccess client icon will now be displayed in the system tray.

h. Verify that the blue LED (power LED) is ON.

Step 4: Provisioning the BioSensor

You have completed the client installation. Please contact the system administrator who must now provision the BioSensor.

If you need technical assistance

Telephone: 561.798.6166
Email: support@proxense.com