




DWG NO. A0630





REVISIONS				
REV.	ECO	DESCRIPTION	DATE	BY
1	3652	ENGINEERING RELEASE	9/17/2015	SM
2	3738	ADD ITEMS 22 & 23	11/23/2015	SM
3	3861	CHANGE COIL CABLE TO FLAT CABLE	1/25/2016	SM
4	3900	CHANGED <del>S/N</del> FCCID XA4-8600 WAS. CONTAINS FCC ID XA4-8600 NOW.	2/9/2016	SM



MR 2/11/16

23	BTNKT110290	BUTTON COVER	1
22	RTV162	RTV	A/R
21		WIRING AWG 28	A/R
20	S-10594	BUBBLE BAG, SMOOTH INSIDE SELF-SEAL(ULINE. S-10594)	1
19	M4026	BARCODE LABEL	1
18	L9384C	ARTWORK, GIFT BOX. 8630	1
17	C0532	BOX	1
16	M4061	IFU	1
15	L0194C	WARNING LABEL	1
14	L8506	WATER LABEL	1
13	E6000	ADHESIVE CLEAR, ECLECTIC	A/R
12	36-3111-ND	WASHER FLAT #2 FIBRE. DIGIKEY	2
11	A0562	PLUG TELEPHONE COILED CABLE	1
10	B0135	CONTACT BATTERY, POSITIVE	1
9	B0134	CONTACT BATTERY, NEGATIVE	1
8	B0125	BATTERY AA	2
7	B0133	BATTERY DOOR	1
6		SCREW #2 PHILLIPS, #2-56 UNC, L=.25	6
5	M0635	HOUSING REAR	1
4	B0136	CONTACT, BATTERY, DUAL	1
3	AE0015	PCBA	1
2	M0637	LIGHT PIPE, 1/2	3
1	M0634	HOUSING FRONT	1
ITEM	PART No.	DESCRIPTION	QTY



- N NOTES: UNLESS OTHERWISE SPECIFIED.
- PART No. INCLUDED: NONE
  - MATERIAL: SEE BOM
  - ACCEPTANCE CRITERIA  
INSPECT PER CA TW 8630

THIRD ANGLE PROJECTION		NAME	DATE	SIZE		
UNLESS OTHERWISE SPECIFIED ALL DRAWINGS MUST BE CONSIDERED UNCONTROLLED UNLESS OTHERWISE STAMPED ALL DIMENSIONS ARE IN INCHES GEOMETRICALLY TOLERANCE TO ANSI Y14.5		DRAWN	2/9/16	B		
TOLERANCES: DECIMALS      ANGLES X.X      ±0.02      X°      ±1° X.XX      ±0.010      X.X°      ±0.5° X.XXX      ±0.005 ALL FRACTIONS      ±1/4		CHECK	2/4/16			
		ENG APPR.	2/11/16			
		MFG APPR.	2/9/16		DESCRIPTION / TITLE:	
		Q.A.	2/11/16		DRAWING NUMBER:	
					WIRELESS RECEIVER	
					A0630	
					DO NOT SCALE DRAWING	SCALE: 1:4
					SHEET: 1 / 3	REV: 4





 <b>THIRD ANGLE PROJECTION</b>  UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES & GEOMETRICALLY TOLERANCE TO ANSI Y14.5 ALL DRAWINGS MUST BE CONSIDERED UNCONTROLLED UNLESS OTHERWISE STAMPED CONTROLLED.  <b>TOLERANCES:</b> <table><tr><td><b>DECIMALS</b></td><td><b>ANGLES</b></td></tr><tr><td>X.X ±0.02</td><td>X° ±1°</td></tr><tr><td>X.XX ±0.010</td><td>X.X° ±0.5°</td></tr><tr><td>X.XXX ±0.005</td><td></td></tr><tr><td><b>FRACTIONS</b></td><td>±1/4</td></tr></table>	<b>DECIMALS</b>	<b>ANGLES</b>	X.X ±0.02	X° ±1°	X.XX ±0.010	X.X° ±0.5°	X.XXX ±0.005		<b>FRACTIONS</b>	±1/4	SIZE: <b>B</b>	 <b>Posey</b> <sup>®</sup>
<b>DECIMALS</b>	<b>ANGLES</b>											
X.X ±0.02	X° ±1°											
X.XX ±0.010	X.X° ±0.5°											
X.XXX ±0.005												
<b>FRACTIONS</b>	±1/4											
DESCRIPTION / TITLE:  <b>WIRELESS RECEIVER</b>												
DRAWING NUMBER:  <b>A0630</b>												
This drawing and any information or descriptive matter set out hereon are the confidential and copyright property of POSEY COMPANY and must not be disclosed, loaned, copied or used for manufacturing, tendering or any other purpose without their written permission												
<b>DO NOT SCALE DRAWING</b>	SCALE: <b>1:2</b>	SHEET: <b>2 / 3</b>										
		REV: <b>4</b>										

WIRING				
	CONTACT	COLOR	LENGTH	AWG
PCB / BATTERY CONTACT	POSITIVE	RED	1.75 in	28
	NEGATIVE	BLACK	1.25	28



WIRING DIAGRAM



 THIRD ANGLE PROJECTION <small>UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES &amp; GEOMETRICALLY TOLERANCE TO ANSI Y14.5 ALL DRAWINGS MUST BE CONSIDERED UNCONTROLLED UNLESS OTHERWISE STAMPED CONTROLLED</small> <b>TOLERANCES:</b> DECIMALS      ANGLES X.X      ±0.02      X°      ±1° X.XX      ±0.010      X.X°      ±0.5° X.XXX      ±0.005 FRACTIONS      ±1/4	SIZE: <b>B</b>		
	DESCRIPTION / TITLE: <b>WIRELESS RECEIVER</b>		
	DRAWING NUMBER: <b>A0630</b>		
	<small>This drawing and any information or descriptive matter set out hereon are the confidential and copyright property of POSEY COMPANY and must not be disclosed, loaned, copied or used for manufacturing, tendering or any other purpose without their written permission</small> DO NOT SCALE DRAWING	SCALE: 1:2	SHEET: 3 / 3
		REV: 4	