

Appendix 1

Test Results




Conducted Emission

Client / EUT: AAMP of America Bluetooth Car Kit Model no. / Sample no.: ISFM2202 (A000087283 - 001)

Test standard: FCC Part 15
Operating conditions: PC Mode
Test voltage / frequency: 120V 60Hz
Line / lead: L1

ino / load.

Conducted Emission (150 kHz - 30 MHz)



Result Table Single

Frequency	QuasiPeak	Average
(MHz)	(dBµV)	(dBµV)
0.150000	63.2	45.3
0.322000	43.1	34.9
0.542000	35.1	34.3




EUT Information

Client / EUT: AAMP of America Bluetooth Car Kit Model no. / Sample no.: ISFM2202 (A000087283 - 001)

Test standard: FCC Part 15 Operating conditions: PC Mode Test voltage / frequency: 120V 60Hz Ν

Line / lead:

Conducted Emission (150 kHz - 30 MHz)




Result Table_Single

Frequency (MHz)	QuasiPeak (dBµV)	Average (dBµV)
0.160000	62.4	46.0
0.758000	39.9	39.9
2.489250	35.1	35.1




Radiated Emission

Mode: PC linked mode






Mode: PC linked mode






Mode: PC linked mode







Mode: PC linked mode























page 12 of 19

Mode: Streaming music mode (98MHz FM)

