

Date of Issue:

2010-03-26

Page:

1/54

SAR TEST REPORT

Equipment Under Test : MID (MOBILE INTERNET DEVICE)

Model No. S10

Applicant YUKYUNG TECHNOLOGIES INC.

Address of Applicant 200-11, Anyang-Dong, Manan-Ku, Anyang-Si,

Kyunggi-Do, Korea

FCC ID XBQ-S10

Portable Device Device Category

Exposure Category General Population/Uncontrolled Exposure

Date of Receipt 2010-03-18

Date of Test(s) 2010-03-23 ~ 2009-03-25

Date of Issue 2010-03-26

Max. SAR 0.195 W/kg (11b)

Standards:

FCC OET Bulletin 65 supplement C IEEE 1528, 2003 ANSI/IEEE C95.1, C95.3

In the configuration tested, the EUT complied with the standards specified above.

Remarks:

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Testing Korea Co., Ltd. or testing done by SGS Testing Korea Co., Ltd. in connection with distribution or use of the product described in this report must be approved by SGS Testing Korea Co., Ltd. in writing.

Tested by : Fred Jeong 2010-03-26

Approved by : Denny Ham 2010-03-26



Report File No. : Date of Issue :

F690501/RF-SAR001860

2010-03-26

Page: 2 / 54

Contents

1. General Information

	1.1	Testing Laboratory	3
	1.2	Details of Applicant.	3
	1.3	Version of Report.	3
	1.4	Description of EUT(s).	3
	1.5	Test Environment.	4
	1.6	Operation description.	4
	1.7	Evaluation procedures.	5
	1.8	The SAR Measurement System.	6
	1.9	System Components.	8
	1.10	SAR System Verification.	9
	1.11	Tissue Simulant Fluid for the Frequency Band.	11
	1.12	Test Standards and Limits.	12
2. I	nstrun	nents List	14
3. 8	Summa	ary of Results	15

APPENDIX

- A. Photographs of EUT & EUT's Test Setup
- B. DASY4 SAR Report
- C. Uncertainty Analysis
- D. Calibration certificate



Date of Issue : 2010-03-26 Page : 3 / 54

1. General Information

1.1 Testing Laboratory

SGS Testing Korea Co., Ltd.

Wireless Div. 2FL, 18-34, Sanbon-dong, Gunpo-si, Gyeonggi-do, Korea 435-040

Telephone : +82 +31 428 5700 FAX : +82 +31 427 2371 Homepage : www.kr.sgs.com/ee

1.2 Details of Manufacturer

Manufacturer : YUKYUNG TECHNOLOGIES INC.

Address : 200-11, Anyang-Dong, Manan-Ku, Anyang-Si,

Kyunggi-Do, Korea

Contact Person : DAVID SEO
Phone No. : 82-31-463-6906
Fax No. : 82-31-445-5995

1.3 Version of Report

Version Number	Date	Revision
00	2010-03-26	Initial issue

1.4 Description of EUT(s)

EUT Type	: MID (MOBILE INTERNET DEVICE)
Model	: S10
Serial Number	: N/A
Mode of Operation	: WLAN (11b, 11g)
Duty Cycle	: WLAN 100%
Body worn Accessory	: None
Tx Frequency Range	: 2412 MHz ~ 2462 MHz (WLAN)
Conducted Max Power	: 20.83 dBm(WLAN 11b)
Battery Type	: DC 7.4 V(Li-Ion Polymer Battery)



Date of Issue : 2010-03-26 Page : 4 / 54

1.5 Test Environment

Ambient temperature	: 21 ~ 22 ° C
Tissue Simulating Liquid	: 21 ~ 22 ° C
Relative Humidity	: 40 ~ 60 %

1.6 Operation Configuration

The client provided a special driver and test program which can control the frequency and power of the module. Measurements were performed at the lowest, middle and highest channels of the operating band. The EUT was set to maximum power level during all tests and at the beginning of each test the battery was fully charged.

The DASY4 system measures power drift during SAR testing by comparing e-field in the same location at the beginning and at the end of measurement.



Date of Issue : 2010-03-26 Page : 5 / 54

1.7 EVALUATION PROCEDURES

- Power Reference Measurement Procedures

The Power Reference Measurement and Power Drift Measurements are for monitoring the power drift of the device under test in the batch process. The Minimum distance of probe sensors to surface determines the closest measurement point to phantom surface. The minimum distance of probe sensors to surface is 4 mm. This distance cannot be smaller than the Distance of sensor calibration points to probe tip as defined in the probe properties (for example, 2.7 mm for an ET3DV6 probe type).

- The entire evaluation of the spatial peak values is performed within the Post-processing engine (SEMCAD). The system always gives the maximum values for the 1 g and 10 g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:
- 1. The extraction of the measured data (grid and values) from the Zoom Scan.
- 2. The calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters)
- 3. The generation of a high-resolution mesh within the measured volume
- 4. The interpolation of all measured values from the measurement grid to the high-resolution grid
- 5. The extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
- 6. The calculation of the averaged SAR within masses of 1g and 10g.

The probe is calibrated at the center of the dipole sensors that is located 1 to 2.7mm away from the probe tip. During measurements, the probe stops shortly above the phantom surface, depending on the probe and the surface detecting system. Both distances are included as parameters in the probe configuration file. The software always knows exactly how far away the measured point is from the surface. As the probe cannot directly measure at the surface, the values between the deepest measured point and the surface must be extrapolated. The angle between the probe axis and the surface normal line is less than 30 degree.

In the Area Scan, the gradient of the interpolation function is evaluated to find all the extreme of the SAR distribution. The uncertainty on the locations of the extreme is less than 1/20 of the grid size. Only local maximum within –2 dB of the global maximum are searched and passed for the Cube Scan measurement. In the Cube Scan, the interpolation function is used to extrapolate the Peak SAR from the lowest measurement points to the inner phantom surface (the extrapolation distance). The uncertainty increases with the extrapolation distance. To keep the uncertainty within 1% for the 1 g and 10 g cubes, the extrapolation distance should not be larger than 5mm.

The maximum search is automatically performed after each area scan measurement. It is based on splines in two or three dimensions. The procedure can find the maximum for most SAR distributions even with relatively large grid spacing. After the area scanning measurement, the probe is automatically moved to a



Date of Issue : 2010-03-26 Page : 6/54

position at the interpolated maximum. The following scan can directly use this position for reference, e.g., for a finer resolution grid or the cube evaluations. The 1g and 10g peak evaluations are only available for the predefined cube 7x7x7 scans. The routines are verified and optimized for the grid dimensions used in these cube measurements. The measured volume of 30x30x30mm contains about 30g of tissue. The first procedure is an extrapolation (incl. Boundary correction) to get the points between the lowest measured plane and the surface. The next step uses 3D interpolation to get all points within the measured volume. In the last step, a 1g cube is placed numerically into the volume and its averaged SAR is calculated. This cube is the moved around until the highest averaged SAR is found. If the highest SAR is found at the edge of the measured volume, the system will issue a warning: higher SAR values might be found outside of the measured volume. In that case the cube measurement can be repeated, using the new interpolated maximum as the center.

1.8 The SAR Measurement System

A photograph of the SAR measurement System is given in Fig. a. This SAR Measurement System uses a Computer-controlled 3-D stepper motor system (Speag Dasy 4 professional system). A Model ET3DV6 1782 E-field probe is used to determine the internal electric fields. The SAR can be obtained from the equation SAR= σ (|Ei|2)/ ρ where σ and ρ are the conductivity and mass density of the tissue-simulant. The DASY4 system for performing compliance tests consists of the following items:

- •A standard high precision 6-axis robot (Staubli RX family) with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- •A dosimeter probe, i.e., an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.
- •A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.



Date of Issue : 2010-03-26 Page : 7/54




Fig a. The microwave circuit arrangement used for SAR system verification

- The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to the DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
- A computer operating Windows 2000 or Windows XP.
- DASY4 software.
- Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
- The SAM twin phantom enabling testing body usage.
- The device holder for flat phantom.
- Tissue simulating liquid mixed according to the given recipes.
- Validation dipole kits allowing to validate the proper functioning of the system.



Date of Issue : 2010-03-26 Page : 8 / 54

1.9 System Components

ET3DV6 E-Field Probe

Construction: Symmetrical design with triangular core Built-in shielding

against static charges PEEK enclosure material (resistant to

organic solvents, e.g. glycol).

Calibration: In air from 10 MHz to 2.5 GHz In brain simulating tissue

 $(accuracy \pm 8\%)$

Frequency: 10 MHz to > 6 GHz; Linearity: $\pm 0.2 \text{ dB}$ (30 MHz to 3 GHz)

Directivity : ± 0.2 dB in brain tissue (rotation around probe axis)

 ± 0.4 dB in brain tissue (rotation normal to probe axis)

Dynamic Range : $5 \mu \text{W/g to} > 100 \text{ mW/g}$; Linearity: $\pm 0.2 \text{ dB}$

Srfce. Detect : ± 0.2 mm repeatability in air and clear liquids over diffuse

reflecting surfaces

Dimensions : Overall length: 330 mm

Tip length: 16 mm Body diameter: 12 mm Tip diameter: 6.8 mm

Distance from probe tip to dipole centers: 2.7 mm

Application: General dosimetry up to 3 GHz Compliance tests of mobile

phone



ET3DV6 E-Field Probe

NOTE:

1. The Probe parameters have been calibrated by the SPEAG. Please reference "APPENDIX D" for the Calibration Certification Report.



Report File No. : F690501/RF-SAR001860
Date of Issue : 2010-03-26

Date of Issue : 2010-03-Page : 9 / 54

SAM Phantom

Construction: The SAM Phantom is constructed of a

fiberglass shell integrated in a wooden table. The shape of the shell is based on data from an anatomical study designed to determine the maximum exposure in at least 90% of all users. It enables the dosimetric evaluation of left and right hand phone usage as well as body mounted usage at the flat phantom region. A cover prevents the evaporation of the liquid. Reference markings on the Phantom allow the complete setup of all predefined phantom positions and measurement grids by manually

teaching three points in the robot

Shell Thickness: $2.0 \pm 0.1 \text{ mm}$ Filling Volume: Approx. 25 liters



SAM Phantom

DEVICE HOLDER

Construction

In combination with the Twin SAM PhantomV4.0/V4.0C or Twin SAM, the Mounting Device (made from POM) enables the rotation of the mounted transmitter in spherical coordinates, whereby the rotation point is the ear opening. The devices can be easily and accurately positioned according to IEC, IEEE, CENELEC, FCC or other specifications. The device holder can be locked at different phantom locations (left head, right head, flat phantom).



Device Holder

1.10 SAR System Verification

The microwave circuit arrangement for system verification is sketched in Fig. b. The daily system accuracy verification occurs within the flat section of the SAM phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10 % from the target SAR values. This test was done at 2450 MHz. The test for EUT was conducted within 24 hours after each validation. The obtained result from the system accuracy verification is displayed in the table 1. During the tests, the ambient temperature of the laboratory was in the range 20 °C \sim 23 °C, the relative humidity was in the range 40 % \sim 60 % and the liquid depth above the ear reference points was above 15 cm in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.



Date of Issue : 2010-03-26 Page : 10 / 54




Fig b. The microwave circuit arrangement used for SAR system verification

- A. Agilent Model E4421B Signal Generator
- B. EMPOWER Model 2001-BBS3Q7ECK Amplifier
- C. Agilent Model E4419B Power Meter
- D. Agilent Model 9300H Power Sensor
- E. Agilent Model 777D/778D Dual directional coupling
- F. Reference dipole Antenna



Photo of the dipole Antenna

System Validation Results

~ J ~ · · · · · · · · · · · · · · · · ·						
Validation Kit	Tissue	Target SAR 1 g from Calibration Certificate (Input Power : 250 mW)	Measured SAR 1 g (Input Power : 250 mW)	Deviation (%)	Date	Liquid Temp. (°C)
D2450V2 S/N: 734	2450 MHz Brain	13.3 W/kg	13.0 W/kg	-2.26	2010-03-25	22.1

Table 1. Results system validation



Date of Issue : 2010-03-26 Page : 11 / 54

1.12 Tissue Simulant Fluid for the Frequency Band

The dielectric properties for this simulant fluid were measured by using the Agilent Model 85070D Dielectric Probe (rates frequence band 200 MHz to 20 GHz) in conjunction with Agilent E5070B Network Analyzer(300 KHz-3000 MHz) by using a procedure detailed in Section V.

	Tissue	Limits / Measured	Dielectric Parameters			
f (MHz)	type		Permittivity	Conductivity	Simulated Tissue Temp()	
		Measured, 2010-03-25	37.6	1.86	22.1	
	Head	Recommended Limits	39.2	1.80	22.0	
2450		Deviation(%)	-4.08	3.33	-	
2430		Measured, 2010-03-25	50.6	1.99	22.1	
	Body	Recommended Limits	52.7	1.95	22.0	
	-	Deviation(%)	-3.98	2.05	-	



Date of Issue : 2010-03-26 Page : 12 / 54

The composition of the brain tissue simulating liquid

The following tissue formulations are provided for reference only as some of the parameters have not been thoroughly verified. The composition of ingredients may be modified accordingly to achieve the desired target tissue parameters required for routine SAR evaluation.

Ingredients	Frequency (MHz)									
(% by weight)	4:	50	83	35	9	15	19	00	24	50
Tissue Type	Head	Body	Head	Body	Head	Body	Head	Body	Head	Body
Water	38.56	51.16	41.45	52.4	41.05	56.0	54.9	40.4	62.7	73.2
Salt (NaCl)	3.95	1.49	1.45	1.4	1.35	0.76	0.18	0.5	0.5	0.04
Sugar	56.32	46.78	56.0	45.0	56.5	41.76	0.0	58.0	0.0	0.0
HEC	0.98	0.52	1.0	1.0	1.0	1.21	0.0	1.0	0.0	0.0
Bactericide	0.19	0.05	0.1	0.1	0.1	0.27	0.0	0.1	0.0	0.0
Triton X-100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.8	0.0
DGBE	0.0	0.0	0.0	0.0	0.0	0.0	44.92	0.0	0.0	26.7
Dielectric Constant	43.42	58.0	42.54	56.1	42.0	56.8	39.9	54.0	39.8	52.5
Conductivity (S/m)	0.85	0.83	0.91	0.95	1.0	1.07	1.42	1.45	1.88	1.78

Salt: $99^{+}\%$ Pure Sodium Chloride Sugar: $98^{+}\%$ Pure Sucrose Water: De-ionized, $16 \text{ M}\Omega^{+}$ resistivity HEC: Hydroxyethyl Cellulose

DGBE: 99⁺% Di(ethylene glycol) butyl ether, [2-(2-butoxyethoxy)ethanol]

Triton X-100 (ultra pure): Polyethylene glycol mono [4-(1,1, 3, 3-tetramethylbutyl)phenyl]ether

1.13 Test Standards and Limits

According to FCC 47CFR §2.1093(d) The limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized specific absorption rate ("SAR") in Section 4.2 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE C95.3–2003, Copyright 2003 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in "Biological Effects and Exposure Criteria for Radio frequency Electromagnetic Fields," NCRP Report No. 86, Section 17.4.5. Copyright NCRP, 1986, Bethesda, Maryland 20814. SAR is a measure of the rate of energy absorption due to exposure to an RF transmitting source. SAR values have been related to threshold levels for potential biological hazards. The criteria to be used are specified in paragraphs (d)(1) and (d)(2) of this section and shall apply for portable devices transmitting in the



Date of Issue : 2010-03-26 Page : 13 / 54

frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz are to be evaluated in terms of the MPE limits specified in § 1.1310 of this chapter. Measurements and calculations to demonstrate compliance with MPE field strength or power density limits for devices operating above 6 GHz should be made at a minimum distance of 5 cm from the radiating source.

(1) Limits for Occupational/Controlled exposure: 0.4 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 8 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 20 W/kg, as averaged over an 10 grams of tissue (defined as a tissue volume in the shape of a cube). Occupational/Controlled limits apply when persons are exposed as a consequence of their employment provided these persons are fully aware of and exercise control over their exposure. Awareness of exposure can be accomplished by use of warning labels or by specific training or education through appropriate means, such as an RF safety program in a work environment.

(2) Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section.(Table .4)

Human Exposure	Uncontrolled Environment General Population	Controlled Environment Occupational
Partial Peak SAR (Partial)	1.60 m W/g	8.00 m W/g
Partial Average SAR (Whole Body)	0.08 m W/g	0.40 m W/g
Partial Peak SAR (Hands/Feet/Ankle/Wrist)	4.00 m W/g	20.00 m W/g

Table .4 RF exposure limits



Date of Issue : 2010-03-26 Page : 14 / 54

2. Instruments List

Maunfacturer	Device	Туре	Serial Number	Due date of Calibration
Stäubli	Robot	RX90BL	F03/5W05A1/A/01	N/A
Schmid& Partner Engineering AG	Dosimetric E-Field Probe	ET3DV6	1782	April 30, 2010
Schmid& Partner Engineering AG	2450 MHz System Validation Dipole	D2450V2	734	August 27, 2011
Schmid& Partner Engineering AG	Data acquisition Electronics	DAE3	567	December 09, 2010
Schmid& Partner Engineering AG	Software	DASY 4 V4.7	-	N/A
Schmid& Partner Engineering AG	Phantom	SAM Phantom V4.0	TP-1299 TP-1300	N/A
Agilent	Network Analyzer	E5070B	MY42100282	April 1, 2010
Agilent	Dielectric Probe Kit	85070D	2184	N/A
Agilent	Power Meter	E4419B	GB43311126	September 28, 2010
Agilent	Power Sensor	Е9300Н	MY41495307 MY41495308	September 29, 2010 September 29, 2010
Agilent	Signal Generator	E4421B	MY43350132	September 29, 2010
Empower RF Systems	Power Amplifier	2001- BBS3Q7ECK	1032 D/C 0336	April 1, 2010
Agilent	Dual Directional Coupler	777D 778D	50128 50454	September 28, 2010
Microlab	LP Filter	LA-15N LA-30N	N/A	September 28, 2010



Date of Issue : 2010-03-26 Page : 15 / 54

3. Summary of Results

A. Conducted Power

1. Conducted Power Table.

- WLAN

Mode	Average Power(dBm)		
Mode	Low	Mid	High
11b	20.83	20.54	18.62
11g	17.82	16.94	16.06

2. Worst-case result was reported.

11 b mode:

The power was measured with all data rates and 11 Mbps data rate was selected as the worst case.

11g mode:

The power was measured with all data rates and 54 Mbps data rate was selected as the worst case.

3. The EUT Position is based on normal operating condition.

B. SAR Evaluation Consideration

KDB 447498 -SAR evaluation

- output 60/f(GHz): SAR not required


- output > 60/f(GHz) : Stand-alone SAR required

Mode (f)	P (dBm)	P (mW)	Stand-alone SAR
802.11 b/g (2450)	20.83	121.06	Yes
Bluetooth	-0.25	0.94	No



Date of Issue : 2010-03-26 Page : 16 / 54

KDB 447498 & KDB616217 RF Exposure Assessments



Bluetooth-to-User = 18 mm

WLAN-to-User = 43 mm

WLAN-to-Bluetooth = 50 mm

- A. Individual SAR evaluation (Max)
 - 802.11b at WLAN = 0.195 W/kg
 - Individial SAR for Bluetooth is not required.
- B. Individual output power
 - Bluetooth output power = 0.94 mW
 - WLAN output power = 121.06 mW
- C. Simultaneously SAR consideration
 - All of antennas in this device is not operated simultaneously



Date of Issue : 2010-03-26 Page : 17/54

Ambient Temperature (°C)	22.1
Liquid Temperature (°C)	22.1
Date	2010-03-25

WLAN Body SAR

Trut Made	EUT	Traffic (Channel	Power	1 g SAR	1 g SAR	
Test Mode	Position	Frequency (MHz)	Channel	Drift(dB)	(W/kg)	Limits (W/kg)	
11b	Bottom of Base	2437	6	-0.098	0.015		
11g	Bottom of Base	2437	6	0.109	0.00662		
11b	Antenna Edge Side	2412	1	-0.124	0.107	1.6	
11b	Antenna Edge Side	2437	6	-0.104	0.120	1.0	
11b	Antenna Edge Side	2462	11	0.135	0.195		
11g	Antenna Edge Side	2437	1	-0.106	0.050		

<Note>

- 1. If the SAR measured at the middle channel for this configuration is at least 3dB lower (0.8 W/kg) than SAR limit, testing at low and high channel is optional.
- 2. WLAN antenna is installed along the left side of display, so the edge side is tested in direct contact with a flat phantom
- 3. These test positions are shown the below set up pictures. Please refer to the pictures.



Date of Issue : 2010-03-26 Page : 18 / 54

Appendix

List

Appendix A	Photographs	- EUT - Test Setup
Appendix B	DASY4 Report (Plots of the SAR Measurements)	- 2450 MHzValidation Test- WLAN Test
Appendix C	Uncertainty Analysis	
Appendix D	Calibration Certificate	- PROBE - DAE - DIPOLE



Appendix A

EUT Photographs

Report File No.: F690501/RF-SAR001860

Date of Issue : 2010-03-26 Page : 19 / 54





Bottom View of EUT





Date of Issue : 2010-03-26 Page : 20 / 54

Right Side View of EUT



Left Side View of EUT





Date of Issue : 2010-03-26 Page : 21 / 54

Display open View of EUT



Folded Tablet Mode View (Slate)





Test Setup Photographs


Report File No.: F690501/RF-SAR001860

Date of Issue : 2010-03-26 Page : 22 / 54

(a) Bottom of Base



(b) Antenna Edge Side





Appendix B

Test Plot - DASY4 Report

Report File No.: F690501/RF-SAR001860

Date of Issue : 2010-03-26 Page : 23 / 54



Date of Issue : 2010-03-26 Page : 24 / 54

2450 MHz Validation Test

Test Laboratory: SGS Testing Korea File Name: Validation 2450 MHz.da4

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: D2450V2 - SN:734

Program Name: Validation 2450 MHz

Communication System: CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2450 MHz; $\sigma = 1.86 \text{ mho/m}$; $\varepsilon_r = 37.6$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ET3DV6 SN1782; ConvF(4.45, 4.45, 4.45); Calibrated: 2009-04-30
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn567; Calibrated: 2009-12-09
- Phantom: SAM MIC #2000-93 with CRP; Type: SAM MIC #2000-93; Serial: TP-1299
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

Validation 2450 MHz/Area Scan (61x61x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 15.5 mW/g


Validation 2450 MHz/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

Reference Value = 89.2 V/m; Power Drift = -0.037 dB

Peak SAR (extrapolated) = 30.6 W/kg

SAR(1 g) = 13 mW/g; SAR(10 g) = 5.83 mW/g


Maximum value of SAR (measured) = 14.5 mW/g





Date of Issue : 2010-03-26 Page : 25 / 54

Z Scan





Date of Issue : 2010-03-26 Page : 26 / 54

WLAN Body SAR Test

Test Laboratory: SGS Testing Korea

File Name: WLAN.da4

DUT: S10; Type: Tablet PC; Serial: N/A

Program Name: WLAN_Body

Communication System: WL AN; Frequency: 2437 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2437 MHz; $\sigma = 1.97 \text{ mho/m}$; $\varepsilon_r = 50.7$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ET3DV6 SN1782; ConvF(3.95, 3.95, 3.95); Calibrated: 2009-04-30
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn567; Calibrated: 2009-12-09
- Phantom: SAM MIC #2000-93 with CRP; Type: SAM MIC #2000-93; Serial: TP-1299
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186


WLAN_11b_Mid/Area Scan (71x81x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.015 mW/g

WLAN_11b_Mid/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

Reference Value = 1.92 V/m; Power Drift = -0.098 dB

Peak SAR (extrapolated) = 0.036 W/kg

SAR(1 g) = 0.015 mW/g; SAR(10 g) = 0.00933 mW/g Maximum value of SAR (measured) = 0.017 mW/g





Date of Issue : 2010-03-26 Page : 27 / 54

Test Laboratory: SGS Testing Korea

File Name: WLAN.da4

DUT: S10; Type: Tablet PC; Serial: N/A

Program Name: WLAN_Body

Communication System: WLAN; Frequency: 2437 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2437 MHz; $\sigma = 1.97 \text{ mho/m}$; $\varepsilon_r = 50.7$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ET3DV6 SN1782; ConvF(3.95, 3.95, 3.95); Calibrated: 2009-04-30
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn567; Calibrated: 2009-12-09
- Phantom: SAM MIC #2000-93 with CRP; Type: SAM MIC #2000-93; Serial: TP-1299
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

WLAN_11g_Mid/Area Scan (71x81x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.007 mW/g

WLAN_11g_Mid/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,


dz=5mm

Reference Value = 1.45 V/m; Power Drift = 0.109 dB

Peak SAR (extrapolated) = 0.011 W/kg

SAR(1 g) = 0.00662 mW/g; SAR(10 g) = 0.00495 mW/g

Maximum value of SAR (measured) = 0.009 mW/g





Date of Issue : 2010-03-26 Page : 28 / 54

Test Laboratory: SGS Testing Korea File Name: WLAN_edge.da4

DUT: S10; Type: Tablet PC; Serial: N/A Program Name: WLAN_Body

Communication System: WLAN; Frequency: 2412 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2412 MHz; $\sigma = 1.94$ mho/m; $\varepsilon_r = 50.8$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ET3DV6 SN1782; ConvF(3.95, 3.95, 3.95); Calibrated: 2009-04-30
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn567; Calibrated: 2009-12-09
- Phantom: SAM MIC #2000-93 with CRP; Type: SAM MIC #2000-93; Serial: TP-1299
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

WLAN_11b_Low/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.109 mW/g

WLAN_11b_Low/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,


dz=5mm

Reference Value = 7.60 V/m; Power Drift = -0.124 dB

Peak SAR (extrapolated) = 0.375 W/kg

SAR(1 g) = 0.107 mW/g; SAR(10 g) = 0.034 mW/g

Maximum value of SAR (measured) = 0.125 mW/g



0 dB = 0.125 mW/g



Date of Issue : 2010-03-26 Page : 29 / 54

Test Laboratory: SGS Testing Korea File Name: WLAN_edge.da4

DUT: S10; Type: Tablet PC; Serial: N/A Program Name: WLAN_Body

Communication System: WLAN; Frequency: 2437 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2437 MHz; $\sigma = 1.97 \text{ mho/m}$; $\varepsilon_r = 50.7$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ET3DV6 SN1782; ConvF(3.95, 3.95, 3.95); Calibrated: 2009-04-30
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn567; Calibrated: 2009-12-09
- Phantom: SAM MIC #2000-93 with CRP; Type: SAM MIC #2000-93; Serial: TP-1299
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

WLAN_11b_Mid/Area Scan (61x81x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.073 mW/g

WLAN_11b_Mid/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,


dz=5mm

Reference Value = 5.00 V/m; Power Drift = -0.104 dB

Peak SAR (extrapolated) = 0.434 W/kg

SAR(1 g) = 0.120 mW/g; SAR(10 g) = 0.037 mW/g

Maximum value of SAR (measured) = 0.131 mW/g



0 dB = 0.131 mW/g



Date of Issue : 2010-03-26 Page : 30 / 54

Test Laboratory: SGS Testing Korea File Name: WLAN_edge.da4

DUT: S10; Type: Tablet PC; Serial: N/A

Program Name: WLAN_Body

Communication System: WLAN; Frequency: 2462 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2462 MHz; $\sigma = 2.01 \text{ mho/m}$; $\varepsilon_r = 50.6$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ET3DV6 SN1782; ConvF(3.95, 3.95, 3.95); Calibrated: 2009-04-30
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn567; Calibrated: 2009-12-09
- Phantom: SAM MIC #2000-93 with CRP; Type: SAM MIC #2000-93; Serial: TP-1299
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186


WLAN_11b_High/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.184 mW/g

WLAN_11b_High/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

Reference Value = 8.51 V/m; Power Drift = 0.135 dB

Peak SAR (extrapolated) = 0.674 W/kg


SAR(1 g) = 0.195 mW/g; SAR(10 g) = 0.059 mW/g Maximum value of SAR (measured) = 0.228 mW/g





Date of Issue : 2010-03-26 Page : 31 / 54

Z Scan





Date of Issue : 2010-03-26 Page : 32 / 54

Test Laboratory: SGS Testing Korea File Name: WLAN_edge.da4

DUT: S10; Type: Tablet PC; Serial: N/A Program Name: WLAN_Body

Communication System: WLAN; Frequency: 2437 MHz; Duty Cycle: 1:1

Medium parameters used: f = 2437 MHz; $\sigma = 1.97 \text{ mho/m}$; $\varepsilon_r = 50.7$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

DASY4 Configuration:

- Probe: ET3DV6 SN1782; ConvF(3.95, 3.95, 3.95); Calibrated: 2009-04-30
- Sensor-Surface: 4mm (Mechanical Surface Detection)
- Electronics: DAE3 Sn567; Calibrated: 2009-12-09
- Phantom: SAM MIC #2000-93 with CRP; Type: SAM MIC #2000-93; Serial: TP-1299
- Measurement SW: DASY4, V4.7 Build 80; Postprocessing SW: SEMCAD, V1.8 Build 186

WLAN_11g_Mid/Area Scan (51x91x1): Measurement grid: dx=15mm, dy=15mm Maximum value of SAR (interpolated) = 0.058 mW/g

WLAN_11g_Mid/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,


dz=5mm

Reference Value = 5.34 V/m; Power Drift = -0.106 dB

Peak SAR (extrapolated) = 0.183 W/kg

SAR(1 g) = 0.050 mW/g; SAR(10 g) = 0.015 mW/g

Maximum value of SAR (measured) = 0.057 mW/g



0 dB = 0.057 mW/g



Date of Issue : 2010-03-26 Page : 33 / 54

Appendix C

Uncertainty Analysis

а	b	С	d	e = f(d,k)	g	i = cxg/e	k
Uncertainty Component	Sectio n in P1528	Tol (%)	Prob . Dist.	Div.	Ci (1g)	1g ui (%)	Vi (Veff)
Probe calibration	E.2.1	6.3	N	1	1	6.30	
Axial isotropy	E.2.2	0.5	R	1.73	0.71	0.20	
hemispherical isotropy	E.2.2	2.6	R	1.73	0.71	1.06	
Boundary effect	E.2.3	0.8	R	1.73	1	0.46	
Linearity	E.2.4	0.6	R	1.73	1	0.35	
System detection limit	E.2.5	0.25	R	1.73	1	0.14	
Readout electronics	E.2.6	0.3	N	1	1	0.30	
Response time	E.2.7	0	R	1.73	1	0.00	
Integration time	E.2.8	2.6	R	1.73	1	1.50	
RF ambient Condition -Noise	E.6.1	3	R	1.73	1	1.73	
RF ambient Condition - reflections	E.6.1	3	R	1.73	1	1.73	
Probe positioning- mechanical tolerance	E.6.2	1.5	R	1.73	1	0.87	
Probe positioning - with respect to phantom	E.6.3	2.9	R	1.73	1	1.67	
Max. SAR evaluation	E.5.2	1	R	1.73	1	0.58	
Test sample positioning	E.4.2	2.3	N	1	1	2.30	9
Device holder uncertainty	E.4.1	3.6	N	1	1	3.60	
Output power variation - SAR drift measurement	6.62	5	R	1.73	1	2.89	
Phantom uncertainty (shape and thickness tolerances)	E.3.1	4	R	1.73	1	2.31	
Liquid conductivity - deviation from target values	E.3.2	5	R	1.73	0.64	1.85	
Liquid conductivity - measurement uncertainty	E.3.2	1.2	N	1	0.64	0.77	5
Liquid permittivity - deviation from target values	E.3.3	5	R	1.73	0.6	1.73	
Liquid permittivity - measurement uncertainty	E.3.3	1.1	N	1	0.6	0.66	5
Combined standard uncertainty				RSS		9.63	2754
Expanded uncertainty (95% CONFIDENCE INTERVAL)				K=2		19.27	



Appendix D

Calibration Certificate

- PROBE
- DAE
- 2450 MHz DIPOLE

Report File No.: F690501/RF-SAR001860

Date of Issue : 2010-03-26 Page : 34 / 54



Date of Issue : 2010-03-26 Page : 35 / 54

- PROBE Calibration Certificate

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Client SGS KES (Dymstec)

Certificate No: ET3-1782 Arp09

Accreditation No.: SCS 108

THE RESIDENCE OF THE PARTY OF THE PARTY.	QA CAL-12.v5 and QA CAL-23.v3 edure for dosimetric E-field probes	
Tolerance		
D#	Cal Date (Certificate No.)	Scheduled Calibration
3841293874	1-Apr-09 (No. 217-01030)	Apr-10
AY41495277	B 2 (1.) 전에, 전에는 [점점] [조리 시기 : () 2 (~)	Apr-10
	. 교리 사이는 유리 회사 이번 이번 시간 이번 가는 그렇게 하다.	Apr-10
		Mar-10
		Mar-10
	200 Per 1902 and 1900 and 1903 and 1905	Mar-10
SN 3013 SN 960	2-Jan-09 (No. ES3-3013_Jan09) 9-Sep-08 (No. DAE4-660_Sep08)	Jan-10 Sep-09
D#	Check Date (in house)	Scheduled Check
JS3642U01700	4-Aug-99 (in house check Oct-07)	In house check: Oct-09
JS37390585	18-Oct-01 (in house check Oct-08)	In house check: Oct-09
lame	Function	Signiture
ața Pokovic	Technical Manager	IP. Kel
	X	112
liefs Kuster	Quality Manager:	1.180
	n the closed laboration) D # 3B41293874 8741495277 8741498087 8741498087 874 55066 (20b) 8N 55129 (30b) 8N 3013 8N 960 D # J\$3842U01700 J\$37390585 Lame aliga Pokovic	D# Cal Date (Certificate No.) 1841293874 1-Apr-09 (No. 217-01030) 8Y41498277 1-Apr-09 (No. 217-01030) 8Y41498087 1-Apr-09 (No. 217-01030) 8N S5054 (3c) 31-Mar-09 (No. 217-01026) 8N S5056 (20b) 31-Mar-09 (No. 217-01026) 8N S5129 (30b) 31-Mar-09 (No. 217-01027) 8N 3013 2-Jan-09 (No. E83-3013, Jan09) 8N 960 9-Sep-08 (No. DAE4-860_Sep08) D# Check Date (in house) 183842U01700 4-Aug-99 (in house check Oct-07) 1837390555 18-Oct-01 (in house check Oct-08) Lame Function Technical Manager

Certificate No: ET3-1782 Apr09

Page 1 of 9



Report File No.:

F690501/RF-SAR001860

Date of Issue:

2010-03-26

Page:

36 / 54

Calibration Laboratory of Schmid & Partner

Schmid & Partner
Engineering AG
Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Glossary:

DCP

TSL NORMx,y,z ConvF tissue simulating liquid sensitivity in free space sensitivity in TSL / NORMx,y,z diode compression point

Polarization ϕ

φ rotation around probe axis

Polarization 9

9 rotation around an axis that is in the plane normal to probe axis (at

measurement center), i.e., 9 = 0 is normal to probe axis

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2003, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2003
- EC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization 9 = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not effect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). This
 linearization is implemented in DASY4 software versions later than 4.2. The uncertainty of
 the frequency response is included in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep (no uncertainty required). DCP does not depend on frequency nor media.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.

Certificate No: ET3-1782_Apr09

Page 2 of 9



F690501/RF-SAR001860 2010-03-26

Date of Issue:

Page:

37 / 54

ET3DV6 SN:1782

April 30, 2009

Probe ET3DV6

SN:1782

Manufactured:

April 15, 2003

Last calibrated: Recalibrated: April 22, 2008 April 30, 2009

Calibrated for DASY Systems

(Note: non-compatible with DASY2 system!)

Certificate No: ET3-1782_Apr09

Page 3 of 9



F690501/RF-SAR001860

Date of Issue:

2010-03-26

Page:

38 / 54

ET3DV6 SN:1782

April 30, 2009

DASY - Parameters of Probe: ET3DV6 SN:1782

Sensitivity in Free Space ^A			Diode C	compression ^B
NormX	2.03 ± 10.1%	$\mu V/(V/m)^2$	DCP X	91 mV
NormY	1.70 ± 10.1%	$\mu V/(V/m)^2$	DCP Y	91 mV
NormZ	1.92 ± 10.1%	$\mu V/(V/m)^2$	DCP Z	90 mV

Sensitivity in Tissue Simulating Liquid (Conversion Factors)

Please see Page 8.

Boundary Effect

TSL		35 MHz	Typical SAR gradient: 5 %		
	Sensor Cente	r to Phant	om Surface Distance	3.7 mm	4.7 m
	SAR., 1%1	Withou	t Correction Algorithm	10.6	6.3

 SAR_{be} [%]
 Without Correction Algorithm
 10.6
 6.3

 SAR_{be} [%]
 With Correction Algorithm
 0.9
 0.5

TSL 1750 MHz Typical SAR gradient: 10 % per mm

Sensor Cente	r to Phantom Surface Distance	3.7 mm	4.7 mm
SAR ₅₀ [%]	Without Correction Algorithm	11.5	7.5
SAR _{be} [%]	With Correction Algorithm	0.9	0.6

Sensor Offset

Probe Tip to Sensor Center

2.7 mm

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: ET3-1782_Apr09

Page 4 of 9

 $^{^{\}pm}$ The uncertainties of NormX,Y,Z do not affect the E 2 -field uncertainty inside TSL (see Page II).

Numerical linearization parameter: uncertainty not required.




Date of Issue : 2010-03-26 Page : 39 / 54

ET3DV6 SN:1782

April 30, 2009

Frequency Response of E-Field

(TEM-Cell:ifi110 EXX, Waveguide: R22)



Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)

Certificate No. ET3-1782_Apr09

Page 5 of 9



F690501/RF-SAR001860

Date of Issue:

2010-03-26


Page:


40 / 54

ET3DV6 SN:1782

April 30, 2009

Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$





Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)



F690501/RF-SAR001860 2010-03-26

Date of Issue : Page :


41 / 54


ET3DV6 SN:1782

April 30, 2009

Dynamic Range f(SAR_{head})

(Waveguide R22, f = 1800 MHz)





Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Certificate No: ET3-1782_Apr09

Page 7 of 9



F690501/RF-SAR001860

Date of Issue:

2010-03-26


Page:


42 / 54

ET3DV6 SN:1782

April 30, 2009

Conversion Factor Assessment





f [MHz]	Validity [MHz] ^C	TSL	Permittivity	Conductivity	Alpha	Depth	ConvF Uncertainty
450	±50/±100	Head	43.5 ± 5%	$0.87 \pm 5\%$	0.29	1.94	6.66 ± 13.3% (k=2)
835	± 50 / ± 100	Head	$41.5\pm5\%$	$0.90 \pm 5\%$	0.51	2.09	6.18 ± 11.0% (k=2)
1750	±50/±100	Head	40.1 ± 5%	1.37 ± 5%	0.50	2.68	5.19 ± 11.0% (k=2)
1900	±50/±100	Head	$40.0\pm5\%$	$1.40\pm5\%$	0.64	2.29	5.00 ± 11.0% (k=2)
2450	± 50 / ± 100	Head	39.2 ± 5%	1.80 ± 5%	0.80	1.71	4.45 ±11.0% (k=2)
450	±50/±100	Body	56.7 ± 5%	0.94 ± 5%	0.21	1.99	7.22 ± 13.3% (k=2)
835	±50/±100	Body	55.2 ± 5%	0.97 ± 5%	0.40	2.42	5.07 ± 11.0% (k=2)
1750	± 50 / ± 100	Body	53.4 ± 5%	1.49 ± 5%	0.63	3.09	4.71 ± 11.0% (k=2)
1900	±50/±100	Body	53.3 ± 5%	1.52 ± 5%	0.84	2.44	4.45 ± 11.0% (k=2)
2450	±50/±100	Body	52.7 ± 5%	1.95 ± 5%	0.70	1.40	3.95 ± 11.0% (k=2)

^C The validity of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2). The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band.




Date of Issue : 2010-03-26 Page : 43 / 54

ET3DV6 SN:1782

April 30, 2009

Deviation from Isotropy in HSL

Error (6, 9), f = 900 MHz



Uncertainty of Spherical Isotropy Assessment: ± 2.6% (k=2)

Certificate No. ET3-1782_Apr09

Page 9 of 9



F690501/RF-SAR001860

Date of Issue:

2010-03-26

Page:

44 / 54

-DAE Calibration Certificate

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst C Service suisse d'étalonnage Servizio svizzero di taratura S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: SCS 108

Certificate No: DAE3-567_Dec09 SGS KES CALIBRATION CERTIFICATE DAE3 - SD 000 D03 AA - SN: 567 QA CAL-06.v12 Calibration procedure(s) Calibration procedure for the data acquisition electronics (DAE) December 9, 2009 Calibration date: This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate. All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70% Calibration Equipment used (M&TE critical for calibration) Cal Date (Certificate No.) Scheduled Calibration Primary Standards 10 # 1-Oct-09 (No: 9055) Oct-10 Keithley Multimeter Type 2001 SN: 0810278 Scheduled Check Check Date (in house) 10.0 In house check: Jun-10 SE UMS 006 AB 1004 05-Jun-09 (in house check) Calibrator Box V1.1 Function Dominique Steffen Technician Calibrated by: R&D Director Fin Bomholt Approved by: Issued: December 9, 2009 This calibration certificate shall not be reproduced except in full without written approval of the laboratory.



F690501/RF-SAR001860

Date of Issue:

2010-03-26

Page:

45 / 54

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
Service suisse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signetories to the EA

Multilisteral Agreement for the recognition of calibration certificates

Glossary

DAE

data acquisition electronics

Connector angle

information used in DASY system to align probe sensor X to the robot

coordinate system.

Methods Applied and Interpretation of Parameters

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The following parameters as documented in the Appendix contain technical information as a result from the performance test and require no uncertainty.
 - DC Voltage Measurement Linearity: Verification of the Linearity at +10% and -10% of the nominal calibration voltage. Influence of offset voltage is included in this measurement.
 - Common mode sensitivity: Influence of a positive or negative common mode voltage on the differential measurement.
 - Channel separation: Influence of a voltage on the neighbor channels not subject to an input voltage.
 - AD Converter Values with inputs shorted: Values on the internal AD converter corresponding to zero input voltage
 - Input Offset Measurement: Output voltage and statistical results over a large number of zero voltage measurements.
 - Input Offset Current: Typical value for information; Maximum channel input offset current, not considering the input resistance.
 - Input resistance: DAE input resistance at the connector, during internal auto-zeroing and during measurement.
 - Low Battery Alarm Voltage: Typical value for information. Below this voltage, a battery alarm signal is generated.
 - Power consumption: Typical value for information. Supply currents in various operating modes.



F690501/RF-SAR001860

Date of Issue:

2010-03-26

Page:

46 / 54

DC Voltage Measurement

A/D - Converter Resolution nominal
High Range: 1LSB = 6.1 µV , full range = -100...+300 mV
Low Range: 1LSB = 61nV , full range = -1......+3mV

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Calibration Factors	x	Υ	Z
High Range	404.546 ± 0.1% (k=2)	404.281 ± 0.1% (k=2)	404.334 ± 0.1% (k=2)
Low Range	3.96697 ± 0.7% (k=2)	3.97066 ± 0.7% (k=2)	3.95911 ± 0.7% (k=2)

Connector Angle

Connector Angle to be used in DASY system	7.5°±1°



F690501/RF-SAR001860

Date of Issue:

2010-03-26

Page:

47 / 54

Appendix

1. [

High Range	Reading (µV)	Difference (µV)	Error (%)
Channel X + Input	200002,8	+1.89	-0.00
Channel X + Input	19998.11	-1.59	-0.01
Channel X - Input	-19992.89	7.71	-0.04
Channel Y + Input	199957.5	-46.16	-0.02
Channel Y + Input	19992.42	-7.98	-0.04
Channel Y - Input	-19994.34	4.96	-0.02
Channel Z + Input	199931.6	-61,88	-0.03
Channel Z + Input	19990.70	-8.50	-0.04
Channel Z - Input	-19992.89	-0.04	-0.04

Low Range	Reading (µV)	Difference (µV)	Error (%)
Channel X + Input	2000.7	0.61	0.03
Channel X + Input	199.14	-0.86	-0.43
Channel X - Input	-200.82	-0.72	0.36
Channel Y + Input	2000.0	-0.11	-0.01
Channel Y + Input	198.97	-1.13	-0.56
Channel Y - Input	-201.08	-1.18	0.59
Channel Z + Input	1999.4	-0.87	-0.04
Channel Z + Input	198.62	-1,48	-0.74
Channel Z - Input	-201.26	-1.36	0.68

2. Common mode sensitivity

	Common mode Input Voltage (mV)	High Range Average Reading (μV)	Low Range Average Reading (μV)
Channel X	200	3.98	2.30
	- 200	-0.74	-2.83
Channel Y	200	-0.27	-0.39
	- 200	-0.32	-0.95
Channel Z	200	4,97	4.65
	- 200	-6.07	-6.68

3. Channel separation

neters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Input Voltage (mV)	Channel X (µV)	Channel Y (µV)	Channel Z (μV)
Channel X	200		1.57	-1.52
Channel Y	200	3.06		3.39
Channel Z	200	3.26	-0.28	



F690501/RF-SAR001860

Date of Issue:

2010-03-26

Page:

48 / 54

4. AD-Converter Values with inputs shorted

parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	High Range (LSB)	Low Range (LSB)
Channel X	16355	16407
Channel Y	16166	16176
Channel Z	15925	16100

5. Input Offset Measurement

DASY measurement parameters: Auto Zero Time; 3 sec; Measuring time; 3 sec

nput 10MΩ	Average (μV)	min. Offset (μV)	max. Offset (μV)	Std. Deviation (µV)
Channel X	-0.19	-1.19	0.58	0.37
Channel Y	-0.59	-1.52	0.73	0.36
Channel Z	-1.05	-2.18	-0.05	0.34

6. Input Offset Current

Nominal Input circuitry offset current on all channels: <251A

7. Input Resistance

iipat Hoolotailoo	Zeroing (MOhm)	Measuring (MOhm)
Channel X	0.2000	203.2
Channel Y	0.1999	202.8
Channel Z	0.1999	201.0

Typical values	Alarm Level (VDC)
Supply (+ Vcc)	+7.9
Supply (+ Vcc)	-7.6

9. Power Consumption (verified during pre test)

Typical values	Switched off (mA)	Stand by (mA)	Transmitting (mA)
Supply (+ Vcc)	+0.0	+6	+14
Supply (- Vcc)	-0.01	-8	-9



Date of Issue: 2010-03-26 49 / 54 Page:

- 2450 MHz Dipole Calibration Certificate

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst C Service suisse d'étalonnage Servizio svizzero di taratura S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Client SGS KES (Dymstec)

Certificate No: D2450V2-734 Aug09

Accreditation No.: SCS 108

Object	D2450V2 - SN: 7	34	
Calibration procedure(s)	QA CAL-05.v7 Calibration proce	dure for dipole validation kits	
Calibration date:	August 27, 2009		THE RESIDENCE
Condition of the calibrated item	In Tolerance		
Calibration Equipment used (M&)	TE critical for calibration)	y facility: environment temperature (22 ± 3)°C a	
Calibration Equipment used (M&)	TE critical for calibration)	Cal Date (Calibrated by, Certificate No.)	Scheduled Calibration
Calibration Equipment used (M&) Primary Standards Power meter EPM-442A	ID # GB37480704	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00698)	Scheduled Calibration Oct-09
Calibration Equipment used (M&) Primary Standards Power meter EPM-442A Power sensor HP 8481A	(E critical for calibration)	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00698) 08-Oct-08 (No. 217-00698)	Scheduled Calibration Oct-09 Oct-09
Calibration Equipment used (M&) Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator	ID # GB37480704 US37292783 SN: 5086 (20g)	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00898) 08-Oct-08 (No. 217-00898) 31-Mar-09 (No. 217-01025)	Scheduled Calibration Oct-09
Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Atlenuator Type-N mismatch combination	(E critical for calibration)	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00698) 08-Oct-08 (No. 217-00698)	Scheduled Calibration Oct-09 Oct-09 Mar-10
Calibration Equipment used (M&I Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3	ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 / 06327	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00698) 08-Oct-08 (No. 217-00698) 31-Mar-09 (No. 217-01025) 31-Mar-09 (No. 217-01029)	Scheduled Calibration Oct-09 Oct-09 Mar-10 Mar-10
All calibrations have been conducted (M&I Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards	ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 / 06327 SN: 3205	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00898) 08-Oct-08 (No. 217-00898) 31-Mar-09 (No. 217-01025) 31-Mar-09 (No. 217-01029) 28-Jun-09 (No. ES3-3205_Jun09)	Scheduled Calibration Oct-09 Oct-09 Mar-10 Mar-10 Jun-10
Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A	ID # GB37480704 US37292783 SN: 5085 (20g) SN: 5047.2 / 06327 SN: 5205 SN: 601	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00698) 08-Oct-08 (No. 217-00698) 31-Mar-09 (No. 217-01025) 31-Mar-09 (No. 217-01029) 25-Jun-09 (No. ES3-3205_Jun09) 07-Mar-09 (No. DAE4-801_Mar09)	Scheduled Calibration Oct-09 Oct-09 Mar-10 Mar-10 Jun-10 Mar-10
Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 d8 Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 / 06327 SN: 3205 SN: 601 ID # MY41092317 100005	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00698) 08-Oct-08 (No. 217-00698) 31-Mar-09 (No. 217-01025) 31-Mar-09 (No. 217-01029) 26-Jun-09 (No. ES3-3205_Jun09) 07-Mar-09 (No. DAE4-601_Mar09) Check Date (in house check Oct-07) 4-Aug-99 (in house check Oct-07)	Scheduled Calibration Oct-09 Oct-09 Mar-10 Mar-10 Jun-10 Mar-10 Scheduled Check In house check: Oct-09 In house check: Oct-09
Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 d8 Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 / 06327 SN: 3205 SN: 601 ID # MY41092317	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00698) 08-Oct-08 (No. 217-010698) 31-Mar-09 (No. 217-01025) 31-Mar-09 (No. 217-01029) 26-Jun-09 (No. ES3-3205_Jun09) 07-Mar-09 (No. DAE4-801_Mar09) Check Date (in house)	Scheduled Calibration Oct-09 Oct-09 Mar-10 Mar-10 Jun-10 Mar-10 Scheduled Check In house check: Oct-09
Calibration Equipment used (M&I Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards	ID # GB37480704 US37292783 SN: 5086 (20g) SN: 5047.2 / 06327 SN: 3205 SN: 601 ID # MY41092317 100005	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00698) 08-Oct-08 (No. 217-00698) 31-Mar-09 (No. 217-01025) 31-Mar-09 (No. 217-01029) 26-Jun-09 (No. ES3-3205_Jun09) 07-Mar-09 (No. DAE4-601_Mar09) Check Date (in house check Oct-07) 4-Aug-99 (in house check Oct-07)	Scheduled Calibration Oct-09 Oct-09 Mar-10 Mar-10 Jun-10 Mar-10 Scheduled Check In house check: Oct-09 In house check: Oct-09
Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	ID # GB37480784 US37292783 SN: 5086 (20g) SN: 5047.2 / 06327 SN: 3205 SN: 601 ID # MY41092317 100005 US37390585 S4206	Cal Date (Calibrated by, Certificate No.) 08-Oct-08 (No. 217-00698) 08-Oct-08 (No. 217-00698) 31-Mar-09 (No. 217-01025) 31-Mar-09 (No. 217-01029) 28-Jun-09 (No. ES3-3205_Jun09) 07-Mar-09 (No. DAE4-601_Mar09) Check Date (in house) 18-Oct-02 (in house check Oct-07) 4-Aug-99 (in house check Oct-07) 18-Oct-01 (in house check Oct-08)	Scheduled Calibration Oct-09 Oct-09 Mar-10 Mar-10 Jun-10 Mar-30 Scheduled Check In house check: Oct-09 In house check: Oct-09 In house check: Oct-09

Certificate No: D2450V2-734_Aug09 Page 1 of 6



F690501/RF-SAR001860

Date of Issue:

2010-03-26

Page:

50 / 54

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst Service suisse d'étalonnage C Servizio svizzero di taratura S

Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL

tissue simulating liquid

ConvF N/A

sensitivity in TSL / NORM x,y,z not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2003, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2003
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) Federal Communications Commission Office of Engineering & Technology (FCC OET), "Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields; Additional Information for Evaluating Compliance of Mobile and Portable Devices with FCC Limits for Human Exposure to Radiofrequency Emissions", Supplement C (Edition 01-01) to Bulletin 65

Additional Documentation:

d) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- . Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- · Feed Point Impedance and Return Loss: These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.



F690501/RF-SAR001860

Date of Issue:

2010-03-26

Page:

51 / 54

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V5.0
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom V5.0	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	2450 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	39.2	1.80 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	40.1 ± 6 %	1.80 mho/m ± 6 %
Head TSL temperature during test	(22.3 ± 0.2) °C		

SAR result with Head TSL

SAR averaged over 1 cm3 (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	13.3 mW / g
SAR normalized	normalized to 1W	53.2 mW / g
SAR for nominal Head TSL parameters *	normalized to 1W	53.5 mW/g ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	6.27 mW / g
SAR normalized	normalized to 1W	25.1 mW / g
SAR for nominal Head TSL parameters 1	normalized to 1W	25.2 mW/g ± 16.5 % (k=2)

Certificate No: D2450V2-734_Aug09

¹ Correction to nominal TSL parameters according to d), chapter "SAR Sensitivities"



Date of Issue : 2010-03-26 Page : 52 / 54

Appendix

Antenna Parameters with Head TSL

Impedance, transformed to feed point	53.2 Ω + 3.2 jΩ	
Return Loss	- 27.1 dB	

General Antenna Parameters and Design

Electrical Delay (one direction)	1.153 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	May 7, 2003

Certificate No: D2450V2-734_Aug09 Page 4 of 6



Date of Issue : 2010-03-26 Page : 53 / 54

DASY5 Validation Report for Head TSL

Date/Time: 27.08.2009 11:36:28

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: D2450V2 - SN734

Communication System: CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: HSL U11 BB

Medium parameters used: f = 2450 MHz; $\sigma = 1.8$ mho/m; $\epsilon_r = 40.1$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC)

DASY5 Configuration:

Probe: ES3DV3 - SN3205; ConvF(4.53, 4.53, 4.53); Calibrated: 26.06.2009

· Sensor-Surface: 3mm (Mechanical Surface Detection)

Electronics: DAE4 Sn601; Calibrated: 07.03.2009

Phantom: Flat Phantom 5.0 (front); Type: QD000P50AA; Serial: 1001

Measurement SW: DASY5, V5.0 Build 120; SEMCAD X Version 13.4 Build 45


Pin = 250 mW; d = 10 mm/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm,

dz=5mm

Reference Value = 100.6 V/m; Power Drift = 0.052 dB

Peak SAR (extrapolated) = 27.2 W/kg

SAR(1 g) = 13.3 mW/g; SAR(10 g) = 6.27 mW/g Maximum value of SAR (measured) = 16.9 mW/g



0~dB=16.9mW/g

Certificate No: D2450V2-734_Aug09



Date of Issue : 2010-03-26 Page : 54 / 54

Impedance Measurement Plot for Head TSL

