



**Produkte**  
*Products*

<b>Prüfbericht - Nr.:</b> 19660261 001		<b>Seite 1 von 110</b>	
<i>Test Report No.:</i>		<i>Page 1 of 110</i>	
<b>Auftraggeber:</b> <i>Client:</i>		Redpine Signals Inc. 2107 N. First Street, Suite 680, San Jose, CA 95131-2019 United States	
<b>Gegenstand der Prüfung:</b> <i>Test item:</i>		High Performance Module	
<b>Bezeichnung:</b> <i>Identification:</i>	RS9113DBH	<b>Serien-Nr.:</b> <i>Serial No.</i>	Engineering Sample
<b>Wareneingangs-Nr.:</b> <i>Receipt No.:</i>	1803166512	<b>Eingangsdatum:</b> <i>Date of receipt:</i>	19.09.2016
<b>Prüfart:</b> <i>Testing location:</i>		Refer Page 4 of 110 for test facilities	
<b>Prüfgrundlage:</b> <i>Test specification:</i>		FCC Part 15, Subpart E ANSI C63.10-2013	
<b>Prüfergebnis:</b> <i>Test Result:</i>		Der Prüfgegenstand entspricht oben genannter Prüfgrundlage(n). <i>The tests item passed the test specification(s).</i>	
<b>Prüflaboratorium:</b> <i>Testing Laboratory:</i>		TÜV Rheinland (India) Pvt. Ltd. 82/A, 3rd Main, West Wing, Electronic City Phase 1 Hosur Road, Bangalore – 560 100. India FCC Registration No.: 176555	
<b>geprüft / tested by:</b>		<b>kontrolliert / reviewed by:</b>	
26.09.2016 Raghavendra Katti Engineer		28.09.2016 Vinay N Ast.Manager	
<b>Datum</b> <i>Date</i>	<b>Name/Stellung</b> <i>Name/Position</i>	<b>Unterschrift</b> <i>Signature</i>	<b>Unterschrift</b> <i>Signature</i>
			
<b>Sonstiges / Other Aspects:</b> FCC ID: XF6-RS9113DBH			
<b>Abkürzungen:</b> P(ass) = entspricht Prüfgrundlage F(ail) = entspricht nicht Prüfgrundlage N/A = nicht anwendbar N/T = nicht getestet		<b>Abbreviations:</b> P(ass) = passed F(ail) = failed N/A = not applicable N/T = not tested	
Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens. <i>This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.</i>			

TÜV Rheinland India Pvt. Ltd. 82/A, 3rd Main, West Wing Electronic City Phase 1, Hosur Road, Bangalore-560100, India  
 Tel.: +9180 6723 3500 · Fax: +9180 6723 3542 · Web: [www.tuv.com](http://www.tuv.com)

**Test Result Summary**

Clause	Test Item	Result
15.407 (a)	Emission Bandwidth	Pass
15.407 (a)	Maximum Conducted Output Power	Pass
15.407 (a)	Power Spectral Density	Pass
15.209/15.205/15.407	Radiated Spurious Emissions and Restricted bands of operation	Pass

**Note:** Conducted measurements are done according to the procedure given in KDB No. **789033 D02**  
**General UNII Test Procedures v01r03**

# Content

<b>List of Test and Measurement Instruments .....</b>	<b>4</b>
<b>General Product Information .....</b>	<b>4</b>
Product Function and Intended Use .....	5
Ratings and System Details.....	5
<b>Test Set-up and Operation Mode .....</b>	<b>6</b>
Principle of Configuration Selection .....	6
Test Operation and Test Software .....	6
Test Modes – Data Rates and Modulations .....	6
Table of Carrier frequencies .....	6
<b>Test Methodology .....</b>	<b>7</b>
Radiated Emission Test .....	7
<b>Test Results.....</b>	<b>8</b>
Emission Bandwidth	Section 15.407 (a).....8
Minimum Emission Bandwidth	Section 15.407(a).....28
Maximum conducted output power	Section 15.407(a) .....38
Maximum conducted power spectral density	Section 15.407(a) .....69
Radiated Spurious Emissions and Restricted bands of operation	Section 15.209 /15.205/15.407 (b) (6).....100
<b>Appendix 1: Test Setup Photo</b>	
<b>Appendix 2: EUT External Photo</b>	
<b>Appendix 3: EUT Internal Photo</b>	
<b>Appendix 4: FCC Label and Label Location</b>	
<b>Appendix 5: Block Diagram</b>	
<b>Appendix 6: Specification of EUT</b>	
<b>Appendix 7: Schematic Diagrams</b>	
<b>Appendix 8: Bill of Material</b>	
<b>Appendix 9: User Manual</b>	
<b>Appendix 10: Maximum Permissible Human Exposure</b>	

www.tuv.com

## List of Test and Measurement Instruments

### TUV Rheinland (India) Pvt. Ltd., Bangalore

Equipment	Manufacturer	Model	S/N	Calibration Due Date
EMI Test Receiver	Rohde & Schwarz	ESU 40	100288	23.11.2016
Hybrid Log Periodic antenna	ETS Lindgren	3142D	00081354	10.06.2017
Broadband Horn Antenna	Frankonia	HAX-18	HAX18-802	14.03.2017
Double-Ridged Waveguide Horn Antenna	ETS Lindgren	116794	00133356	14.03.2017
Emission Horn Antenna	ETS Lindgren	116706	00107323	02.11.2016
Active Loop Antenna	Frankonia	LAX-10	LAX-10-800	22.12.2016
Spectrum Analyser	Agilent Technologies	E4407B	US41192772	23.04.2017

### Testing Facilities

TUV Rheinland (India) Private Limited  
No. 108, West Wing  
Electronic city Phase I  
Bangalore – 560100

## General Product Information

### Product Function and Intended Use

The RS9113DBH module family is based on Redpine Signals' RS9113 ultra-low-power, single spatial stream, dual-band 802.11abgn. The modules are high performance single band and 2.4GHz/5GHz dual band devices IEEE 802.11abgn WLAN standards. The modules integrate a multi-threaded MAC processor with integrated analog peripherals and support for digital peripherals, baseband digital signal processor, analog front-end, crystal oscillator, calibration OTP memory, dual-band RF transceiver, dual-band high-power amplifiers, baluns, diplexers, diversity switch and Quad-SPI flash. They support host-based software architectures as well as fully embedded architectures. The interface to the host processor is available over SDIO, USB, SPI and UART interfaces. These modules are shielded. We are using two RF ports RFOUT1 and RFOUT2, in which RFOUT2 was used for testing. The firmware in this module will allow transmitting or receiving in only one path that is RFOUT2.

### Ratings and System Details

Operating Frequency	5150 - 5250 MHz, & 5725 – 5850 MHz	
No. of channel	Refer page 6, Table 1	
Channel Spacing	20 MHz	
Transmitted Power	802.11a	23.53dBm
	802.11n	23.49dBm
Modulation	802.11a	OFDM with BPSK,QPSK, 16-QAM, 64-QAM
	802.11n	BPSK,QPSK,16-QAM,64-QAM
Data Rate	802.11n: 6.5, 13, 19.5, 26, 39, 52, 58.5, 65 Mbps 802.11a: 6, 9, 12, 18, 24, 36, 48, 54 Mbps	
Antenna Type	External	
Number of antenna	One	
Antenna Gain	2dBi	
Supply Voltage to module	3.1V – 3.6V DC from Host device	
Environmental	-40°C to +85°C	

### Test Conditions:

Supply Voltage: 5V DC from Adapter

### Environmental conditions:

Temperature: +23 °C

RH: 62%

## Test Set-up and Operation Mode

### Principle of Configuration Selection

Transmission was enabled with 100% duty cycle duty on low, mid and high channel.

### Test Operation and Test Software

Test software was used to enable the transmission with 100% duty cycle, changing channels (low/mid/high) and data rates on the EUT for the tests in this report.

**Note:** The firmware in this module will allow transmitting or receiving in only one path that is RFOUT2.

### Special Accessories and Auxiliary Equipment

- None

### Countermeasures to achieve EMC Compliance

- None

### Test Modes – Data Rates and Modulations

For Radiated spurious emissions, the tests were performed for all data rates and only worst case results are reported in this report.

### Table of Carrier frequencies

#### 5GHz Band – 20MHz Bandwidth Channel List

Frequency Band	Channel No.	Frequency (MHz)
5150 – 5250 MHz	36	5180
	40	5200
	44	5220
	48	5240
5725 – 5850MHz	149	5745
	143	5765
	157	5785
	161	5805
	165	5825


Table 1

## Test Methodology

### Radiated Emission Test

The radiated emission measurement was performed according to the procedures in ANSI C63.4-2009. The equipment under test (EUT) was placed at the middle of the 80 cm high turntable, and the EUT is 3 meters far from the measuring antenna. The turntable was rotated 360° for obtaining the maximum emission. The height of the measuring antennas was scanned between 1m and 4m, and the antenna rotated to repeat the measurements for both the horizontal and vertical antenna polarizations. Repeat the measurement steps until the maximum emissions were obtained. The measurement above 1000MHz was performed by horn antenna. The measurement below 30MHz was performed by loop antenna.

The EUT was rotated around the X-, Y-, and Z-Axis and the results from worst case axis are recorded.



www.tuv.com

## Test Results


**Emission Bandwidth  
Result**

**Section 15.407 (a)  
Pass**

Test Specification  
Measurement Bandwidth (RBW)

FCC Part 15 Section 15.407(a)  
300 kHz

**Test Method:**





**Test Result:**

**Modulation: 802.11a**



Data Rate (Mbps)	Channel. No	Frequency (MHz)	EBW (MHz)	OBW (MHz)
<b>6</b>	36	5180	36.38	17.26
	40	5200	43.30	19.03
	48	5240	41.85	17.69
<b>24</b>	36	5180	35.43	16.89
	40	5200	36.83	19.92
	48	5240	34.63	18.58
<b>54</b>	36	5180	34.93	16.58
	40	5200	37.73	19.91
	48	5240	37.73	18.30





Data Rate: 6Mbps



Channel Frequency: 5180MHz



Data Rate: 6Mbps



Channel Frequency: 5200MHz

www.tuv.com





Data Rate: 6Mbps

Channel Frequency: 5240MHz



Data Rate: 24Mbps



Channel Frequency: 5180MHz



Data Rate: 24Mbps

Channel Frequency: 5200MHz



www.tuv.com



Data Rate: 24Mbps

Channel Frequency: 5240MHz



www.tuv.com



Data Rate: 54Mbps

Channel Frequency: 5180MHz



www.tuv.com



Data Rate: 54Mbps

Channel Frequency: 5200MHz







Data Rate: 54Mbps

Channel Frequency: 5240MHz

www.tuv.com

Modulation: 802.11n



Data Rate (Mbps)	Channel. No	Frequency (MHz)	EBW (MHz)	OBW (MHz)
<b>MCS 0</b>	36	5180	35.08	17.76
	40	5200	46.55	19.56
	48	5240	44.95	19.10
<b>MSC 4</b>	36	5180	35.38	18.98
	40	5200	41.40	18.10
	48	5240	41.55	18.23
<b>MCS 7</b>	36	5180	36.03	17.84
	40	5200	43.15	18.24
	48	5240	36.33	19.74



Data Rate: MSC 0



Channel Frequency: 5180MHz

www.tuv.com



Data Rate: MCS 0



Channel Frequency: 5200MHz



Data Rate: MCS 0

Channel Frequency: 5240MHz



www.tuv.com



Data Rate: MCS 4



Channel Frequency: 5180MHz

www.tuv.com



Data Rate: MCS 4



Channel Frequency: 5200MHz



Data Rate: MCS 4

Channel Frequency: 5240MHz







Data Rate: MCS 7



Channel Frequency: 5180MHz

www.tuv.com



Data Rate: MCS 7

Channel Frequency: 5200MHz



Data Rate: MCS 7

Channel Frequency: 5240MHz


**www.tuv.com**

**Minimum Emission Bandwidth  
Result**

**Section 15.407(a)  
Pass**

Test Specification	FCC Part 15 Subpart E
Measurement Bandwidth (RBW)	300 kHz
Requirement	For the band 5.725-5.850 GHz, the maximum conducted output power over the frequency band of operation shall be at least 500 kHz.

**Test Method:**




**Test Result:**

**5725 MHz – 5850 MHz Band**

**Modulation: 802.11a**


Data Rate (Mbps)	Channel. No	Frequency (MHz)	6 dB (MHz)	OBW (MHz)
<b>6</b>	149	5745	16.33	16.58
	157	5785	16.35	16.75
	165	5825	16.39	16.56
<b>24</b>	149	5745	16.21	16.73
	157	5785	16.18	16.69
	165	5825	16.24	16.70
<b>54</b>	149	5745	15.82	16.63
	157	5785	15.97	16.73
	165	5825	15.85	16.43

www.tuv.com



Data Rate: 6 Mbps


Channel Frequency: 5745 MHz



Data Rate: 6 Mbps


Channel Frequency: 5825 MHz

www.tuv.com



Data Rate: 24Mbps


Channel Frequency: 5745 MHz



Data Rate: 24Mbps


Channel Frequency: 5785 MHz

www.tuv.com



Data Rate: 24Mbps


Channel Frequency: 5825 MHz



Data Rate: 54 Mbps


Channel Frequency: 5745 MHz

www.tuv.com



Data Rate: 54 Mbps

Channel Frequency: 5785 MHz




Data Rate: 54 Mbps

Channel Frequency: 5825 MHz



www.tuv.com  
Modulation: 802.11n


Data Rate (Mbps)	Channel No	Frequency (MHz)	6 dB (MHz)	OBW (MHz)
<b>MCS 0</b>	149	5745	17.40	17.82
	157	5785	17.39	17.70
	165	5825	17.40	17.69
<b>MSC 4</b>	149	5745	17.70	17.94
	157	5785	17.74	17.89
	165	5825	17.48	17.89
<b>MCS 7</b>	149	5745	17.35	17.71
	157	5785	17.57	17.89
	165	5825	17.67	18.11



Data Rate: MCS 0


Channel Frequency: 5745 MHz

www.tuv.com



Data Rate: MCS 0


Channel Frequency: 5785 MHz



Data Rate: MCS 0


Channel Frequency: 5825 MHz

www.tuv.com



Data Rate: MCS 4


Channel Frequency: 5745 MHz



Data Rate: MCS 4


Channel Frequency: 5785 MHz

www.tuv.com



Data Rate: MCS 4


Channel Frequency: 5825 MHz



Data Rate: MCS 7


Channel Frequency: 5745 MHz

www.tuv.com



Data Rate: MCS 7

Channel Frequency: 5785 MHz



Data Rate: MCS 7

Channel Frequency: 5825 MHz

www.tuv.com


**Maximum conducted output power  
Result**

**Section 15.407(a)  
Pass**

Test Specification  
Measurement Bandwidth (RBW)  
Requirement

FCC Part 15 Subpart E  
1 MHz  
For the band 5.15-5.25 GHz & 5.725-5.850 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1W.

**Test Method:**




**Test Result:**

**5150 MHz – 5250MHz Band**

**Modulation: 802.11a**


Data Rate (Mbps)	Channel. No	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
<b>6</b>	36	5180	21.91	30	-8.09
	40	5200	23.29	30	-6.71
	48	5240	23.39	30	-6.61
<b>24</b>	36	5180	21.61	30	-8.39
	40	5200	23.00	30	-7.00
	48	5240	22.29	30	-7.71
<b>54</b>	36	5180	22.19	30	-7.81
	40	5200	<b>23.53</b>	30	-6.47
	48	5240	23.25	30	-6.75

www.tuv.com



Data Rate: 6Mbps


Channel Frequency: 5180MHz



Data Rate: 6Mbps


Channel Frequency: 5200MHz

www.tuv.com



Data Rate: 6Mbps

Channel Frequency: 5240MHz




Data Rate: 24Mbps

Channel Frequency: 5180MHz




www.tuv.com




Data Rate: 24Mbps

Channel Frequency: 5200MHz




www.tuv.com



Data Rate: 24Mbps


Channel Frequency: 5240MHz



Data Rate: 54Mbps


Channel Frequency: 5180MHz

www.tuv.com



Data Rate: 54Mbps

Channel Frequency: 5200MHz




Data Rate: 54Mbps

Channel Frequency: 5240MHz

www.tuv.com  
Modulation: 802.11n


Data Rate (Mbps)	Channel. No	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
<b>MCS 0</b>	36	5180	22.39	30	-7.61
	40	5200	23.49	30	-6.51
	48	5240	23.39	30	-6.61
<b>MSC 4</b>	36	5180	21.68	30	-8.32
	40	5200	22.89	30	-7.11
	48	5240	23.28	30	-6.72
<b>MCS 7</b>	36	5180	21.87	30	-8.13
	40	5200	22.24	30	-7.76
	48	5240	22.61	30	-7.39



Data Rate: MCS 0


Channel Frequency: 5180MHz

www.tuv.com




Data Rate: MCS 0

Channel Frequency: 5200MHz




Data Rate: MCS 0

Channel Frequency: 5240MHz



Data Rate: MCS 4


Channel Frequency: 5180MHz



Data Rate: MCS 4


Channel Frequency: 5200 MHz

www.tuv.com



Data Rate: MCS 4


Channel Frequency: 5240MHz



Data Rate: MCS 7


Channel Frequency: 5180MHz

www.tuv.com



Data Rate: MCS 7

Channel Frequency: 5200 MHz



Data Rate: MCS 7


Channel Frequency: 5240MHz




www.tuv.com

Result: 802.11 a (Mobile and Portable device)

Data Rate (Mbps)	Channel. No	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
6	36	5180	19.95	24	-4.05
	40	5200	19.30	24	-4.70
	48	5240	18.47	24	-5.53
24	36	5180	19.06	24	-4.94
	40	5200	19.22	24	-4.78
	48	5240	18.26	24	-5.74
54	36	5180	19.10	24	-4.90
	40	5200	19.42	24	-4.58
	48	5240	18.89	24	-5.11




www.tuv.com



Data Rate: 6 Mbps


Channel Frequency: 5200MHz



Data Rate: 6 Mbps


Channel Frequency: 5240MHz

www.tuv.com



Data Rate: 24 Mbps


Channel Frequency: 5180MHz



Data Rate: 24 Mbps


Channel Frequency: 5200MHz

www.tuv.com



Data Rate: 24 Mbps


Channel Frequency: 5240MHz



Data Rate: 54 Mbps


Channel Frequency: 5180MHz

www.tuv.com



Data Rate: 54 Mbps

Channel Frequency: 5200MHz




Data Rate: 54 Mbps

Channel Frequency: 5240MHz

www.tuv.com  
Result: 802.11 n


Data Rate (Mbps)	Channel. No	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dB)
<b>MCS 0</b>	36	5180	20.02	24	-3.98
	40	5200	19.40	24	-4.60
	48	5240	19.34	24	-4.66
<b>MSC 4</b>	36	5180	20.02	24	-3.98
	40	5200	19.41	24	-4.59
	48	5240	19.20	24	-4.80
<b>MCS 7</b>	36	5180	19.99	24	-4.01
	40	5200	19.36	24	-4.64
	48	5240	19.21	24	-4.79



Data Rate: MCS 0


Channel Frequency: 5180MHz

www.tuv.com




Data Rate: MCS 0

Channel Frequency: 5200MHz




Data Rate: MCS 0

Channel Frequency: 5240MHz



Data Rate: MCS 4

Channel Frequency: 5180MHz




Data Rate: MCS 4

Channel Frequency: 5200MHz




www.tuv.com



Data Rate: MCS 4


Channel Frequency: 5240MHz



Data Rate: MCS 7


Channel Frequency: 5180MHz

www.tuv.com



Data Rate: MCS 7

Channel Frequency: 5200MHz




Data Rate: MCS 7

Channel Frequency: 5240MHz

www.tuv.com  
 5725 MHz – 5850MHz Band  
 802.11 a


Data Rate (Mbps)	Channel. No	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dBm)
6	149	5745	21.71	30	-8.29
	157	5785	22.37	30	-7.63
	165	5825	<b>22.47</b>	30	-7.53
24	149	5745	21.89	30	-8.11
	157	5785	22.25	30	-7.75
	165	5825	22.21	30	-7.79
54	149	5745	21.82	30	-8.18
	157	5785	22.28	30	-7.72
	165	5825	22.22	30	-7.78



Data Rate: 6 Mbps


Channel Frequency: 5745 MHz

www.tuv.com



Data Rate: 6 Mbps


Channel Frequency: 5785 MHz



Data Rate: 6 Mbps


Channel Frequency: 5825 MHz

www.tuv.com



Data Rate: 24 Mbps


Channel Frequency: 5745 MHz



Data Rate: 24 Mbps


Channel Frequency: 5785 MHz

www.tuv.com



Data Rate: 24 Mbps


Channel Frequency: 5825 MHz



Data Rate: 54 Mbps


Channel Frequency: 5745 MHz

www.tuv.com



Data Rate: 54 Mbps

Channel Frequency: 5785 MHz




Data Rate: 54 Mbps

Channel Frequency: 5825 MHz

www.tuv.com  
Result: 802.11n

Data Rate (Mbps)	Channel. No	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Margin (dBm)
<b>MCS 0</b>	149	5745	22.04	30	-7.96
	157	5785	21.07	30	-8.93
	165	5825	22.11	30	-7.89
<b>MSC 4</b>	149	5745	21.66	30	-8.34
	157	5785	22.22	30	-7.78
	165	5825	22.38	30	-7.62
<b>MCS 7</b>	149	5745	20.66	30	-9.34
	157	5785	22.23	30	-7.77
	165	5825	21.94	30	-8.06




Data Rate: MSC 0

Channel Frequency: 5745 MHz




www.tuv.com



Data Rate: MSC 0


Channel Frequency: 5785 MHz



Data Rate: MSC 0


Channel Frequency: 5825 MHz

www.tuv.com



Data Rate: MSC 04


Channel Frequency: 5745 MHz



Data Rate: MSC 4


Channel Frequency: 5785 MHz

www.tuv.com



Data Rate: MSC 4


Channel Frequency: 5825 MHz



Data Rate: MSC 7


Channel Frequency: 5745 MHz

www.tuv.com



Data Rate: MSC 7

Channel Frequency: 5785 MHz



Data Rate: MSC 7

Channel Frequency: 5825 MHz

www.tuv.com

Maximum conducted power  
spectral density

Section 15.407(a)

Result

Pass

Test Specification

Measurement Bandwidth (RBW)

Requirement


FCC Part 15 Subpart E

1 MHz

Power spectral density for the band 5.15-5.25 GHz is 17dBm/MHz for fixed use, and 11dBm/MHz for mobile and portable use. 5.725-5.850 GHz is 30dBm/500kHz,

Result: 802.11 a


Data Rate (Mbps)	Channel. No	Frequency (MHz)	PSD (dBm)	Limit (dBm)	Margin (dBm)
6	36	5180	9.92	17	-7.08
	40	5200	12.22	17	-4.78
	48	5240	12.33	17	-4.67
24	36	5180	10.94	17	-6.06
	40	5200	11.99	17	-5.01
	48	5240	12.56	17	-4.44
54	36	5180	11.86	17	-5.14
	40	5200	12.77	17	-4.23
	48	5240	<b>13.24</b>	17	-3.76



Data Rate: 6 Mbps


Channel Frequency: 5180 MHz

www.tuv.com



Data Rate: 6 Mbps


Channel Frequency: 5200 MHz



Data Rate: 6 Mbps


Channel Frequency: 5240 MHz

www.tuv.com



Data Rate: 24 Mbps


Channel Frequency: 5180 MHz



Data Rate: 24 Mbps


Channel Frequency: 5200 MHz

www.tuv.com



Data Rate: 24 Mbps

Channel Frequency: 5240 MHz




Data Rate: 54 Mbps

Channel Frequency: 5180 MHz




www.tuv.com



Data Rate: 54 Mbps

Channel Frequency: 5200 MHz




Data Rate: 54 Mbps

Channel Frequency: 5240 MHz

www.tuv.com  
Result: 802.11n


Data Rate (Mbps)	Channel. No	Frequency (MHz)	PSD (dBm)	Limit (dBm)	Margin (dBm)
<b>MCS 0</b>	36	5180	11.60	17	-5.40
	40	5200	12.93	17	-4.07
	48	5240	12.62	17	-4.38
<b>MSC 4</b>	36	5180	10.91	17	-6.09
	40	5200	11.92	17	-5.08
	48	5240	12.03	17	-4.97
<b>MCS 7</b>	36	5180	11.30	17	-5.70
	40	5200	12.33	17	-4.67
	48	5240	12.98	17	-4.02



Data Rate: MCS 0


Channel Frequency: 5180 MHz

www.tuv.com



Data Rate: MCS 0


Channel Frequency: 5200 MHz



Data Rate: MCS 0


Channel Frequency: 5240 MHz

www.tuv.com



Data Rate: MCS 4


Channel Frequency: 5180 MHz



Data Rate: MCS 4


Channel Frequency: 5200 MHz

www.tuv.com



Data Rate: MCS 4


Channel Frequency: 5240 MHz



Data Rate: MCS 7


Channel Frequency: 5180 MHz

www.tuv.com



Data Rate: MCS 7

Channel Frequency: 5200 MHz




Data Rate: MCS 7

Channel Frequency: 5240 MHz

www.tuv.com

Result: 5.150 – 5.250 GHz Band Mobile and Portable device  
802.11 a


Data Rate (Mbps)	Channel. No	Frequency (MHz)	PSD (dBm)	Limit (dBm)	Margin (dBm)
6	36	5180	9.51	11	-1.49
	40	5200	9.53	11	-1.47
	48	5240	9.28	11	-1.72
24	36	5180	9.57	11	-1.43
	40	5200	<b>9.70</b>	11	-1.30
	48	5240	9.19	11	-1.81
54	36	5180	9.56	11	-1.44
	40	5200	9.21	11	-1.79
	48	5240	9.35	11	-1.65



Data Rate: 6 Mbps


Channel Frequency: 5180 MHz

www.tuv.com



Data Rate: 6 Mbps


Channel Frequency: 5200 MHz



Data Rate: 6 Mbps


Channel Frequency: 5240 MHz





Data Rate: 24 Mbps


Channel Frequency: 5180 MHz



Data Rate: 24 Mbps


Channel Frequency: 5200 MHz

www.tuv.com



Data Rate: 24 Mbps


Channel Frequency: 5240 MHz



Data Rate: 54 Mbps


Channel Frequency: 5180 MHz

www.tuv.com



Data Rate: 54 Mbps

Channel Frequency: 5200 MHz




Data Rate: 54 Mbps

Channel Frequency: 5240 MHz

www.tuv.com  
Result: 802.11n


Data Rate (Mbps)	Channel. No	Frequency (MHz)	PSD (dBm)	Limit (dBm)	Margin (dBm)
<b>MCS 0</b>	36	5180	9.38	11	-1.62
	40	5200	9.18	11	-1.82
	48	5240	9.16	11	-1.84
<b>MSC 4</b>	36	5180	9.55	11	-1.45
	40	5200	9.52	11	-1.48
	48	5240	9.59	11	-1.41
<b>MCS 7</b>	36	5180	<b>9.92</b>	11	-1.08
	40	5200	9.24	11	-1.76
	48	5240	9.72	11	-1.22



Data Rate: MCS 0


Channel Frequency: 5180 MHz

www.tuv.com



Data Rate: MCS 0


Channel Frequency: 5200 MHz



Data Rate: MCS 0


Channel Frequency: 5240 MHz

www.tuv.com



Data Rate: MCS 4


Channel Frequency: 5180 MHz



Data Rate: MCS 4


Channel Frequency: 5200 MHz

www.tuv.com



Data Rate: MCS 4


Channel Frequency: 5240 MHz



Data Rate: MCS 7


Channel Frequency: 5180 MHz

www.tuv.com



Data Rate: MCS 7

Channel Frequency: 5200 MHz



Data Rate: MCS 7

Channel Frequency: 5240 MHz




www.tuv.com

Result: 5.725 – 5.850 GHz Band  
802.11 a

Data Rate (Mbps)	Channel. No	Frequency (MHz)	PSD (dBm)	Limit (dBm)	Margin (dB)
6	149	5745	14.46	30	-15.54
	157	5785	15.36	30	-14.64
	165	5825	15.10	30	-14.90
24	149	5745	14.26	30	-15.74
	157	5785	<b>15.77</b>	30	-14.23
	165	5825	14.51	30	-15.49
54	149	5745	13.21	30	-16.79
	157	5785	15.36	30	-14.64
	165	5825	15.47	30	-14.53


Correction Factor=10\*log (Required Bandwidth/ Measured Bandwidth)



Data Rate: 6Mbps


Channel Frequency: 5745 MHz

www.tuv.com



Data Rate: 6Mbps


Channel Frequency: 5785 MHz



Data Rate: 6Mbps


Channel Frequency: 5825 MHz

www.tuv.com



Data Rate: 24 Mbps


Channel Frequency: 5745 MHz



Data Rate: 24 Mbps


Channel Frequency: 5785 MHz

www.tuv.com



Data Rate: 24 Mbps


Channel Frequency: 5825 MHz



Data Rate: 54 Mbps


Channel Frequency: 5745 MHz

www.tuv.com



Data Rate: 54 Mbps

Channel Frequency: 5785 MHz




Data Rate: 54 Mbps

Channel Frequency: 5825 MHz

www.tuv.com  
Result: 802.11n


Data Rate (Mbps)	Channel. No	Frequency (MHz)	PSD (dBm)	Limit (dBm)	Margin (dBm)
<b>MCS 0</b>	149	5745	14.12	30	-15.88
	157	5785	14.86	30	-15.14
	165	5825	<b>15.08</b>	30	-14.92
<b>MCS 4</b>	149	5745	14.15	30	-15.85
	157	5785	14.95	30	-15.05
	165	5825	14.85	30	-15.15
<b>MCS 7</b>	149	5745	14.17	30	-15.83
	157	5785	13.71	30	-16.29
	165	5825	14.35	30	-15.65



Data Rate: MCS 0


Channel Frequency: 5745 MHz

www.tuv.com



Data Rate: MCS 0


Channel Frequency: 5785 MHz



Data Rate: MCS 0


Channel Frequency: 5785 MHz

www.tuv.com



Data Rate: MCS 0


Channel Frequency: 5285 MHz



Data Rate: MCS 4


Channel Frequency: 5745 MHz





Data Rate: MCS 4


Channel Frequency: 5785 MHz



Data Rate: MCS 4


Channel Frequency: 5825 MHz

www.tuv.com



Data Rate: MCS 7


Channel Frequency: 5745 MHz



Data Rate: MCS 7

Channel Frequency: 5785 MHz

www.tuv.com



Data Rate: MCS 7

Channel Frequency: 5825 MHz

**www.tuv.com**

**Radiated Spurious Emissions and  
Restricted bands of operation  
Result**

**Section 15.209 /15.205/15.407 (b) (6)  
Pass**

Test Specification	FCC Part 15 Section 15.209
Test Method	ANSI C63.4-2009
Measurement Location	Semi Anechoic Chamber
Measuring Distance	3m
Detection	QP for frequency below 1GHz, Peak/Average for frequency above 1GHz
Requirement	Should Comply with the limits stated in the below table.

**Limit for Radiated Emission of Section 15.209:**

Frequency (MHz)	Field strength (μV/m)	Field strength (dBμV/m)	Distance of Measurement (m)
0.009 – 0.490	2400/F(kHz)	48.50 – 13.80	300*
0.490 – 1.705	24000/F(kHz)	33.80 – 23.00	30*
1.705 -30	30	29.54	30*
30-88	100	40.0	3
88-216	150	43.5	3
216-960	200	46.0	3
Above 960	500	54.0	3

Remark: \* the limit shows in the table above of frequency range 0.009 – 0.490, 0.490 – 1.705 MHz and 1.705-30MHz is at 300 meter, 30 meter and 30 meter range respectively, which corresponds To 88,50 – 53.80, 53.80 – 43.00 and 49.5dBμV/m at 3m range by extrapolation calculation and The measurement of loop antenna

The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9–90 kHz, 110–490 kHz and above 1000 MHz Radiated emission limits in these three bands are based on measurements employing an average detector.

[www.tuv.com](http://www.tuv.com)

## **Test results:**

**For frequencies Range 9 kHz - 1 GHz**

No emissions were found in this frequency range.

www.tuv.com  
For Frequencies above 1 GHz

**5150 MHz – 5250 MHz Band**

Protocol	Data Rate (Mbps)	Channel Frequency (MHz)	Polarization	Frequency (MHz)	Measured field Strength (dBuV/m)	Limit (dBuV/m)	Margin (dB)
802.11a	6	5180	V	5150 (Pk)	69.31	74	-4.69
				5150 (Av)	52.5	54	-1.5
				5180 (Pk)	116.16	-	*
				5180 (Av)	107.46	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
			H	5150 (Pk)	58.45	74	-15.55
				5150 (Av)	44.96	54	-9.04
				5180 (Pk)	108.55	-	*
				5180 (Av)	98.67	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
		5240	V	5240 (Pk)	116.77	-	*
				5240 (Av)	107.22	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			
			H	5240 (Pk)	108.43	-	*
				5240 (Av)	98.97	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			
	24	5180	V	5150 (Pk)	63.37	74	-10.63
				5150 (Av)	49.14	54	-4.86
				5180 (Pk)	117.08	-	*
				5180 (Av)	107.46	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
			H	5150 (Pk)	54.51	74	-19.49
				5150 (Av)	42.14	54	-11.86
				5180 (Pk)	107.95	-	*
				5180 (Av)	97.27	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
		5240	V	5240 (Pk)	118.19	-	*
				5240 (Av)	107.43	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			
			H	5240 (Pk)	110.19	-	*
				5240 (Av)	99.56	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			

www.tuv.com

Protocol	Data Rate (Mbps)	Channel Frequency (MHz)	Polarization	Frequency (MHz)	Measured field Strength (dBuV/m)	Limit (dBuV/m)	Margin (dB)
802.11a	54	5180	V	5150 (Pk)	63.33	74	-10.67
				5150 (Av)	49.35	54	-4.65
				5180 (Pk)	116.52	-	*
				5180 (Av)	106.51	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
			H	5150 (Pk)	54.08	74	-19.92
				5150 (Av)	42.55	54	-11.45
				5180 (Pk)	107.98	-	*
				5180 (Av)	98.15	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
		5240	V	5240 (Pk)	117.01	-	*
				5240 (Av)	107.69	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			
			H	5240 (Pk)	108.91	-	*
				5240 (Av)	99.06	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			

\* - -> Fundamental Frequency

P-->Peak detector

AV-->Average Detector

Protocol	Data Rate (Mbps)	Channel Frequency (MHz)	Polarization	Frequency (MHz)	Measured field Strength (dBuV/m)	Limit (dBuV/m)	Margin (dB)
802.11n	MSC 0	5180	V	5150 (Pk)	68.45	74	-5.55
				5150 (Av)	51.1	54	-2.9
				5180 (Pk)	115.07	-	*
				5180 (Av)	106.1	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
			H	5150 (Pk)	62.33	74	-11.67
				5150 (Av)	42.55	54	-11.45
				5180 (Pk)	106.49	-	*
				5180 (Av)	97.69	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
		5240	V	5240 (Pk)	117.19	-	*
				5240 (Av)	107.9	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			
			H	5240 (Pk)	109.58	-	*
				5240 (Av)	100.22	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			
	MSC 4	5180	V	5150 (Pk)	65.87	74	-8.13
				5150 (Av)	50.9	54	-3.1
				5180 (Pk)	116.77	-	*
				5180 (Av)	106.24	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
			H	5150 (Pk)	56.04	74	-17.96
				5150 (Av)	43.7	54	-10.3
				5180 (Pk)	107.02	-	*
				5180 (Av)	97.28	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
		5240	V	5240 (Pk)	117.6	-	*
				5240 (Av)	108.2	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			
H			5240 (Pk)	110.31	-	*	
			5240 (Av)	100.34	-	*	
			10480 (Pk)	No Harmonic Found			
			10480 (Av)				



Protocol	Data Rate (Mbps)	Channel Frequency (MHz)	Polarization	Frequency (MHz)	Measured field Strength (dBuV/m)	Limit (dBuV/m)	Margin (dB)
802.11n	MSC 7	5180	V	5150 (Pk)	65.32	74	-8.68
				5150 (Av)	50.48	54	-3.52
				5180 (Pk)	116.8	-	*
				5180 (Av)	105.79	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
			H	5150 (Pk)	57.91	74	-16.09
				5150 (Av)	43.73	54	-10.27
				5180 (Pk)	107.75	-	*
				5180 (Av)	97.18	-	*
				10360 (Pk)	No Harmonic Found		
				10360 (Av)			
		5240	V	5240 (Pk)	118.34	-	*
				5240 (Av)	108.24	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			
			H	5240 (Pk)	111.68	-	*
				5240 (Av)	100.52	-	*
				10480 (Pk)	No Harmonic Found		
				10480 (Av)			

\* - -> Fundamental Frequency

P-->Peak detector

AV-->Average Detector

www.tuv.com  
For Band 5.725 GHz – 5.850 GHz

Protocol	Data Rate (Mbps)	Channel Frequency (MHz)	Polarization	Frequency (MHz)	Measured field Strength (dBuV/m)	Limit (dBuV/m)	Margin (dB)
802.11a	6	5745	V	5650(Pk)	52.05	68.23	-16.18
				5650(Av)	40.81	54	-13.19
				5745(Pk)	108.1	-	*
				5745(Av)	98.88	-	*
				11490(Pk)	No Harmonic Found		
				11490(Av)			
			H	5650(Pk)	51.02	68.23	-17.21
				5650(Av)	39.61	54	-14.39
				5745(Pk)	107.31	-	*
				5745(Av)	97.17	-	*
				11490(Pk)	No Harmonic Found		
				11490(Av)			
		5825	V	5825(Pk)	108.79	-	*
				5825(Av)	99.42	-	*
				5925(Pk)	53.23	68.23	-15
				5925(Av)	41.68	54	-12.32
				11650(Pk)	No Harmonic Found		
				11650(Av)			
			H	5825(Pk)	106.7	-	*
				5825(Av)	97.37	-	*
				5925(Pk)	51.87	68.23	-16.36
				5925(Av)	40.61	54	-13.39
				11650(Pk)	No Harmonic Found		
				11650(Av)			
	24	5745	V	5650(Pk)	52.2	68.23	-16.03
				5650(Av)	40.58	54	-13.42
				5745(Pk)	108.54	-	*
				5745(Av)	98.15	-	*
				11490(Pk)	No Harmonic Found		
				11490(Av)			
			H	5650(Pk)	51.1	68.23	-17.13
				5650(Av)	39.91	54	-14.09
				5745(Pk)	108.7	-	*
				5745(Av)	98.06	-	*
				11490(Pk)	No Harmonic Found		
				11490(Av)			
		5825	V	5825(Pk)	110	-	*
				5825(Av)	99.3	-	*
				5925(Pk)	52.84	68.23	-15.39
				5925(Av)	41.93	54	-12.07
				11650(Pk)	No Harmonic Found		
				11650(Av)			
			H	5825(Pk)	108.27	-	*
				5825(Av)	97.44	-	*
				5925(Pk)	51.29	68.23	-16.94
				5925(Av)	40.65	54	-13.35
				11650(Pk)	No Harmonic Found		
				11650(Av)			

Protocol	Data Rate (Mbps)	Channel Frequency (MHz)	Polarization	Frequency (MHz)	Measured field Strength (dBuV/m)	Limit (dBuV/m)	Margin (dB)
802.11a	54	5745	V	5650(Pk)	51.65	68.23	-16.58
				5650(Av)	40.58	54	-13.42
				5745(Pk)	108.06	-	*
				5745(Av)	98.26	-	*
				11490(Pk)	No Harmonic Found		
				11490(Av)			
			H	5650(Pk)	51.25	68.23	-16.98
				5650(Av)	39.78	54	-14.22
				5745(Pk)	108.19	-	*
				5745(Av)	98.31	-	*
				11490(Pk)	No Harmonic Found		
				11490(Av)			
		5825	V	5825(Pk)	109.09	-	*
				5825(Av)	99.5	-	*
				5925(Pk)	52.44	68.23	-15.79
				5925(Av)	41.99	54	-12.01
				11650(Pk)	No Harmonic Found		
				11650(Av)			
			H	5825(Pk)	107.23	-	*
				5825(Av)	97.45	-	*
				5925(Pk)	52.38	68.23	-15.85
				5925(Av)	40.8	54	-13.2
				11650(Pk)	No Harmonic Found		
				11650(Av)			

\* - -> Fundamental Frequency  
 P-->Peak detector  
 AV-->Average Detector

Data Rate (Mbps)	Channel Frequency (MHz)	Polarization	Frequency (MHz)	Measured field Strength (dBuV/m)	Limit (dBµV/m)	Margin (dB)
MSC 0	5745	V	5650(Pk)	52.06	68.23	-16.17
			5650(Av)	40.24	54	-13.76
			5745(Pk)	105.26	-	*
			5745(Av)	95.93	-	*
			11490(Pk)	No Harmonic Found		
			11490(Av)			
		H	5650(Pk)	50.41	68.23	-17.82
			5650(Av)	39.49	54	-14.51
			5745(Pk)	105.07	-	*
			5745(Av)	96.34	-	*
			11490(Pk)	No Harmonic Found		
			11490(Av)			
	5825	V	5825(Pk)	108.56	-	*
			5825(Av)	99.49	-	*
			5925(Pk)	52.44	68.23	-15.79
			5925(Av)	41.84	54	-12.16
			11650(Pk)	No Harmonic Found		
			11650(Av)			
		H	5825(Pk)	106.12	-	*
			5825(Av)	97.48	-	*
			5925(Pk)	52.09	68.23	-16.14
			5925(Av)	40.76	54	-13.24
			11650(Pk)	No Harmonic Found		
			11650(Av)			
MSC 4	5745	V	5650(Pk)	51.65	68.23	-16.58
			5650(Av)	40.52	54	-13.48
			5745(Pk)	108.68	-	*
			5745(Av)	98.76	-	*
			11490(Pk)	No Harmonic Found		
			11490(Av)			
		H	5650(Pk)	50.71	68.23	-17.52
			5650(Av)	39.7	54	-14.3
			5745(Pk)	107.18	-	*
			5745(Av)	97.53	-	*
			11490(Pk)	No Harmonic Found		
			11490(Av)			
	5825	V	5825(Pk)	109.37	-	*
			5825(Av)	99.72	-	*
			5925(Pk)	52.54	68.23	-15.69
			5925(Av)	41.41	54	-12.59
			11650(Pk)	No Harmonic Found		
			11650(Av)			
		H	5825(Pk)	107.04	-	*
			5825(Av)	97.35	-	*
			5925(Pk)	52.2	68.23	-16.03
			5925(Av)	40.55	54	-13.45
			11650(Pk)	No Harmonic Found		
			11650(Av)			

Data Rate (Mbps)	Channel Frequency (MHz)	Polarization	Frequency (MHz)	Measured field Strength (dBuV/m)	Limit (dBuV/m)	Margin (dB)
MCS 7	5745	V	5650(Pk)	53.11	68.23	-15.12
			5650(Av)	40.52	54	-13.48
			5745(Pk)	108.59	-	*
			5745(Av)	98.25	-	*
			11490(Pk)	No Harmonic Found		
			11490(Av)			
		H	5650(Pk)	51.16	68.23	-17.07
			5650(Av)	39.71	54	-14.29
			5745(Pk)	108.08	-	*
			5745(Av)	96.96	-	*
			11490(Pk)	No Harmonic Found		
			11490(Av)			
	5825	V	5825(Pk)	109.88	-	*
			5825(Av)	99.6	-	*
			5925(Pk)	53.12	68.23	-15.11
			5925(Av)	41.8	54	-12.2
			11650(Pk)	No Harmonic Found		
			11650(Av)			
		H	5825(Pk)	107.43	-	*
			5825(Av)	97.45	-	*
			5925(Pk)	52.57	68.23	-15.66
			5925(Av)	40.74	54	-13.26
			11650(Pk)	No Harmonic Found		
			11650(Av)			

\* - -> Fundamental Frequency  
P-->Peak detector  
AV-->Average Detector

www.tuv.com

Power level Settings used during testing:

		Channels		
Mode	Data Rate (Mbps)	Low	Mid	High
802.11 a (5 GHz)  Band-1	6	21	22	22
	24	21	22	22
	54	21	22	22
802.11 n (5 GHz) Band-1	MCS0	21	22	22
	MCS4	21	22	22
	MCS7	21	22	22
802.11 a (5 GHz) Band-3	6	22	22	22
	24	22	22	22
	54	22	22	22
802.11 n (5 GHz) Band-3	MCS0	22	22	22
	MCS4	22	22	22
	MCS7	22	22	22

**Power setting for Mobile and Portable applications**

Mode	Data Rate (Mbps)	Low	Mid	High
802.11 a (5 GHz)  Band-1	6	19	20	20
	24	19	20	20
	54	19	20	20
802.11 n (5 GHz) Band-1	MCS0	19	20	20
	MCS4	19	20	20
	MCS7	19	20	20

\*\*\* END OF TEST REPORT \*\*\*