
## 1 Photo

## 1.1 Test Setup Photo



**Figure 1:** Test Setup for 30 MHz to 1000MHz (Front View)

Report Number: 31462910.001 EUT: Wireless Audio Transmitter, Model: Ear Force Stealth 500X TX




Figure 2: Test Setup for 30 MHz to 1000MHz (Rear View)

Report Number: 31462910.001 Page 2 of 12

EUT: Wireless Audio Transmitter, Model: Ear Force Stealth 500X TX




Figure 3: Test Setup for 1GHz to 18GHz (Front View)




Figure 4: Test Setup for 1GHz to 18GHz (Rear View)





Figure 5: Test Setup for 18 GHz to 26GHz (Front View)



**Figure 6:** Test Setup for 18 GHz to 26GHz (Rear View)



**Figure 7:** Test Setup for 26 GHz to 40GHz (Front View)




Figure 8: Test Setup for 26 GHz to 40GHz (Rear View)




Figure 9: RF Conducted Test Setup




Figure 10: RF Conducted Test Setup – Closeup

Report Number: 31462910.001 EUT: Wireless Audio Transmitter, Model: Ear Force Stealth 500X TX Report Date: October 10, 2014




Figure 11: Frequency Stability Test Setup (Outside Thermo Chamber)




Figure 12: Frequency Stability Test Setup (Outside Thermo Chamber)