

# **RF Exposure Statement**

## 1. LIMITS

According to §1.1310 and §2.1091 RF exposure is calculated.

### (B) Limits for General Population/Uncontrolled Exposures

Frequency range	Electric field	Magnetic field	Power density	Averaging time
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm²)	(minutes)
0.3 - 1.34	614 824/f 27.5	1.63 2.19/f 0.073	*(100) *(180/ f²) 0.2 f/1500 1.0	30 30 30 30 30

F = frequency in MHz

# 2. MAXIMUM PERMISSIBLE EXPOSURE Prediction

Prediction of MPE limit at a given distance Equation from page 18 of OET Bulletin 65, Edition 97-01

#### $S = PG/4\pi R^2$

S = Power density

P = power input to antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

<sup>\* =</sup> Plane-wave equivalent power density



FCC ID: XHG-M600

### 2-1. CDMA BAND

Max Peak output Power at antenna input terminal (dBm)	24.310
Max Peak output Power at antenna input terminal (mW)	269.774
Prediction distance (cm)	20.000
Prediction frequency (MHz)	836.520
Antenna Gain(typical) (dBi)	0.000
Antenna Gain(numeric)	1.000
Power density at prediction frequency (mW/cm²)	0.05367
MPE limit for uncontrolled exposure at prediction frequency (mW/cm²)	0.558

### 2-2. PCS BAND

Max Peak output Power at antenna input terminal (dBm)	23.1400
Max Peak output Power at antenna input terminal (mW)	206.06300
Prediction distance (cm)	20.000
Prediction frequency (MHz)	1880.00
Antenna Gain(typical) (dBi)	0.000
Antenna Gain(numeric)	1.000
Power density at prediction frequency (mW/cm²)	0.04099
MPE limit for uncontrolled exposure at prediction frequency (mW/cm²)	1.0000



FCC ID: XHG-M600

# 3. RESULTS

The power density level at 20 cm is 0.05367 mW/cm², which is below the uncontrolled exposure limit of 0.558 mW/cm² at 836.520 MHz for CDMA band. The power density level at 20 cm is 0.04099 mW/cm², which is below the uncontrolled exposure limit of 1.0 mW/cm² at 1880.0 MHz for PCS band.