

# **RF Exposure Statement**

## 1. LIMITS

According to §1.1310 and §2.1091 RF exposure is calculated.

### (B) Limits for General Population/Uncontrolled Exposures

Frequency range	Electric field	Magnetic field	Power density	Averaging time
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm²)	(minutes)
0.3 - 1.34	614 824/f 27.5	1.63 2.19/f 0.073	*(100) *(180/ f²) 0.2 f/1500 1.0	30 30 30 30 30

F = frequency in MHz

# 2. MAXIMUM PERMISSIBLE EXPOSURE Prediction

Prediction of MPE limit at a given distance Equation from page 18 of OET Bulletin 65, Edition 97-01

#### $S = PG/4\pi R^2$

- S = Power density
- P = power input to antenna
- G = power gain of the antenna in the direction of interest relative to an isotropic radiator
- R = distance to the center of radiation of the antenna

<sup>\* =</sup> Plane-wave equivalent power density



### 2-1. 5MHz Bandwidth

Max Peak output Power at antenna input terminal (dBm)	23.410
Max Peak output Power at antenna input terminal (mW)	219.280
Prediction distance (cm)	20.000
Prediction frequency (MHz)	2687.5
Antenna Gain(typical) (dBi)	0.000
Antenna Gain(numeric)	1.0000
Power density at prediction frequency (mW/cm²)	0.04362
MPE limit for uncontrolled exposure at prediction frequency (mW/cm²)	1.00000

### 2-2. PCS Bandwidth

Max Peak output Power at antenna input terminal (dBm)	23.11
Max Peak output Power at antenna input terminal (mW)	204.644
Prediction distance (cm)	20.000
Prediction frequency (MHz)	2685.00
Antenna Gain(typical) (dBi)	0.0000
Antenna Gain(numeric)	1.0000
Power density at prediction frequency (mW/cm²)	0.04071
MPE limit for uncontrolled exposure at prediction frequency (mW/cm²)	1.00000





# 3. RESULTS

The power density level at 20 cm is 0.04362 mW/cm², which is below the uncontrolled exposure limit of 1.00000 mW/cm² at 2687.500 MHz for 5 MHz band. The power density level at 20 cm is 0.04071 mW/cm², which is below the uncontrolled exposure limit of 1.00000 mW/cm² at 2685.0 MHz for 10MHz band.